

An arachnological excursion to the granitic Seychelles, 1-26th
January 1999.

Arachnid species lists for Silhouette, Cousine & Mahé

M.I. Saaristo

Department of Biology,
University of Turku,
FIN-20014 Turku,
FINLAND

[micsaa@utu.fi]

These species lists accompany the account of arachnological collecting in Seychelles in:

Saaristo, M. 1999 - An arachnological excursion to the granitic Seychelles, 1-26th January 1999. *Phelsuma* 7; 62-64.

List of the Silhouette spiders

- = recorded from Silhouette, not collected during this excursion

+ = recorded from Silhouette, collected during this excursion

* = new to Silhouette, collected during this excursion

= new to Silhouette and the granitic Seychelles, collected during this excursion

% = new to Silhouette, collected by Dr. Gerlach between 1993-98, not during this excursion

Suborder MYGALOMORPHA

Family BARYCHELIDAE Simon, 1889

Sason Simon, 1898

% *S. seychellum* Simon, 1898.

Family THERAPHOSIDAE

Chaetopelma Ausscher, 1871

- *C. gardneri* Hirst, 1911.

INCERTAE SEDIS

Genus ign.

+ Gen. sp. ign. (?= *Chonothelae* sp. by Hirst 1911)

Suborder ARANEOMORPHA**Family FILISTATIDAE Ausserer, 1867***Pripha* Lehtinen, 1967* *P. heikkii* Saaristo, 1978**Family SCYTODIDAE Blackwall, 1864**

"Scytodes"

% "S." *pholcoides* Simon, 1898* "S." *fusca* (Walckenaer, 1837)*Soeuria* Saaristo, 1997* *Soeuria soeur* Saaristo, 1997**Family OCHYROCRATIDAE Fage, 1912***Theotima* Simon, 1893* *T. minutissima* (Petrunkewitsch, 1929)*Ovette* Saaristo, 1998- *O. ovette* Saaristo, 1998*Speocera (Complicera)* Berland, 1914# *S. (C.) javana* (Simon, 1905)

Genus ign.

Gen. sp. ign.

Family PHOLCIDAE C. L. Koch, 1851*Pholcus* Walckenaer, 1805# *P.* sp. ign.*Micropholcus* Deeleman-Reinhold & Prinsen, 1987# *M. fauroti* (Simon, 1887)*Artema* Walckenaer, 1833* *A. atlanta* Walckenaer, 1833*Physocyclus* Simon, 1893# *P. globosus* (Taczanowski, 1874)

"Holocnemus"

+ "H." *culiculus* Simon, 1898

"H." sp. ign.

Smeringopus Simon, 1890+ *S. pallidus* (Blackwall, 1858)*Modisimus* Simon, 1893# *M. culicinus* (Simon, 1893)*Spermophorides* Wunderlich, 1991# *S.* sp. ign.**Family TETRABLEMMIDAE O. Pickard-Cambridge, 1873***Mariblemma* Lehtinen, 1981+ *M. pandani* (Brignoli, 1978)*Tetramblemma* O. Pickard-Cambridge, 1873+ *T. benoiti* (Brignoli, 1978)**Family OONOPIDAE Simon, 1890***Gamasomorpha* Karsh, 1881+ *G. mornensis* Benoit, 1979* *G. insularis* Simon, 1907* "G." *david* Benoit, 1979* "G." *ludiguer* Benoit, 1979% "G." *sechellensis* Benoit, 1975* "G." *trichinalis* Benoit, 1979*Diblemma* O. Pickard-Cambridge, 1908# *D. donisthorpii* O. Pickard-Cambridge, 1908*Silhouettella* Benoit, 1979+ *S. curieusei* Benoit, 1979* *S. mahei* Benoit, 1979*Lionnetta* Benoit, 1979# *L.* sp. ign.+ *L. sechellensis* Benoit, 1979- *L. silhouettei* Benoit, 1979*Opopaea* Simon, 1891- *O. silhouettei* (Benoit, 1975)

- Brignolia** Dumitresco & Georgescu, 1983
 # *B. cubana* Dumitresco & Georgescu, 1983
- Ischnothyreus** Simon, 1892
 * *I. pulifer* (Simon, 1891) = *I. sechellorum* Benoit, 1979 n. syn.
 # *I. velox* Jackson, 1908
- Oonops** Templeron
 - *O. savii* Benoit, 1979
- Heteroonops** Dalmas, 1916
 * *H. spinimanus* (Simon, 1891)
- Oonopinus** Simon
 * *O. kilikus* Sutman, 1965 = *O. lodoiceaphilus* Benoit, 1979 n. syn.
- Stenoonops** Simon, 1891
 - *S. opistostriatus* Benoit, 1979
- Orchestina**
 # *O.* sp. ign.
- Genus ign. 1**
 # Sp. ign.
- Family PALPIMANIDAE** Thorell, 1870
- Hybosida** Simon, 1898
 + *H. dauban* Platnick, 1979
- Steriphropus** Simon, 1887
 * *S. lacertosus* Simon, 1898
- Family OECOBIDAE** Blackwall, 1862
- Maitreja** Lehtinen, 1967
 * *M. marathaus* (Tikader, 1962)
- Tarapaca** Lehtinen, 1967
 # *T. concinna* (Simon, 1892) n. comb.
- Family ULOBORIDAE** Thorell, 1869
- Uloborus** Latreille, 1806
 + *U. plumipes* Lucas, 1846
- Zosis** Walckenaer, 1841
 + *Z. geniculatus* (Oliver, 1789)
- Family MIMETIDAE** Simon, 1881
- Mimetus** Hentz, 1832
 # *Mimetus* ign.
- Family THERIDIIDAE** Sundevall, 1833
- Dipoena** Thorell, 1869
 * *D. spundana* Roberts, 1978
- Argyrodes** Simon, 1864
 + *A. rostratus* Blackwall, 1877
 + *A. cognatus* (Blackwall, 1877)
 * *A. fissifrontella* Saaristo, 1978
 # *A. borycephalus* Roberts, 1983
 * *A. pusillus* Saaristo, 1978
 - *A. recurvatus* Saaristo, 1978
- Episinus** Walckenaer, 1809
 - *E. coecervus* Roberts, 1978
- Theridion** Walckenaer, 1805
 # *T. scorinum* Roberts, 1983
 + "T." *libunum* Roberts, 1978
 * "T." *braueri* Simon, 1898 = *T. purifum* Roberts, 1978 n. syn.
 * "T." *cladnum* Roberts, 1978
- Coleosoma** O. Pickard-Cambridge, 1882
 * *C. blandum* O. Pickard-Cambridge, 1882
 + *C. floridanum* (Banks, 1900)
 * *C. adamsoni* (Berland, 1935)
- Anelosimus** Simon, 1891
 * *A. placens* (Keyserling, 1884)
- Genus ign.**
 # G. sp. ign.
- Family THERIDIOSOMATIDAE**
- Zoma** Saaristo, 1996
 - *Z. zoma* Saaristo, 1996

- Andasta* Saaristo, 1996
 + *A. silte* Saaristo, 1996
- Family SYMPHYTOGNATHIDAE** Hickman, 1931
Anapistula Gerisch, 1941
 - *A. seychellensis* Saaristo, 1996
- Pato* Marples, 1951
 + *P. silho* Saaristo, 1996
- Family MYSMENIDAE**
Microdipoena Banks, 1895
 + *M. elsaæ* Saaristo, 1978
- Family LINYPHIIDAE** Blackwall, 1859
Microbathyphantes van Helsdingen, 1988
 * *M. spedani* (Locket, 1968)
- Nesoneta* Millidge, 1991
 + *N. benoitia* (van Helsdingen, 1978)
- Theoa* Saaristo, 1995
 * *T. tricandata* (Locket, 1982)
- Neoriesotes* Millidge, 1991
 # *N. remiformis* Millidge, 1991
- Family TETRAGNATHIDAE** Menge, 1866
Nephila Leach, 1815
 + *N. inaurata* (Walckenaer, 1841)
- Nephilengys* L Koch, 1872
 + *N. cruentata* (Fabricius, 1775)
- "*Leucauge*"
 + "L." *argyrescens* Benoit, 1978
 * "L." *thorellii* (Blackwall, 1877)
 + "L." *mornensis* Benoit, 1978
- Tetragnatha* Latreille, 1804
 * *T. mandibulata* Walckenaer, 1841
 * *T. marginata* (Thorell, 1890)
 + *T. modesta* Hirst, 1911
 + *T. nigricularis* Simon, 1897
- Family ARANEIDAE**
Cyrtophora Simon, 1864
 + *C. citricola* (Forskol, 1775)
- Arachnura* Vinson, 1863
 - *A. scorpionoides* Vinson, 1863
- Cyclosa* Menge, 1866
 + *C. kibonotensis* Tullgren, 1910
 * *C. insulana* (Costa, 1834)
- Dreuxelia* McCook, 1892
 * *D. bifida* (Tullgren, 1910)
- Prasonica* Simon, 1895
 + *P. serata* (Simon, 1895)
- Neoscona* Simon, 1864
 * *N. triangula* (Keyserling, 1864)
 * *N. subfuscata* (C. L. Koch, 1837)
 - *N. moreletii* (Vinson, 1863)
- Family LYCOSIDAE** Sundevall, 1833
Trochosa C. L. Koch, 1848
 * *T. urbana* (O. Pickard-Cambridge, 1878)
- Bristowiella* Saaristo, 1980
 * *B. seychellensis* (Bristowe, 1973)
- Family OXYOPIDAE** Thorell, 1870
Oxyopes Latreille, 1804
 + *O. dumontii* (Vinson, 1863)
- Family MITURGIDAE** Lehtonen, 1967
 Genus ign.
 # Gen. sp. ign.
- Family CLUBIONIDAE** Wagner 1887
Clubiona Latreille, 1804

- + *C. mahensis* Simon, 1893
 # *C.* sp. ign
 + "C." *nigromaculosa* Blackwall, 1877
- Family CORINNIDAE** Karsch, 1880
Oedignatha Thorell, 1881 * *O. scrobiculata* Thorell, 1881
Genus ign. 1. # Gen. sp. ign.
Genus ign. 2. # Gen. sp. ign.
- Family CRYPTOTHELIDAE** L. Koch, 1872
Cryptothelae L. Koch, 1872 + *C. altuandi* Simon, 1893
- Family GNAPHOSIDAE** Banks, 1892
Camillina Berland, 1919 * *C. cordifera* (Tullgren, 1910)
Xerophaeus Purcell, 1907 # *X.* sp. ign.
- Family SELENOPIDAE** Simon, 1897
Selenops Dufour, 1817 + *S. secretus* Hirst, 1911
- Family HETEROPODIDAE** Thorelli, 1874
Heteropoda Latreille, 1804 * *H. venatoria* (Linnaeus, 1758)
Rhitymna Simon, 1897 + *R. valida* (Blackwall, 1877)
Rhacochemis Simon, 1898 - *R. guttata* (Blackwall, 1877)
Thomassetia Hirst, 1911 - *T. seychellana* Hirst, 1911
- Family THOMISIDAE** Sundevall, 1833
"Thomisus"
 + "T." *stenningi* Pocock, 1900 [= *T. citrinellus* auct. nec Simon, 1875]
- Family SALTICIDAE** Blackwall, 1841
Goleba Wanless, 1980
 + *G. pallens* (Blackwall, 1877)
Sadies Wanless, 1984
 + *S. gibbosa* Wanless, 1984
 * *S. seychellensis* Wanless, 1984
Myrmarachne MacLeay, 1838
 + *M. constricta* (Blackwall, 1877)
Bavia Simon, 1898
 - *B. braueri* Simon, 1898
 - *B. luteosignata* Wanless, 1984
 + *B. spatulata* Wanless, 1984
 + *B. vannolli* Wanless, 1984
Hispa Simon, 1885
 - *H. albochyea* Wanless, 1984
Hasarius Simon, 1871
 * *H. adamsonii* (Savigny & Audouin, 1825)
 + *H. rufocinctus* Simon, 1898
Hyllus C. L. Koch, 1846
 + *H. acutus* (Blackwall, 1877)
Carrhotus Thorell, 1891
 + *C. bellus* Wanless, 1984
Plexippus C. L. Koch, 1846
 * *P. paykullii* (Savigny & Audouin, 1825)
Salpesia Simon, 1901
 * *S. soricina* Simon, 1901
Heliophanus C. L. Koch, 1833
 + *H. activus* (Blackwall, 1877)
Menemerus Simon, 1868
 * *M. bivittatus* (Dufour, 1831)

List of the Cousine spiders

- = send by Mr. Hitchins or Ms La Maitre, not collected during this excursion
- + = send by Mr. Hitchins or Ms La Maitre, collected also during this excursion
- * = new to Cousine
- # = new also to the granitic Seychelles

Family SCYTODIDAE Blackwall, 1864**"Scytodes"**+ "*S.*" *fusca* (Walckenaer, 1837)*Soeuria* Saaristo, 1997* *S. soeur* Saaristo, 1997**Family OCHYROCERATIDAE Page, 1912*****Theotima* Simon, 1893**+ *T. minutissima* (Petrunkewitsch, 1929)**Family PHOLCIDAE C. L. Koch, 1851*****Micropholcus* Deeleman-Reinhold & Prinsen, 1987*** *M. fauroti* (Simon, 1887)***Physoclytus* Simon, 1893*** *P. globosus* (Taczanowski, 1874)***Smeringopus* Simon, 1890**+ *S. pallidus* (Blackwall, 1858)***Modisimus* Simon, 1893*** *M. culicinus* (Simon, 1893)**Family OONOPIDAE Simon, 1890*****Gamasomorpha* Karsh, 1881*** "*G.*" *ladiguei* Benoit, 1979* "*G.*" *trichinalis* Benoit, 1979***Silhouettella* Benoit, 1979*** *S. mahei* Benoit, 1979***Brignolia* Dumitresco & Georgesco, 1983*** *B. cubana* Dumitresco & Georgesco, 1983***Ischnothyreus* Simon, 1892*** *I. peltifer* (Simon, 1891) = *I. sechellorum* Benoit, 1979 n. syn.* *I. velox* Jackson, 1908***Oonopinus* Simon*** *O. kilikus* Suman, 1965 = *O. lodoiceaphilus* Benoit, 1979 n. syn.**Genus ign 2.**

Sp. ign.

Family OECOBIDAE Blackwall, 1862***Maitreja* Lehtinen, 1967*** *M. marathaus* (Tikader, 1962)***Tarapaca* Lehtinen, 1967**+ *T. concinnus* (Simon, 1892) n. comb.**Family THERIDIIDAE Sundevall, 1833*****Theridion* Walckenaer, 1805*** "*T.*" *clabnum* Roberts, 1978***Coleosoma* O. Pickard-Cambridge, 1882*** *C. floridanum* (Banks, 1900)* *C. adamsoni* (Berland, 1935)**Family MYSMENIDAE*****Microdipoena* Banks, 1895*** *M. elsaee* Saaristo, 1978**Family LINYPHIIDAE Blackwall, 1859*****Nesianeta* Millidge, 1991*** *N. benoiti* (van Helssingen, 1978)***Theoa* Saaristo, 1995*** *T. tricaudata* (Locket, 1982)***Neonesiates* Millidge, 1991*** *N. remiformis* Millidge, 1991

Family TETRAGNATHIDAE Menge, 1866

Nephila Leach, 1815

- *N. inaurata* (Walckenaer, 1841)

Tetragnatha Latreille, 1804

* *T. marginata*

Family ARANEIDAE

Dreuxelia McCook, 1892

+ *D. hisida* (Tullgren, 1910)

Family LYCOSIDAE Sundevall, 1833

Trochosa C. L. Koch, 1848

* *T. urbana* (O. Pickard-Cambridge, 1878)

Bristowella Saaristo, 1980

- *B. seychellensis* (Bristowe, 1973)

Family CLUBIONIDAE Wagner 1887

Clubiona Latreille, 1804

+ *C.* sp. ign.

Family CORINNIDAE Karsch, 1880

Oedignatha Thorell, 1881

* *O. scrobiculata* Thorell, 1881

Genus ign. 1.

* Gen. sp. ign.

Genus ign. 2.

+ Gen. sp. ign.

Family CRYPTYTHELIIDAE L. Koch, 1872

Cryptothelae L. Koch, 1872

* *C. alluaudi* Simon, 1893

Family PRODIDOMIDAE Simon, 1884

Genus ign.

G. sp. ign.

Family GNAPHOSIDAE Banks, 1892

Camillina Berland, 1919

+ *C. cordifera* (Tullgren, 1910)

Xerophaeus Purcell, 1907

- *X. espoir* Platnick, 1981

* *X.* sp. ign.

Family SELENOPIDAE Simon, 1897

Selenops Dufour, 1817

+ *S. secretus* Illust, 1911

Family HETEROPODIDAE Thorell, 1874

Heteropoda Latreille, 1804

+ *H. venatoria* (Linnaeus, 1758)

Family SALTICIDAE Blackwall, 1841

Hasarius Simon, 1871

+ *H. adamsonii* (Savigny & Audouin, 1825)

Hyllus C. L. Koch, 1846

- *H. acutus* (Blackwall, 1877)

Plexippus C. L. Koch, 1846

- *P. paykullii* (Savigny & Audouin, 1825)

Heliophanus C. L. Koch, 1833

+ *H. activus* (Blackwall, 1877)

Menemerus Simon, 1868

- *M. bivittatus* (Dufour, 1831)

Harmochirus

* *H.* sp. ign.

List of the spiders of Mahé

Suborder MYGALOMORPHA

Family BARYCHELIDAE Simon, 1889

Sason Simon, 1887

- *S. sechellianum* Simon, 1898

Family THERAPHOSIDAE Thorell, 1870

Chaetopelma Ausserer, 1871

- *C. gardineri* Hirsh, 1911

Suborder ARANEO MORPHA**Family FILISTATIDAE** Ausserer, 1867*Pritha* Lehtinen, 1967+ *P. garciai* (Simon, 1892)**Family SCYTODIDAE** Blackwall, 1864*"Scytodes"*

- "S." *berthelotii* (Lucas, 1839)
- "S." *fusca* (Walckenaer, 1837)
- "S." *pholcoides* (Simon, 1898)
- "S." *velutina* (Lowe, 1835)

Family TELEMIDAE Fage, 1913*Seychellia* Saaristo, 1978+ *S. wiljoi* Saaristo, 1978**Family OCHYROceratidae** Fage, 1912*Thoetima* Simon, 1893+ *T. minutissima* (Petrunkewitsch, 1929)

Genus ign.

* Gen. sp. ign.

Family PHOLCIDAE C. L. Koch, 1851*Pholcus* Walckenaer, 1805* *P.* sp. ign.*Micropholcus* Deeleman-Reinhold & Prinsen, 1987* *M. fauroti* (Simon, 1887)*Artema* Walckenaer, 1833- *A. atlanta* Walckenaer, 1833*"Holocnemus"*+ "H." *cuculus* Simon, 1898*Smeringopus* Simon, 1890+ *S. pallidus* (Blackwall, 1858)*Modisimus* Simon, 1893* *M. culicinus* (Simon, 1893)**Family TETRABLEMMIDAE** O. Pickard-Cambridge, 1873*Tetrablemma* O. Pickard-Cambridge, 1873+ *T. benoiti* (Brignoli, 1978)**Family SEGESTRIIDAE** Simon, 1893*Ariadna* Savyni & Audouin, 1825+ *A. ustulata* Simon, 1898**Family OONOPIDAE** Simon, 1890*Gamasomorpha* Karsh, 1881

- *G. mornensis* Benoit, 1979
- *G. insularis* Simon, 1907
- *G. austera* Simon, 1898
- "G." *david* Benoit, 1979
- + "G." *ladiguei* Benoit, 1979
- "G." *sechellensis* Benoit, 1975
- "G." *silhouettei* Benoit, 1979
- "G." *trichinalis* Benoit, 1979

Silhouettella Benoit, 1979- *S. mahei* Benoit, 1979*Lionnetea* Benoit, 1979- *L. mahensis* Benoit, 1979+ *L. sechellensis* Benoit, 1979*Ischnothyreus* Simon, 1892- *I. jivani* Benoit, 1979- *I. orophilus* Benoit, 1979- *I. peltifer* (Simon, 1891) = *I. sechellorum* Benoit, 1979 n. syn.# *I.* sp. ign.*Oonops* Templeton- *O. savyi* Benoit, 1979*Heteroonops* Dalmas, 1916- *H. spinimanus* (Simon, 1891)

Orchestinidae

- *O. sechellorum* Benoit, 19798
- * *O. sp. ign.*

Family PALPIMANIDAE Thorell, 1870

- Hybosida* Simon, 1898
 - *H. lucida* Simon, 1898
- Steriphropus* Simon, 1887
 - *S. lacertosus* Simon, 1898

Family OECOBIDAE Blackwall, 1862

- Maitreja* Lehtinen, 1967
 - *M. marathaus* (Tikader, 1962)

- Tarapaca* Lehtinen, 1967
 - * *T. concinnus* (Simon, 1892) n. comb.

Family ULOBORIDAE Thorell, 1869

- Uloborus* Latreille, 1806
 - + *U. plumipes* Lucas, 1846
 - *U. sp. 2.* sensu Saaristo 1978
- Zosis* Walckenaer, 1841
 - + *Z. geniculatus* (Oliver, 1789)

Family THERIDIJIDAE Sundevall, 1833

- Argyrodes* Simon, 1864
 - + *A. argyrodes* (Walckenaer, 1837)
 - + *A. rostratus* Blackwall, 1877
 - + *A. cognatus* (Blackwall, 1877)
 - + *A. fissifrontella* Saaristo, 1978
 - + *A. pusillus* Saaristo, 1978
 - *A. recurvatus* Saaristo, 1978

- Episinus* Walckenaer, 1809
 - *E. coecervus* Roberts, 1978

- Theridion* Walckenaer, 1805
 - + "T." *braueri* (Simon, 1898)
 - + "T." *clabnum* Roberts, 1978
 - + "T." *libunum* Roberts, 1978

- Coleosoma* O. Pickard-Cambridge, 1882
 - *C. blandum* O. Pickard-Cambridge, 1882
 - + *C. floridana* (Banks, 1900)
 - + *C. adamsoni* (Berland, 1935)

- "*Achearenea*"

- *A.* *tepidarioria* (C. L. Koch, 1841)
- *A.* *mudula* (L. Koch, 1872)
- Anelosimus* Simon, 1891
 - *A. placens* (Keyserling, 1884)

Family THERIDIOSOMATIDAE Simon, 1881

- Andasta* Saaristo, 1996
 - *A. benoiti* (Roberts, 1978)
- Family MYSMENIDAE Petrunkevitch, 1928**
- Microdipoena* Banks, 1895
 - *M. elsaæ* Saaristo, 1978

Family LINYPHIIDAE Blackwall, 1859

- Microbathyphantes* van Helsdingen, 1988
 - *M. palmarius* (Marples, 1955)
- Nesoneta* Millidge, 1991
 - *N. benoiti* (van Helsdingen, 1978)

- Thoea* Saaristo, 1995
 - + *T. tricaudata* (Locket, 1982)

- Neonesiotes* Millidge, 1991
 - * *N. remiformis* Millidge, 1991

Family TETRAGNATHIDAE Menge, 1866

- Nephila* Leach, 1815
 - + *N. inaurata* (Walckenaer, 1841)
- Nephilengys* L. Koch, 1872
 - + *N. cruentata* (Fabricius, 1775)

"Leucauge"

- + "*L.*" *argyrescens* Benoit, 1978
 - + "*L.*" *thorelli* (Blackwall, 1877)
 - "*L.*" *mornensis* Benoit, 1978
- Tetragnatha** Latreille, 1804
- + *T. mandibulata* Walckenaer, 1842
 - *T. foliifera* Simon, 1879
 - *T. marginata* (Thorell, 1890)
 - + *T. nigricularis* Simon, 1897

Family ARANEIDAE Latreille, 1806

- Argiope** Savigny & Audouin, 1825
- *A. anasuja* (Thorell, 1887)
- Cyrtophora** Simon, 1864
- + *C. citricola* (Forskal, 1775)
- Cyclosa** Menge, 1866
- *C. insulana* (Costa, 1834)
- Dreuxelia** McCook, 1892
- * *D. bifida* (Tullgren, 1910)
- Prasonica** Simon, 1895
- *P. seriata* (Simon, 1895)
- Kilima** Grasshoff, 1970
- *K. decent* (Blackwall, 1866)
- Neoscona** Simon, 1864
- *N. morelii* (Vinson, 1863)
 - *N. punctigera* (Doleschall, 1857)
 - *N. subfuscata* (C. L. Koch, 1837)
 - + *N. triangula* (Keyserling, 1864)
- Gasteracantha** Latreille, 1831
- * *G. brevispina* (Doleschall, 1857)

Family LYCOSIDAE Sundevall, 1833

- Trochosa** C. L. Koch, 1848
- + *T. urbana* (O. Pickard-Cambridge, 1878)
- Bristowiella** Saaristo, 1980
- + *B. seychellensis* (Bristowe, 1973)

Family PISAURIDAE Simon, 1890

- Voraptus** Simon, 1898
- *V. tenellus* (Simon, 1893)

Family OXYOPIDAE Thorell, 1870

- Oxyopes** Latreille, 1804
- *O. dumonti* (Vinson, 1863)
- Peucetia** Thorell, 1869
- *P. pulchra* (Blackwall, 1865)

Family CLUBIONIDAE Wagner 1887

- "Clubiona"**
- "*C.*" *mahrensis* Simon, 1893
 - "*C.*" *nigrimaculosa* Blackwall, 1877

Family CORINNIDAE Karsch, 1880

- Oedignatha** Thorell, 1881
- + *O. scrobiculata* Thorell, 1881

Genus ign.

- * G. sp. ign.

Family CRYPTOTHELIDAE L. Koch, 1872

- Cryptothelae** L. Koch, 1872
- + *C. allucundi* Simon, 1893

Family GNAPHOSIDAE Banks, 1892

- Microdrassus** Dalmus, 1920
- *M. inaudax* (Simon, 1898)
- Camillina** Berland, 1919
- *C. cordifera* (Tullgren, 1910)
- Xerophaeus** Purcell, 1907
- *X. espoir* Platnick, 1981

- Family Ctenidae** Keyserling, 1877
Apolonia Simon, 1898
 - *A. segmentata* Simon, 1898
- Family Seelenopidae** Simon, 1897
Selenops Dufour, 1817
 - *S. secretus* Hirst, 1911
- Family Heteropodidae** Thorell, 1874
Heteropoda Latreille, 1804
 - *H. venatoria* (Linnaeus, 1758)
- Rhitymna* Simon, 1897
 + *R. valida* (Blackwall, 1877)
- Sparassus* Walckenaer, 1805
 - *S. walckenaeri* (Savigny & Audouin, 1825)
- Rhacocnemis* Simon, 1898
 - *R. guttata* (Blackwall, 1877)
- Thomasetta* Hirst, 1911
 - *T. seychellana* Hirst, 1911
- Pleurotus* Simon, 1898
 - *P. braueri* Simon, 1898
- Stipax* Simon, 1898
 - *S. triangulifer* Simon, 1898
- Family Thomisidae** Sundevall, 1833
 "Firmicus"
 - *F. insularis* Blackwall, 1877
- "Thomisus"
 + "*T.*" *sternungi* Pocock, 1900
- Family Salticidae** Blackwall, 1841
Goleba Wanless, 1980
 - *G. pallens* (Blackwall, 1877)
- Sadies* Wanless, 1984
 + *S. fulgida* Wanless, 1984
 * *S. gibbosa* Wanless, 1984
 - *S. seychellensis* Wanless, 1984
 - *S. trifasciata* Wanless, 1984
- Bavia* Simon, 1898
 - *B. braueri* Simon, 1898
 - *B. luteosignata* Wanless, 1984
 * *B. spatulata* Wanless, 1984
 + *B. variolli* Wanless, 1894
- Myrmarachne* MacLeay, 1838
 + *M. constricta* (Blackwall, 1877)
- Cynapes* Simon, 1900
 - *C. wrightii* (Blackwall, 1877)
- Hispa* Simon, 1885
 - *H. alboclypea* Wanless, 1984
 + *H. striolata* Simon, 1898
- Hasarius* Simon, 1871
 - *H. adamsonii* (Savigny & Audouin, 1825)
 - *H. mahensis* Wanless, 1984
 + *H. rufociliatus* Simon, 1898
- Hyllus* C. L. Koch, 1846
 + *H. acutus* (Blackwall, 1877)
- Carphotus* Thorell, 1891
 - *C. bellus* Wanless, 1984
- Plexippus* C. L. Koch, 1846
 + *P. paykullii* (Savigny & Audouin, 1825)
- Heliophanus* C. L. Koch, 1833
 - *H. activus* (Blackwall, 1877)
- Pseudicius* Simon, 1885
 - *P. seychellensis* Wanless, 1984
- Menemerus* Simon, 1868
 + *M. bivittatus* (Dufour, 1831)

Harmochirus Simon, 1885

* H. n. sp.

Genus ign. # G. sp. ign.

References

- Benoit, P. L. G. 1978a: *Rev. Zool. afr.* **92** (2) 405-420.
- 1978b: *Rev. Zool. afr.* **92** (3) 663-674.
- 1978c: *Rev. Zool. afr.* **92** (3) 675-679.
- 1978d: *Rev. Zool. afr.* **92** (3) 680-689.
- 1978e: *Rev. Zool. afr.* **92** (3) 690-699.
- 1978f: *Rev. Zool. afr.* **92** (4) 899-901.
- 1978g: *Rev. Zool. afr.* **92** (4) 940-946.
- 1979: *Rev. Zool. afr.* **93** (1) 185-222.
Blackwall, J. 1877: *Proc. R. Irish Acad. Sci.* (3,2) **1**: 1-22, Pls. 1-2.
Brignoli, P. M. 1978: *Rev. Zool. afr.* **92**(2): 431-435.
- 1980: *Rev. Zool. afr.* **94**(2): 380-386.
Bristowe, W. S. 1973: *Entomologist* **106**: 220-222.
Grasshoff, M. 1980: *Rev. Zool. afr.* **94**(2): 387-409.
Helsdingen van, P. J. 1978: *Rev. Zool. afr.* **92**(2): 889-898.
Hirst, A. S. 1911: *Trans. Linn. Soc. London, Zool.* **14**: 379-395.
Platnick, N. I. 1979: *Rev. Zool. afr.* **93**(2): 461-466.
- 1981: *Rev. Zool. afr.* **95** (2): 451-457.
Roberts, M. 1978: *Rev. Zool. afr.* **92**(4): 902-939.
- - 1983: *Zool. J. Linn. Soc.* **77**: 217-291.
Saristö, M. I. 1978: *Ann. Zool. Fennici* **15**: 99-126.
- 1980: *Bull. Br. arachnol. Soc.* (1980) **5**(3): 166.
- 1995a: *Phelsuma* **3**:41-52.
- 1995b: *Phelsuma* **3**:53-57.
- 1996a: *Phelsuma* **4**: 48-52.
- 1996b: *Phelsuma* **4**: 53-56.
- 1997a: *Phelsuma* **5**:49-57.
- 1997b: *Phelsuma* **5**: 69-71.
- 1998: *Phelsuma* **6**: 20-26.
Simon, E. 1893: *Bull. Soc. Zool. France* **1893** (18): 204-211.
- , 1898: *Ann. Soc. Ent. France* **66**: 370-385.
Wanless, F. R. 1984: *Mus. R. Afr. Cent., Tervuren, Belg. Ann. 8, Sci. Zool.* **241**: 1-84.