

## Synonymy of Partulidae

(from <http://islandbiodiversity.com/crampton.htm>)

Valid names shown in bold

### A

*abbreviata* Pease, 1864 (= ***abbreviata*** Mousson, 1869)  
***abbreviata*** Mousson, 1869  
*abbreviata* Carpenter in Pease, 1865 (= *thalia*)  
*aberrans* Crampton, 1916 (= *crassa*)  
*actor* Albers, 1850 (= *zebrina*)  
*adusta* Garrett, 1884 (= *varia*)  
*Æega* Hartma, 1881 (= *Samoana*)  
***affinis*** Pease, 1868  
***alabastrina*** Pfeiffer, 1856  
*albescens* Hartman, 1888 (= *pyramis*)  
***alloides*** Cooke MS (= ***medana***)  
*alternata* Carpenter in Pease, 1865 (= *suturalis*)  
***amabilis*** Pfeiffer, 1846 (= *otaheitana otaheitana*)  
*amanda* Garrett, 1884 (= *subangulata*)  
*angusta* Crampton, 1916 (= *clara*)  
***annectens*** Pease, 1853  
*approximata* Garrett, 1884 (= *navigatoria*)  
***arguta*** Pease, 1866  
*argutus* Pease, 1866 (= *arguta*)  
*artensis* Pilsbry, 1909 (= *pacifica*)  
***assimilis*** Pease, 1867  
*Astraea* Hartman, 1881 (= ***Partula***)  
***atilis*** Crampton, 1956  
***attenuata*** (Pease, 1864)  
***auraniana*** Hartman, 1888  
***aurantia*** Crampton, 93  
***auriculata*** Broderip, 1832  
*auricualta* Carpennter, 1865 (= *thalia* part, = ***bilineata*** part)  
***auriculata*** Pease, 1864 (= ***umbilicata***)  
*auriculatus* Beck, 1837 (= ***auriculata***)  
*Auris Midae fasciata* Chemnitz, 1786 (= ***faba***)  
*australis* Bruguiere, 1792 (= ***faba***)

### B

*bacca* ‘Pease’, Smith 1903 (= ***affinis***)  
***bella*** Pease, 1871 (= ***hebe***)  
***bella*** Hartman, 1881 (= *Amanda* part, = ***hebe*** part)  
***bellula*** (Hartman, 1885)  
*biangulata* “Pease” Hartman, 1881 (= ***faba***)  
***bicolor*** Pease, 1872 (= ***gibba***)  
***bicolor*** Garrett, 1884 (= *varia*)  
***bicolorata*** Pilsbry, 1909 (= *rosea*)  
***biconica*** Pilsbry, 1909 (= *conica*)  
***bilineata*** Pease, 1866  
***bipartita*** Pilsbry, 1909 (= *rosea*)  
***brazieri*** Pease, 1872 (= *pacifica*)  
***brevicula*** Garrett, 1884 (= *otaheitana*)  
*brumalis* Reeve, 1840 (= *guamensis*)  
*brunnea* “Pease” Hartman, 1881 (= ***faba***)  
***Buliminus*** (= ***Partula***)  
***bulimoides*** Lesson, 1831  
***bulimoides*** Pfeiffer, 1877 (= ***faba***)

*bulimoides* Harman, 1881 (= *conica*)

*Bulimus* (= *Partula* and *Samoana*)

*burchi* Kondo, 1973

## C

*caledonica* Pfeiffer, 1861 (= *pacifica*)

*callifera* Pfeiffer, 1856 (= *dentifera callifera*)

*callistoma* Schmeltz, 1874 (= *callifera*)

*calypso* O. Semper, 1865

*canalis* Mousson, 1865 (= *conica*)

*candida* Crampton 1956 (= *dentifera candida*)

*carnicola* Hartman, 1892 (= *pyramis*)

*carnicolor* Hartman, 1888 (= *pyramis*)

*Carolinella* Pilsbry, 1909 (= *Partula*)

*carteriensis* Reeve, 1850 (= *attenuata*)

*carteriensis* Quoy & Gaimard, 1832 (= *grisea*)

*castanea* Garrett, 1884 (= *terrestris*)

*cedista* Crampton, 1924 (= *dentifera cedista*)

*cepolensis* Schaufuss, 1869 (= *stevensoniana*)

*cincta* Kondo MS (= *medana*)

*cinerea* Albers, 1857 (= *micans*)

*citrina* Pease, 1866 (= *dentifera citrina*)

*clara* Pease, 1865

*clarkei* Gerlach, 2016

*Clytia* Hartman, 1881 (= *Partula*)

*cognata* "Pease" Schmeltz, 1877 (= *rosea*)

*compacta* Pease, 1866 (= *auriculata*)

*composita* Crampton, 1916 (= *nodosa*)

*compressa* Reeve, 1850

*compressa* Carpenter in Pease, 1865 (= *navigatoria*)

*compressus* Pfeiffer, 1850 (= *compressa*)

*concinna* Pease, 1871 (= *nucleola*)

*confluens* Pilsbry, 1909 (= *sinistrorsa*)

*conica* Gould, 1861

*conica* Gould, Garrett, 1887 (= *stevensoniana*)

*cookiana* Schmeltz, 1874 (= *varia*)

*cootei* Gerlach, 2016

*corneola* Hartman, 1886 (= *nucleola*)

*coxi* Hartman, 1885 (= *micans*)

*cramptoni* Pilsbry & Cooke, 1934 [Samoana]

*cramptoni* Clench, 1941 [Partula]

*crassa* Garrett, 1884 (= *otaheitana crassa*)

*crassilabris* Pease, 1866

*crassilabris* Gloyne, 1878 (= *rustica*)

*crassiuscula* "Garrett" Smith, 1902 (= *bellula*)

*cuneata* Crampton, 1956

*cuneata* Crampton, Richardson, 1990 (part) (= *remota*)

*cyclochila* Crampton, MS (= *obesa*)

*cytherea* Cooke & Crampton, 1956

## D

*decorticata* Hartman, 1881 (= *dentifera*)

*decussata* Carpenter in Pease, 1864 (= *taeniata*)

*decussatula* (Pfeiffer, 1850)

*decussatulus* Pfeiffer, 1850 (= *decussatula*)

*dendroica* Crampton, 1932 (= *suturalis*)

*dentata* Paetel, 1873 (= *otaheitana*)

*dentifera* Pfeiffer, 1852

*desolata* Bauman & Kerr, 2013

*diaphana* Crampton & Cooke, 1953

*diaphana* Cooke MS (= *medana*)  
*diminuta* Adams, 1851  
*dolichostoma* Crampton, 1956  
*dolorosa* Crampton & Cooke, 1953  
*dorseyi* Dall, 1910 (= *similaris*)  
*dryas* Crampton & Cooke, 1953  
*dubia* Hartman, 1881 (= *faba*)  
*dubia* Carpenter in Pease, 1865 (= *affinis*)

## E

*eburnea* Hartman, 1886 (= *alabastrina*)  
*Echo* Hartman, 1881 (= *Partula*)  
*elongata* Pease, 1866 (= *taeniata*)  
*emersoni* Pilsbry, 1913  
*eremita* Crampton & Cooke, 1953  
*erhelii* Morelet, 1853 (= *taeniata*)  
*erythraea* Crampton, 1925 (= *affinis*)  
*estalliana* Garrett, 1884 (= *rosea*)  
*Eua* Pilsbry & Cooke, 1934  
*Eua (Thakombaua)* Schileyko, 1999 (= *Partula*)  
*Evdne* Hartman, 1881 (= *Samoana*)  
*exigua* Crampton, 1916 (= *nodoso*)  
*exigua* Crampton, 1932 (= *incrassa exigua*)  
*eximia* Hartman, 1886 (= *pyramis*)  
*expansa* Pease, 1872  
*extensa* Pease, 1871 (= *expansa*)

## F

*faba* Martyn, 1784 (= *faba* Gmelin)  
*faba* Gmelin, 1791  
*faba* var. Carpenter in Pease, 1865 (= *navigatoria* part, = *dentifera* part)  
*fasciata* Pease, 1866 (= *ganymedes*)  
*filosa* Pfeiffer, 1851 (= *diminuta*)  
*flexuosa* Hartman, 1885  
*formosa* Garrett, 1884 (= *dentifera formosa*)  
*fragilis* (Férussac, 1821)  
*fraterna* Hartman, 1881 (= *auraniana*)  
*fusca* Pease, 1866 (= *navigatoria*)

## G

*ganymedes* (Pfeiffer, 1846)  
*ganymedes* (Pfeiffer) Johnson *et al.* 2000 (= *inflata*)  
*garretti* Pease, 1864 (= *garrettii*)  
*garrettii* Pease, 1865  
*gerardensis* Soos, 1911 (= *carteriensis*)  
*gibba* Férussac, 1821  
*gibbus* Beck, 1837 (= *gibba*)  
*globosa* Pilsbry & Cooke, 1935  
*globosa* Carpenter in Pease, 1865 (= *hebe*)  
*glutinosa* Pfeiffer, 1852 (= *varia*)  
*gonocheila* Reeve, 1851 (= *gonochila*)  
*gonocheila* Schmenlitz, 1874 (= *garrettii*)  
*gonochila* (Pfeiffer, 1847)  
*gonochilus* Pfeiffer, 1847 (= *gonochila*)  
*gracilior* Hartman, 1881 (= *attenuata*, = *taeniata*)  
*gracilis* Pease, 1866 (= *attenuata*)  
*grandis* Moellendorf, 1900 (= *guamensis*)  
*grisea* Lesson, 1830  
*griseus* Lesson, 1830 (= *grisea*)  
*guamensis* Pfeiffer, 1846

## H

- hamadryas* Crampton & Cooke, 1953 (= *dryas*)  
*Harmonia* Hartman, 1881 (= *Partula*)  
*hartmanni* Smith, 1884 (= *carteriensis*)  
*hastula* Hartman, 1886 (= *flexuosa*)  
*hebe* Pfeiffer, 1846 (= *hebe*)  
*hebe* var. Carpenter, 1864 (= *crassilabris*)  
*Helema* Hartman, 1881 (= *Partula*)  
*Helix* (= *Partula*)  
*higginsi* Pilsbry, 1924 (= *martensiana*)  
*hollandiana* Pilsbry, 1909 (= *regularis*)  
*huahineensis* Garrett, 1884 (= *varia*)  
*huahinensis* Smith, 1903 (= *huahineensis*)  
*hyalina* Broderip, 1832  
*hyalinus* Deshayes & Milne-Edwards, 1839 (= *hyalina*)

## I

- Ilia* Hartman, 1881 (= *Partula*)  
*imperforata* Pfeiffer, 1877 (= *dentifera imperforata*)  
*inconstans* Anton, 1839 (= *faba*)  
*incrassa* Crampton, 1916  
*incurva* Hartman, 1886 (= *flexuosa*)  
*incurvum* Harman, 1886 (= *incurva*)  
*inflata* (Reeve, 1842)  
*insolita* Slapcinsky & Krauss, 2016  
*intermedia* Crampton, 1916 (= *nodosa*)  
*isabellina* Pfeiffer, 1846 (= *otaheitana*)  
*isabellinus* Pfeiffer, 1846 (= *otaheitana*)

## J

- jackieburchi* (Kondo, 1981)

## K

- kaavana* Cooke MS (= *medana*)  
*kubaryi* Hartman, 1890 (= *carteriensis*)

## L

- labiata* Pease, 1874 (= *dentifera*)  
*labrusca* Crampton & Cooke, 1953  
*laeva* Pilsbry, 1909 (= *nodosa*)  
*laevigata* Pfeiffer, 1856  
*laevigata* Pfeiffer, Smith, 1903 (= *flexuosa*)  
*lanceolata* Cooke & Crampton, 1930  
*langfordi* Kondo, 1970  
*Latia* Hartman, 1881 (= *Samoana*)  
*lebronneci* Kondo MS (= *medana*)  
*leefeai* E.A. Smith, 1897  
*leptochila* Crampton, 1956  
*Leptopartula* Pilsbry, 1909 (= *Partula*)  
*leucochroa* Crampton MS (= *leucothoe*)  
*leucothoe* O. Semper, 1865  
*leucothoea* Smith, 1902 (= *leucothoe*)  
*levilineata* Crampton, 1956 (= *navigatoria levilineata*)  
*levistriata* Crampton, 1956  
*lignaria* Pease, 1864 (= *otaheitana*)  
*lilacina* Pfeiffer, 1856 (= *lutea*)  
*Limax* (= *Partula*)  
*lineata* Lesson, 1831 (= *otaheitana*)  
*lineata* Reeve, 1850 (= *otaheitana* part, = *suturalis* part)

*lineata* Carpenter, 1864 (= *elongata*)

*lineolata* Pease, 1867 (= *diminuta*)

*lirata* Mousson, 1865

*lugubris* Pease, 1865

*lugubris* Gloyne, 1878 (= *varia*)

*lutea* Lesson, 1831

*luteus* Pfeiffer, 1842 (= *lutea*)

*lyrata* Mousson, 1870 (= *lirata*)

## M

*macgillivrayi* Pfeiffer, 1885 (= *pacifica*)

*magdalinae* Hartman, 1885 (= *minuta*)

*magdelinae* Richardson, 1990 (= *minuta*)

*magistri* Gerlach, 2016

*makatea* Gerlach, 2016

*margarita* Hartman, 1881 (= *faba*)

*margaritae* Crampton & Cooke, 1953

*marginata* Hartman, 1881 (= *subangulata*)

*Marianella* Pilsbry, 1909 (= *Partula*)

*Marianna* Pilsbry, 1909 (= *Partula*)

*marmorata* Crampton, 1916 (= *hyalina*)

*Marquesana* Pilsbry, 1909 (= *Samoana*)

*martensiana* Pilsbry, 1909 (= *rufa*)

*mastersi* Pfeiffer, 1857 (= *gibba*)

*Matata* Hartman, 1881 (= *Partula*)

*mathildae* C. Boettger, 1916 (= *carteriensis*)

*maura* Anton, 1839 (= *auriculata*)

*medana* Kondo & Burch, 1981

*megastoma* Schmeltz, 1874 (nomen nudum) (= *dentifera callifera*)

*Melanesica* Pilsbry, 1909 (= *Partula*)

*Melanisica* Richardson, 1990 (= *Partula*)

*meyeri* Burch, 2007

*micans* Pfeiffer, 1853

*microstoma* "Pease" Hartmann 1881 (= *radiata*)

*milleri* Solem, 1959 (= *micans*)

*minima* Hartmann 1892 (= *minor*)

*minor* Grateloup, 1840 (= *otaheitana*)

*minor* Hartman, 1886 (= *flexuosa*)

*minor* Crampton, 1916 (= *clara*)

*minuta* (Pfeiffer, 1856)

*mirabilis* Crampton, 1924

*montana* Moellendorff, 1900 (= *guamensis*)

*montana* Cooke & Crampton, 1930

*mooreana* Hartman, 1880

*mucida* Pfeiffer, 1854 (= *varia*)

*multicolor* MS (= *taeniata*)

## N

*navigatoria* Pfeiffer, 1849

*navigatorioides* Pfeiffer, 1849 (= *navigatoria*)

*nematoropha* Pilsbry, 1909 (= *alabastrina*)

*Nenia* Hartman, 1881 (= *Partula*)

*Nesanassa* Pilsbry & Cooke, 1934 (= *Eua*)

*newcombiiana* Hartman, 1886 (= *laevigata*)

*newcombianum* Hartman, 1892 (= *newcombiiana*)

*newcombianarum* Hartman, 1897 (= *newcombiiana*)

*newcombiiana* Pilsbry, 1909 (= *newcombiiana*)

*nitens* Pfeiffer, 1855 (= *otaheitana*)

*nodosa* Pfeiffer, 1851 (= *nodosa*)

*nodosa* Carpenter, 1864 (= *suturalis*)

*nucleola* Garrett, 1884 (= *taeniata*)

## O

*obesa* Pease, 1867  
*obesior* Pilsbry, 1909 (= *gonochila*)  
*obliterata* Pilsbry, 1909 (= *carteriensis*)  
*occidentalis* Hedley, 1891 (= *similaris*)  
*occidentalis* Crampton, 1916 (= *crassa*)  
*Oenone* Hartman, 1881 (= *Partula*)  
*olympia* Crampton, 1924 (= *tohiveana olympia*)  
*oreas* Crampton & Cooke, 1953 (= *dryas*)  
*ornata* "Anthony" Smith, 1902 (= *suturalis*)  
orthochila Crampton MS (= *obesa*)  
*otaheitana* Bruguiere, 1792  
*Otaheitana* Reeve, 1851 (= *crassilabris*)  
*Otaheitana* Reeve, 1855 (= *auriculata*)  
*Otaheitanus* Pfeiffer, 1848 (= *auriculata*)  
*otaheitanus* Bruguiere, 1792 (= *otaheitana*)  
*ovalis* Pease, 1866 (= *lugubris ovalis*)

## P

*pacifica* Pfeiffer, 1854  
*Paeleana* Hartman, 1885 (= *garrettii*)  
*Palaeopartula* Richardson, 1990 (= *Palaopartula*)  
*Palaopartula* Pilsbry, 1909  
*parva* Crampton, 1916 (= *clara*)  
*parvacinii* Clench, 1933 (= *carteriensis*)  
*Partula* Féruccac, 1821  
*Partula* sp. (Rota)  
*Partulus* Beck, 1835 (= *Partula*)  
*parva* Crampton, 1916 (= *clara*)  
*Pasithea* Hartman, 1881 (= *Partula*)  
*paterna* Hartman, 1892 (= *fraterna*)  
*pearcekellyi* Gerlach, 2016  
*Peasiana* Hartman, 1881 (= *garrettii thalia*)  
*Peasii* Hartman, 1881 (= *garrettii thalia*)  
*pellucida* Pease, 1871 (= *micans*)  
*peraffinis* Pfeiffer, 1877 (= *taeniata*)  
*perlucens* Hartman, 1886 (= *micans*)  
*perpinguis* Gartman, 1881 (= *atilis*)  
*perplexa* Hartman, 1885 (= *varia*)  
*perstrigata* Pilsbry, 1909 (= *turneri*)  
*perversa* Chemnitz, 1786 (= *otaheitana*)  
*pfeifferi* Crosse, 1871 (= *caledonica*)  
*pinguis* Garrett, 1884 (= *atilis*)  
*pilsbryi* Gerlach, 2016  
*planilabrum* Pease, 1864  
*ponapensis* Hartman, 1885 (= *guamensis*)  
*prima* Crampton, 1916 (= *clara*)  
*producta* Pease, 1865  
*propinqua* Hartman, 1881 (= *subangulata*)  
*propinqua* Crampton, 1932 (= *taeniata / mirabilis*)  
*protea* Pease, 1866 (= *navigatoria*)  
*proxima* Hartman, 1886 (= *pyramis*)  
*pulchra* Pease, 1871 (= *varia*)  
*purpurascens* Pfeiffer, 1854 (= *rosea*)  
*pyramis* Hartman, 1886 (= *pyramis*)

## Q

*quadrasi* Moellendorff, 1894 (= *fragilis*)

## R

- radiata* Pease, 1864 (= *navigatoria radiata*)  
*radiolata* Pfeiffer, 1846  
*radiolatus* Pfeiffer, 1846 (= *radiolata*)  
*radiosa* Pfeiffer, 1854  
*radiosus* Pfeiffer, 1854 (= *radiosa*)  
*raiatensis* Garrett, 1884 (= *imperforata*)  
*recluziana* Petit de la Saussaye, 1850 (= *zebrina*)  
*recta* Pease, 1868 (= *gonochila*)  
*recta* Hartman, 1881 (= *dentifera / imperforata*)  
*reveana* Pfeiffer, 1846 (= *otaheitana*)  
*regularis* Hartman, 1886 (= *flexuosa*)  
*remota* Crampton, 1956  
*Rennellia* Clench, 1941 (= *Partula*)  
*repanda* Pfeiffer, 1855 (= *gonochila*)  
*robusta* Pease, 1863 (= *auriculata*)  
*rubens* Anton, 1839 (= *fragilis*)  
*rosea* Broderip, 1832  
*rosea* var. Pfeiffer, 1853 (= *varia*)  
*roseus* Beck, 1837 (= *rosea*)  
*rubescens* Reeve, 1849 (= *otaheitana rubescens*)  
*rufa* Lesson, 1831  
*rufa* Carpenter, 1865 (= *otaheitana*)  
*rufus* Beck, 1837 (= *rufa*)  
*rushi* Pilsbry, 1910 (= *radiolata*)  
*rustica* Pease, 1866 (= *garrettii rustica*)

## S

- sagitta* Crampton & Cooke, 1953  
*salifana* Crampton, 1925  
sarissa MS (= *lanceolata*)  
*Samoana* Pilsbry, 1909  
*semilineata* Mousson, 1869 (= *canalis*)  
*similaris* Hartman, 1886  
*simplaria* Morelet, 1853 (= *varia*)  
*simplex* Pease, 1871 (= *varia*)  
*simulans* Pease, 1866 (= *taeniata*)  
*sinistralis* “Pease” Garrett, 1884 (= *otaiteitana sinistrorsa*)  
*sinistralis* Mayer, 1902 (= *nodosa*) *sinistrorsa* “Pease” Garrett, 1884 (= *otaiteitana sinistrorsa*)  
*solidula* Pfeiffer, 1853 (= *lutea*)  
*solidula* MS (= *affinis*)  
*solidula* Pease, 1871 (= *virginea*)  
*solidula* Hartman, 1881 (= *approximata*)  
*solidula* Smith, 1902 (= *auriculata*)  
*solitaria* Crampton, 1932 (= *attenuata*)  
*spadicea* Reeve, 1850 (= *taeniata*)  
*Sphendone* Slapcinsky & Krauss, 2016  
*stenostoma* Pfeiffer, 1855 (= *otaiteitana*)  
*Sterope* Hartman, 1881 (= *Partula*)  
*stevensoniana* Pilsbry, 1909  
*stolida* Pease, 1866 (= *compressa*)  
*straminea* Pilsbry, 1909 (= *rosea*)  
*strigata* Pease, 1868 (= *gonochila*)  
*strigata* Pease, Kondo 1955 (= *bellula*)  
*strigosa* Pfeiffer, 1856 (= *suturalis suturalis*)  
*striolata* Pease, 1866 (= *taeniata*)  
*sub-gonocheila* Hartman, 1881 (= *subgonochila*)  
*subangulata* Pease, 1870 (= *faba subangulata*)  
*subgonochila* Mousson, 1871 (= *obesa*)

*suturalis* Pfeiffer, 1855

## T

*taeniata* Mørch, 1850  
*taeniatus* Mørch, 1850 (= *taeniata*)  
*Takombana* Richardson, 1990 (= *Partula*)  
*Takombaua* Pilsbry, 1909 (= *Partula*)  
*taheitana* Gould, 1852 (= *otaheitana*)  
*tahitana* Pease, 1871 (= *auriculata*)  
*tahitiensis* Schmeltz, 1874 (= *auriculata*)  
*tahulana* Anton, 1893 (= *otaheitana*, *auriculata*)  
*terrestris* “Pease” Garrett, 1884 (= *navigatoria*)  
*Thacombaua* Thiele, 1931 (= *Partula*)  
*Thakombaua* Pilsbry & Cooke, 1934 (= *Partula*)  
*thalia* Garrett, 1884 (= *garrettii thalia*)  
*thersites* Pfeiffer, 1842 (= *inflata*)  
*thetis* (O. Semper, 1865)  
*thurstoni* Cooke & Crampton, 1930  
*tohiveana* Crampton, 1924  
*torosus* Beck, 1837 (= *lineata*)  
*tricolor* Anton, 1839 (= *faba*)  
*trilineata* Pease, 1866 (= *nodosa*)  
*tristis* Crampton & Cooke, 1953  
*tryoni* Hartman, 1885 (= *zebrina*)  
*turgida* Pease, 1864  
*turgida* Cunningham & Daszak, 1998 (= *clarkei*)  
*turgidus* Pease, 1865 (= *turgida*)  
*turneri* Pfeiffer, 1860 (= *pacifica*)  
*turricula* Pease, 1872 (= *otaheitana*)

## U

*umbilicata* Pease, 1866  
*upolensis* Schmeltz, 1874 (= *conica*)  
*upolensis* ‘Mousson’, Garrett, 1887 (= *stevensoniana*)

## V

*vanikorensis* Quoy & Gaimard, 1832  
*varia* Broderip, 1832  
*variabilis* Pease, 1866 (= *navigatoria*)  
*varius* Broderip, Pfeiffer 1841 (= *varia*)  
*ventricosa* Hartman, 1881 (= *faba subangulata*)  
*ventricosa* Garrett, 1884 (= *hebe*)  
*ventrora* “Pease” Garrett, 1884 (= *faba*)  
*vexillum* Pease, 1866 (= *suturalis vexillum*)  
*virginea* Carpenter in Pease, 1865 (= *planilabrum*)  
*virginea* Garrett, 1884 (= *planilabrum*)  
*virgulata* Pease, 1870 (= *assimilis*)  
*vittata* Pease, 1866 (= *navigatoria*)  
*Voluta Auris Malchi* var.  $\gamma$  Chemnitz, 1786 (= *faba*)  
*Voluta fasciata* Dillwyn, 1817 (= *faba*)

## W

*woodlarkiana* Hartman, 1886 (= *carteriensis*)

## Z

*zebrina* (Gould, 1848)  
*zonata* Pilsbry, 1909 (= *rosea*)