

Silhouette species list

J. Gerlach¹, P. Matyot² & M. Saaristo³

¹53 River Lane, Cambridge CB5 8HP, UK/PO Box 207, Mahé, SEYCHELLES
[kcl1001@esc.cam.ac.uk]

² PO Box 321, Mahé, SEYCHELLES

³ Department of Biology, University of Turku, FIN-20014 Turku, FINLAND
[micsaa@utu.fi]

This supplement lists all species recorded as breeding, or suspected to breed, on Silhouette island. Only terrestrial, fresh-water and estuarine species are listed. For plants the lists includes species growing wild, this includes some non-reproductive individuals that are remnants of old cultivation. For all species the distribution outside the central (granitics plus Bird and Denis) islands of Seychelles is summarised with the following abbreviations:

End.	= endemic	Ald.	= Aldabra
Ami.	= Amirantes	Masc.	= Mascarenes
Mad.	= Madagascar	Com.	= Comoros
Afr.	= Africa	Palaeotrop.	= Palaeotropics
Pantrop.	= Pantropical	Cosmo.	= Cosmopolitan

The Seychelles islands on which they have been recorded are listed in the standard order of islands used in other *Phelsuma* publications:

M.	= Mahé	SA.	= St. Anne	Cerf		Moy.	= Moyenne
Long.		Cach.	= Cahée	Anon.	= Anonyme	Ro.	= Round (Mahé)
Sou.	= Souris	Isl.	= Islette	Con.	= Conception	Ther.	= Thérèse
Sil.	= Silhouette	N.	= North	P.	= Praslin	Cur.	= Curieuse
CS.	= Chauve Souris	R.	= Round (Praslin)	Co.	= Cousin	Coe.	= Cousine
A.	= Aride	Coco.	= Cocos	GS.	= Grande Soeur	PS.	= Petite Soeur
Alb.	= Albatross	Fel.	= Félicité	Mar.	= Marianne	L.D.	= La Digue
F.	= Fregate	Bird		Denis			

Only references to Silhouette records are cited. These are the first references to specimens or observations, the aim of this publication is to summarise specific records and not to list all citations. Many new records are listed, where possible reference has been made to specimens held in the following museum collections:

MRAC = Musée Royal de l'Afrique Centrale, Tervuren, Belgium

MZT = Zoological Museum of Turku University, Finland

NPTS = The Nature Protection Trust of Seychelles

Species and families are listed in a standard order if a recent monographic treatment is available, otherwise all taxa are listed alphabetically.

PLANTAE

BRYOPHYTA

HEPATICAE *Bazzania approximata* Omraad - End.; M., Sil. (Pocs 1995); P., *Ceratolejeunea jungneri* Steph. - Masc., M., Sil. (Pocs 1995). *Lejeunea caespitosa* Lindenb. - End.; M., Sil. (Pocs 1995). *L. tuberculosa* Steph. - End.; Sil. (Pocs 1995). *Plagiochila aff. fusiformis* Teyl. - Sil. (Pocs 1995).

MUSCI (all new data determined by C. Townsend) *Acutiphorrhynchium decolor* (Besch.) Fleisch. - Afr.; M., Sil. (new data; OUSE 1990 no. 1). *Acrobryopsis crispicuspis* (Besch.) Fleisch. - Afr.; Sil. (new data; OUSE 1990 no. 10). *Aerobryodium subpiligerum* (Hampe) Card. - Afr.; M., Sil. (new data; OUSE 1990 no. B17). *Calymperes hispidum* Ren. & Card. - Madagascar; M., Sil. (Orban 1995). *P. taitense* (Sull.) Mitt. - Indo-Pacific; M., Sil. (Orban 1995). *Cyclodictyon vallis-gratiene* (Hampe) Broth. - M., Sil. (new data; OUSE 1990 no. B12). *Distichophyllum maccarenicum* Besch. - Afr.; M., Sil. (new data; OUSE 1990 no. 21). *Fissidens* sp. - ?; Sil. (new data; OUSE 1990 - no number). *Floribundaria floribunda* (D&M) Fleisch. - Sil. (new data; OUSE 1990 no. B6). *Leucomium unneurodictyon* (C.M.) Jaeg. - Afr.; M., Sil. (new data; OUSE 1990 no. B16). *Leucophanes angustifolium* Ren. & Card. - Palaeotrop.; M., Sil. (Orban 1995, new data; OUSE 1990 no. 18). *Porotrichum elongatum* (Welw. & Duby) Gepp - Afr.; M., Sil. (new data; OUSE 1990 no. B18). *Racophilum* sp. - Sil. (new data; OUSE 1990 no. 9).

PTERIDOPHYTA

Family ADIANTACEAE *Acrostichum speciosum* Willd. - W. Indian Ocean; M., Sil. (Christensen 1912 as *A. aureum*; Kramer 1992), P. & Bird. *Afropteris barkleyi* Hooker - End.; M., Sil. (Fleishmann 1995) & P. *Antrophyum callifolium* Blume - Asia; M., Sil. (Christensen 1912). *Pellaea doniana* Hook - Afr.; M., Sil. (Christensen 1912). *Pteris 'quadriaurita'* - M., Sil. (Kramer 1992) & P. *P. tripartita* Sw. - Palaeotrop.; Sil. (Christensen 1912). *Vittaria ensiformis* Sw. - Masc.; M., Sil. (Christensen 1912). *V. scolopendrina* (Bory) Thwaites - Afr.; Asia; M., Sil. (Christensen 1912; Kramer 1992; Fleishmann 1995).

Family ASPLENIACEAE *Asplenium complanatum* C.Chr. - End.; Sil. (Christensen 1912). *A. nidus* L. - Pantropics; M., Sil. (Christensen 1912; Friedmann 1986a, OUSE 1990; Kramer 1992, Fleishmann 1995; Matyot 1996b), P. *A. pellucidum* Lam. - Cosmopol.; M., Sil. (Christensen 1912 as *A. caudatum*; Kramer 1992; Fleishmann 1995). *A. 'protensum'* - (OUSE 1990). *A. 'punctatum'* - (Fleishmann 1995). *A. 'tenerum'* - (OUSE 1990). *A. 'unilaterale'* - (OUSE 1990). *Bolbitis bipinnatifida* (Mett. ex Kuhn) Ching - Masc.; M., Sil. (Christensen 1912 as *Lepiochilus bipinnatifidus*; Kramer 1992) & P. *Dryopteris hornei* (Baker) O. Kuntze - End.; M., Sil. (Christensen 1912). *D. wardii* (Baker) O. Kuntze - End.; M., Sil. (Christensen 1912). *Elaphoglossum conforme* (Sw.) Schott - Pantropics; M., Sil. (Christensen 1912). *E. hornei* C.Chr. - End.; M., Sil. (Christensen 1912). *E. lancifolium* (Desv.) Morton - Pantrop.; M., Sil. (Christensen 1912 as *E. petiolatum*). *E. latifolium* (Sw.) J. Sm. - Pantrop.; M., Sil. (Christensen 1912). *E. 'lineatum'* - (Baker 1877). *E. martinicense* (Desv.) T. Moore - Pantrop.; M., Sil. (Christensen 1912). *Polystichum adiantiforme* (Forst.) J. Sm. - Pantrop.; M., Sil. (Christensen 1912). *Tectaria pleiotoma* (Baker) Kuhn - Mad.; M., Sil. (Christensen 1912 as *Aspidium pleiotomum*; Fleishmann 1995). *T. 'puberula'* - (OUSE 1990).

Family BLECHINACEAE *Sternocaula peruviana* (Mett.) Underw. - End.; M., Sil. (Christensen 1912).

Family CYATHACEAE *Cyathea secellularum* Mett. - End.; M., Sil. (Christensen 1912; OUSE 1990, Kramer 1992)

Family DAVALLIACEAE *Davallia denticulata* (Burm. f.) Mett. ex Kuhn - Afr.; M., Sil. (Christensen 1912 as *D. chaerophylloides*; Kramer 1992). *D. repens* (Linn. f.) Mett. ex Kuhn - Indo-Pacific; M., Sil. (Christensen 1912 as *Humata repens*). *Nephrolepis 'biserrata'* - M., Long, Sil. (Christensen 1912; OUSE 1990, Kramer 1992; Fleishmann 1995), P., A., LD. & Bird. *Olearia distenta* Kunze - Afr.; M., Sil. (Christensen 1912 as *O. articulata*).

Family DENNSTAEDTIACEAE *Lindsaea kirkii* Hooker - End.; M., Sil. (Christensen 1912, Kramer 1992; Fleishmann 1995) & P. *Microlepia speluncae* (L.) Moore - Palaeotrop.; Sil. (Kramer 1992).

- Family GLEICHENIACEAE *Dicranopteris linearis* Burm. - Palaeotrop.; M., Long., Moy., Sil. (Christensen 1912 & OUSE 1990 as *Gleichenia linearis*; Fleishmann 1995) & P.
- Family HYMENOPHYLLACEAE *Hymenophyllum hygrometricum* Desv. - Afr.; M. & Sil. (Christensen 1912). *H. polyanthos* Sw. - Pantr., M. & Sil. (Christensen 1912). *Trichomanes cuspidatum* Willd. - M. & Sil. (Christensen 1912 as *T. erasum*). *T. cyprioides* Desv. - Afr., M., Long., Sil. (Christensen 1912; Kramer 1992; Fleishmann 1995) & P.
- Family MARATTIACEAE *Angiopteris madagascariensis* (de Vries) - Mad.; M. & Sil. (Christensen 1912 & OUSE 1990 as *A. evecta*; Kramer 1992; Fleishmann 1995).
- Family OPHIOGLOSSACEAE *Ophioglossum pendulum* Linn. - Asia; M. & Sil. (Christensen 1912).
- Family PARKERIACEAE/CERATOPTERIS *Cornuta* (Pal.) Lepr. - Palaeotrop.; M., Sil. (Christensen 1912 as *C. thalictroides*), P. & A.
- Family POLYPODIACEAE *Phymatosorus scolopendria* (Burm. f.) Pic. Ser. - Palaeotrop.; M., Long., Sil. (Christensen 1912 as *Polyodium phymatosorus*; Fleishmann 1995), P., Co., A., LD. & Bird. *Polyodium albobrunneum* Baker - End.; M. & Sil. (Christensen 1912).
- Family PSILOTACEAE *Psilotum complanatum* Swartz - Asia; M., Sil. (OUSE 1990 as *P. sp.*), & P.
- Family SELAGINELLACEAE/Selaginella *fissidentoides* - (OUSE 1990; Fleishmann 1995).
- Family THELYPTERIDACEAE *Thelypteris subtruncata* (Bory) Panigrahi - Sil. (Kramer 1992). *T. tomentosa* - (Fleishmann 1995). *T. unita* (L.) Morton - Indo-Pacific; M., Long. & Sil. (Christensen 1912 as *Dryopteris cucullata*).

ANGIOSPERMAE (distribution records are given in Robertson 1989 only summary records are repeated here)

- Family ANNONACEAE *Cananga odorata* (Lam.) Hook.f & Thoms - Introduced; M., Sil. (Fleishmann 1995), P. & Freg.
- Family LAURACEAE *Cassytha filiformis* L. - Indo-Pacific; M. & Sil. (Robertson 1989). *Cinnamomum verum* Presl. in Bercht. & Presl. - Introduced; widespread - Sil. (Friedmann 1986a; Robertson 1989; OUSE 1990 & Fleishmann 1995 as *C. zeylanicum*; Matyot 1996b).
- Family HERNANDIACEAE *Hernandia nymphaeifolia* (Presl) Kubitzki - Indo-Pacific; M., Sil. (Robertson 1989), P., A. & LD.
- Family PIPERACEAE *Piper sp.* - Indigenous; Sil. (Friedmann 1986a & 1994; OUSE 1990).
- Family ULMACEAE *Trema orientalis* (L.) Bl. - Afr.-Pacific; M., Sil. (Summerhayes 1932 as *T. guineensis*; Friedmann 1986a & 1994; Robertson 1989).
- Family MORACEAE *Trilepismium madagascariense* DC - Mad.; M., Sil. (Summerhayes 1932 as *Bosquaea gymandra*; Friedmann 1986a & 1994; Robertson 1989). *Ficus bojeri* Baker - Mad., Comoros; M. & Sil. (Summerhayes 1932; Friedmann 1986 & 1994; Robertson 1989; OUSE 1990; Fleishmann 1995). *F. lutea* Vahl - Afr., Mad., Comoros, Aldabra; widespread - Sil. (Summerhayes 1932, Robertson 1989; OUSE 1990 & Fleishmann 1995 all as *F. nautarum*). *F. rubra* Vahl - Masc., Aldabra; widespread - Sil. (Robertson 1989 as *F. av-a-vi*; Friedmann), P. & Fel. *F. reflexa* Thunb. - Mad., M. & Sil. (Summerhayes 1932 as *F. sechellarum*; Robertson 1989). *Artocarpus heterophyllus* Lam. - Introduced; M., Sil. (Robertson 1989; OUSE 1990; Fleishmann 1995) & P. *A. altilis* (Parkins) Fosb. - Introduced; widespread - Sil. (Robertson 1989).
- Family URTICACEAE *Procris insularis* H. Schröter - End.; M. Sil. (Summerhayes 1932 & Robertson 1989 as *P. latifolia*; Friedmann 1994; Fleishmann 1995; Matyot 1996b) & P. *Laportea aestuans* (L.) Chew - Indo-Pacific; Sil. (Averyanov & Kudravtzeva 1987 as *L. interrupta*) & LD.
- Family CASUARINACEAE *Casuarina equisetifolia* J.R. & G. Forster - SE Asia; widespread - Sil. (Robertson 1989; Fleishmann 1995).
- Family NYCTAGINACEAE *Pisonia grandis* R.Br. - Indo-Pacific; M., Sil. (Summerhayes 1932); A., Cou., Coe., Bird & Denis. *P. sechellarum* E. Friedmann - End.; M. & Sil. (Friedmann 1987b & 1994; OUSE 1990; Gerlach 1994c). *Mirabilis jalapa* L. - Introduced; M. & Sil. (Robertson 1989; Friedmann 1994). *Bougainvillea sp.* - Planted; widespread (NPTS 1996).

- Family CACTACEAE *Opuntia vulgaris* Mill. - Introduced; (NPTS 1996). *Rhipsalis baccifera* (J. Mill.) Stearn + Pantrop., M., Sil. (Summerhayes 1932 as *R. cassutha*; OUSE 1990; Friedmann 1994) & Fel.
- Family AMARANTHACEAE *Cyathula prostrata* (L.) BL - Introduced; M., Sil. (Summerhayes 1932; Friedmann 1994) & Freg. *Aerva lanata* (L.) Schult. - Introduced; Sil. (Summerhayes 1932). *Alternanthera sessilis* (L.) DC. - Introduced; M., Sil. (Summerhayes 1932; Friedmann 1994). P., A. & Freg.
- Family POLYGONACEAE *Polygonum senegalese* Meisn. - Afr.; widespread - Sil. (Summerhayes 1932; Friedmann 1994).
- Family DILLENIACEAE *Dillenia ferruginea* (Baillon) Gig. - End., M., Sil. (Summerhayes 1932; Friedmann 1994; Fleishmann 1995), P. & Cur.
- Family DIPTEROCARPACEAE *Vateriopsis seychellarum* (Dyer) Heim - End. gen., M., Sil. (NPTS 1996; new data: timber used in floors of Grande Case, La Passe) & P.
- Family GUTTIFERAE *Calophyllum inophyllum* L. - Indo-Pacific; widespread - Sil. (Summerhayes 1932; Robertson 1989; Fleishmann 1995).
- Family TILIACEAE *Triumfetta rhomboidea* Jacq. - Introduced; widespread - Sil. (Summerhayes 1932; Robertson 1989).
- Family STERCULIACEAE *Heritiera littoralis* Ait. - Indo-Pacific; M., Sil. (Summerhayes 1932; Friedmann 1986a & 1994; Robertson 1989; Matyot 1996b), P., Cur. & Freg. *Theobroma cacao* L. - M., Sil. (Matyot 1996b) & P. *Cola nitida* (Vent.) Schott & Endl. - Introduced; (Robertson 1989; Matyot 1996b)
- Family MALVACEAE *Malvastrum coromandelianum* (L.) Gärcke - Introduced; Sil. (Friedmann 1994). *Abutilon indicum* (L.) Sweet - Introduced; M., Sil. (Summerhayes 1932; Robertson 1989), Cou. & Denis. *Sida pusilla* Cav. - Indo-Pacific; M., Sil. (Baker 1877 as *S. vescoana*) & Freg. *S. acuta* Burm f. - Introduced; widespread (Summerhayes 1932; Robertson 1989). *S. stipulata* Cav. - Introduced; Sil. (Friedmann 1994) & Bird. *Thespesia populnea* (L.) Soland. ex Correa - Indo-Pacific; widespread (Summerhayes 1932; Robertson 1989; Friedmann 1994). *Gossypium hirsutum* L. - Introduced; (new data: Gerlach & Matyot pers obs. 1990). *Urena lobata* L. - Introduced; widespread - Sil. (Summerhayes 1932; Robertson 1989; Friedmann 1994).
- Family LECDYTHACEAE *Barringtonia asiatica* (L.) Kurz - Indo-Pacific; widespread - Sil. (Friedmann 1994). *B. racemosa* (L.) Spreng - Indo-Pacific; M., Sil. (Summerhayes 1932; Friedmann 1986a & 1994; Robertson 1989; Fleishmann 1995; Matyot 1996b) & P.
- Family NEPENTHACEAE *Nepenthes pervillei* Bl. - End.; M. & S. (Baker 1877; Summerhayes 1932; Friedmann 1986a & 1994; Robertson 1989; OUSE 1990; Malcomber 1994).
- Family FLACOURTIACEAE *Ludia mauritiana* Gmel. - Musc., M., Sil. (Robertson 1989; OUSE 1990; Fridemann 1994; Fleishmann 1995; Matyot 1996b), P., Cur. & Fel. *Aphlolea theiformis* (Valé) Benn - Mad., M., Sil. (Summerhayes 1932; Robertson 1989 & Fleishmann 1995 as *A. seychellensis*; Fridemann 1994) & P. *Flacourtie jangomas* (tour.) Räuschel - Introduced; M. & Sil. (Robertson 1989 as *F. ramonchii*; Friedmann 1994).
- Family TURNERACEAE *Turnera angustifolia* Miller - Introduced; widespread (Summerhayes 1932; Robertson 1989 as *T. ulmifolia*).
- Family PASSIFLORACEAE *Adenia gummosifera* (Harv.) Harms - Afr.; M. & Sil. (Summerhayes 1932; OUSE 1990; Friedmann 1994; Matyot 1996b). *Passiflora suberosa* L. - Introduced; widespread (Friedmann 1994; Fleishmann 1995). *P. foetida* L. - Introduced; M., Sil. (Friedmann 1994; Fleishmann 1995) & P. *P. edulis* Sims - Introduced; M., Sil. (Friedmann 1994) & P.
- Family CARICAEAE *Carica papaya* L. - Introduced; widespread - Sil. (new data: Gerlach pers. obs 1991).
- Family BEGONIACEAE *Begonia seychellensis* Hemsl. - End., M. & Sil. (Summerhayes 1932; Friedmann 1986a & 1994; Robertson 1989; OUSE 1990; Matyot 1996b). *B. ulmifolia* Willd. - Introduced; M., Sil. (OUSE 1990 as *B. humilis*; Friedmann 1994) & P.
- Family CAPPARIDACEAE *Cleome viscosa* L. - Introduced; widespread (Summerhayes 1932; Robertson 1989).
- Family EBENACEAE *Diospyros seychellarum* (Hem) Kosterm. - End., M., Sil. (Summerhayes 1932; Friedmann 1994), P. & Fel

- Family SAPOTACEAE *Northea hornei* (M.M Hartog) Pierre - End.; M., Sil. (Robertson 1989 as *N. seychellana*; OUSE 1990; Friedmann 1994; Matyot 1996b). P. & Cur. *Mimusops sechellarum* (Oliv.) Hemsl. - End.; M., Sil. (Summerhayes 1932; Robertson 1989; Friedmann 1994). P., Fel. & Mar. *Pouteria obovata* (R.Br.) Baehni - Asia-Aust.; M., Sil. (Summerhayes 1932 as *Sideroxylon ferrugineum*; Robertson 1989; Friedmann 1994; Fleischmann 1995; Carlstrom *et al.* 1996) & P.
- Family MYRSINACEAE *Rapanea seychellarum* Mez - End.; M. & Sil. (Summerhayes 1932; Friedmann 1994).
- Family PITTIOSPORACEAE *Pittosporum senacia* Putterl - Mad., Masc. - M. & Sil. (Summerhayes 1932; Robertson 1989 & Fleischmann 1995 as *P. wrightii*; Friedmann 1994).
- Family BREXIACEAE *Brexia madagascariensis* (Lam.) Ker Gawl - Mad.; M., Long, Ro., Sil. (Summerhayes 1932; Robertson 1989; Friedmann 1994), P. & Fel.
- Family CRASSULACEAE *Kalanchoe pinnata* (Lam.) Pers. - Introduced; widespread - Sil. (*new data*: Gerlach pers. obs. 1994).
- Family ROSACEAE *Rubus rosifolius* J.E. Smith - Asia; M. & Sil. (Summerhayes 1932; Robertson 1989; OUSE 1990 as *R. mauritianus*). *R. fraxinifolius* Poiret - Asia; M. & Sil. (Gerlach pers. obs. 1994).
- Family CHRYSOBALANACEAE *Chrysobalanus icaco* L. - Introduced; widespread (OUSE 1990; Friedmann 1994).
- Family CAESALPINIACEAE *Intsia bijuga* (Colebr.) O.Kuntze - Indian Ocean; widespread - Sil. (Friedmann 1994).
- Family MIMOSACEAE *Acacia pennata* (L.) Willd. - Asia, Sil. (Friedmann 1986a & 1994; OUSE 1990; Matyot 1996b). *Adenanthera pavonina* L. - Asia; widespread - Sil. (Swabey 1970; Robertson 1989; Fleischmann 1995; Carlstrom *et al.* 1996; Matyot 1996b). *Mimosa pudica* L. - Introduced; widespread - Sil. (*new data*: Gerlach pers. obs. 1991). *Albizia lebbeck* (L.) Benth. - Introduced; widespread - Sil. (Robertson 1989; Fleischmann 1995). *Paraserianthes falcataria* (L.) Niels. - Introduced; widespread (OUSE 1990; Friedmann 1994; Fleischmann 1995; Carlstrom *et al.* 1996; Matyot 1996b). *Leucaena leucocephala* (Lam.) de Wit - Introduced; widespread - Sil. (Robertson 1989).
- Family PAPILIONACEAE *Sophora tomentosa* L. - Indo-Pacific; widespread - Sil. (*new data*: Gerlach pers. obs. 1992). *Pterocarpus indicus* Willd. - Introduced; widespread - Sil. (*new data*: Gerlach pers. obs. 1991). *Abrus precatorius* L. - Afr.-Asia; widespread - Sil. (Summerhayes 1932; Robertson 1989). *Derris trifoliata* Lour. - Indian Ocean; widespread (Summerhayes 1932 as *D. uliginosa*; Friedmann 1986a & 1994; Robertson 1989). *Indigofera suffruticosa* Mill. - Introduced, M., Sil. (Robertson 1989; Friedmann 1994), N. & Freg. *Desmodium incanum* DC. - Introduced; widespread - Sil. (Robertson 1989 as *D. canum*). *Erythrina variegata* L. - Indo-Pacific; M., Sil. (*new data*: Gerlach pers. obs. 1996) & P. *Mucuna gigantea* (Willd.) DC. - Indo-Pacific; M., Sil. (Summerhayes 1932; Friedmann 1986a & 1994; Robertson 1989; Matyot 1996b) & Fel. *Canavalia cathartica* Thouars - Indo-Pacific; widespread (Friedmann 1994). *Ternanuss labialis* (L.) Spreng. - Pantrop.; M., Sil. (Friedmann 1994) & I.D. *Clitora ternatea* L. - Introduced; M. & Sil. (*new data*: Gerlach pers. obs. 1994). *Vigna marina* (Burm.) Merr. - Pantrop.; widespread - Sil. (Summerhayes 1932; Robertson 1989; Friedmann 1994). *Rhynchosia viscosa* (Roth) DC. - Introduced; Sil. (Friedmann 1994). *Phaeosolus lunatus* L. - Introduced; Sil. (Summerhayes 1932; Robertson 1989). *Crotalaria pallida* Ait. - Introduced; M., Sil. (Friedmann 1994) & Freg. *C. retusa* L. - Introduced; M., Long, Sil. (Summerhayes 1932; Robertson 1989) & Freg.
- Family MYRTACEAE *Syzygium wrightii* (Baker) A.J. Scott - End., M., Sil. (Summerhayes 1932; Robertson 1989; Friedmann 1994; Fleischmann 1995); P., Cur. & Fel. *S. jambos* (L.) Alston - Introduced; M., Sil. (Summerhayes 1932; Robertson 1989; Friedmann 1994; Fleischmann 1995) & P. *S. aromaticum* (L.) Merr. & Perry - Introduced; M., Sil. (Friedmann 1994; Fleischmann) & P. *Psidium cattleianum* Sabine - Introduced; widespread - Sil. (Summerhayes 1932; OUSE 1990; Friedmann 1994; Fleischmann 1995 as *P. littoralis*; Carlstrom *et al.* 1996). *P. guajava* L. - Introduced; M., Sil. (Friedmann 1994), N., P. & Cur.
- Family ONAGRACEAE *Ludwigia octovalvis* (Jacquin) Raven - Introduced; widespread - Sil. (Summerhayes 1932 as *Jussiaea suffruticosa*; Friedmann 1994). *L. erecta* (L.) Hara - Afr.; widespread - Sil. (Summerhayes 1932 as *L. jussiaeoides*; Robertson 1989).

- Family MELASTOMACEAE *Memecylon eleagni* Bl. - End.; widespread - Sil. (Summerhayes 1932; Robertson 1989; Friedmann 1994; Fleishmann 1995). *Melastoma malabathricum* L. - Asia, M. & Sil. (Summerhayes 1932; Robertson 1989; Friedmann 1994). *Chlidonia hirta* (L.) D.Don - Introduced; Sil. (Averyanov & Kudriavtseva 1987, OUSE 1990; Friedmann 1994; Gerlach 1994b; Fleishmann 1995, Carlstrom et al. 1996; Matyot 1996b).
- Family COMBRETACEAE *Lumnitzera racemosa* Willd. - Indian Ocean; widespread (Friedmann 1994). *Terminalia catappa* L. Asia; widespread (Friedmann 1994; Matyot 1996b).
- Family RHIZOPHORACEAE *Rhizophora mucronata* Lam. - Indo-Pacific; M., Sil. (Summerhayes 1932; Robertson 1990; Friedmann 1994) & P. *Ceriops tagal* (Perrotet) C.B. Robins - Indian Ocean; M., Sil. (Friedmann 1994) & P. *Bruguiera gymnorhiza* (L.) Lam. - Indo-Pacific; M., Sil. (Friedmann 1994) & P.
- Family LORANTHACEAE *Bakerella clavata* (Desrousseaux) S. Balle - Mad., Masc.; M., Sil. (Summerhayes 1932 as *Loranthus sechellensis*; Friedmann 1994), P. & Cur.
- Family ICACINACEAE *Grisolia thomassetii* Hemsl. - End., M. & Sil. (Summerhayes 1932, Friedmann 1986a & 1994, Robertson 1989; Fleishmann 1995; Matyot 1996b).
- Family EUPHORBIACEAE *Phyllanthus pervilleanus* (Baillon) Müll. Arg. - Mad.; widespread - Sil. (Summerhayes 1932 as *P. schimperianus*; Friedmann 1994). *P. amarus* Schumach. & Thonn. - Introduced; widespread - Sil. (Summerhayes 1932 as *P. nigrum*; Robertson 1989). *P. tenellus* Roxb. - Introduced; M., Sil. (Summerhayes 1932) & A. *Wielandia elegans* Baillon - Mad.; M., Sil. (Summerhayes 1932, Friedmann 1986a & 1994; Robertson 1989; Fleishmann 1995) & P. *Drypetes riseleyi* Airy Shaw - End., M., Sil. (Friedmann 1986 & 1994; Robertson 1989) & P. *Jatropha curcas* L. - Introduced; widespread (Friedmann 1994). *Euphorbia pyrifolia* Lam. - Mad., Masc.; widespread - Sil. (Summerhayes 1932; Fleishmann 1995). *E. hirta* L. - Introduced; widespread - Sil. (Summerhayes 1932). *E. cyathophora* Muell. - Introduced; widespread - Sil. (Summerhayes 1932 as *E. heterophylla*). *Hevea brasiliensis* (Willd.) Muell. Arg. - Introduced; M., Sil. (Friedmann 1986a & 1994; Robertson 1989; Fleishmann 1995, Matyot 1996b), P. & Freg. *Manihot glaziovii* Müll. Arg. - Introduced; M. & Sil. (Friedmann 1994).
- Family RHAMNACEAE *Colubrina asatica* (L.) Brongn. - Indian Ocean; widespread - Sil. (Robertson 1989).
- Family ERYTHROXYLACEAE *Erythroxylum sechellatum* O.E. Schulz - End.; widespread - Sil. (Summerhayes 1932, Robertson 1989, Friedmann 1994).
- Family SAPINDACEAE *Allophylus pervillei* Blume - Afr., M., Sil. (Summerhayes 1932; Robertson 1989; OUSE 1990; Friedmann 1994; Fleischmann 1995; Carlstrom et al. 1996), P., Fel. & LD. *A. sechellensis* Summerh. - End., M., Sil. (Summerhayes 1932; Friedmann 1986 & 1994; Carlstrom et al. 1996) & P. *Cardiospermum halicacabum* L. - Introduced; M., Sil. (Summerhayes 1932; Robertson 1989), N., Freg. & Bird. *Dodonea viscosa* Jacq. - Indo-Pacific; widespread - Sil. (Summerhayes 1932; Robertson 1989).
- Family ANACARDIACEAE *Anacardium occidentale* L. - introduced; widespread - Sil. (Fleishmann 1995). *Manisfera indica* L. - Introduced; widespread - Sil. (Summerhayes 1932; Robertson 1989; Friedmann 1994; Fleishmann 1995). *Spondias cytherea* Sonn. - Introduced; widespread - Sil. (Summerhayes 1932; Robertson 1989).
- Family SIMAROUBACEAE *Soulamea terminalloides* Baker - End., M. & Sil. (Summerhayes 1932; Friedmann 1994).
- Family MELIACEAE *Xylocarpus moluccensis* (Lam.) Roem. - Indo-Pacific; M., Sil. (Friedmann 1994), N. & P. *Sandoricum koetjape* (Burm.f.) Merrill - Introduced; M., Sil. (Fleishmann 1995 as *S. indicum*), N. & P. *Swietenia macrophylla* King - M., Sil. (Robertson 1989), P. & Freg. *Melia dubia* Cav. - Introduced; M., Sil. (Robertson 1989; Friedmann 1994) & P.
- Family RUTACEAE *Murraya paniculata* (L.) Jack - Introduced, M., Sil. (Robertson 1989; Friedmann 1994), P. & LD. *Citrus* spp. - Introduced; widespread - Sil. (Fleishmann 1995).
- Family OXALIDACEAE *Oxalis corniculata* L. - Introduced; M., Sil. (Robertson 1989), P. & Freg. *Averrhoa bilimbi* L. - Introduced; widespread - Sil. (Summerhayes 1932).
- Family BALSAMINACEAE *Impatiens gordonii* Horne ex Baker - End., M. & Sil. (Baker 1877; Matyot 1996b).
- Family ARIALACEAE *Schefflera procumbens* (Hemsl.) F. Friedmann - End.; M. & Sil. (Summerhayes 1932; Friedmann 1987a & 1994, Robertson 1989; OUSE 1990). *Gastonie*

- sechellarum* (Baker) Harms - End.; M., Sil. (Summerhayes 1932; Friedmann 1987a & 1994; Robertson 1989; Carlstrom et al. 1996), P., Cur. & Fel. *G. crassa* (Hemsl.) F. Friedmann - End.; M., Sil. (Summerhayes 1932; Friedmann 1994) & P.
- Family UMBELLIFERAE *Centella asiatica* (L.) Urb. - Introduced; widespread - Sil. (Robertson 1989)
- Family LOGANIACEAE *Strychnos spinosa* Lam. - Afr.; M., SA., Sil. (Summerhayes 1932; Robertson 1989; Friedmann 1994), P. & Freg.
- Family APOCYNACEAE *Carissa edulis* (Forssk.) Vahl - Afr.; M. & Sil. (Summerhayes 1932 as *C. sechellensis*; Friedmann 1986a & 1994; Robertson 1989; Fleishmann 1995; Carlstrom et al. 1996). *Cerbera manghas* L. - Indo-Pacific; M. Sil. (Summerhayes 1932; Friedmann 1994), P., & Cur. *Oehrosia oppositifolia* (Lam.) K. Schum. - Indo-Pacific; widespread - Sil. (Summerhayes 1932 as *O. parvifolia*; Robertson 1989; Friedmann 1994). *Tabernaemontana coffeoides* Boj. ex A. DC. - Mad.; widespread - Sil. (Robertson 1989; Friedmann 1994). *Alstonia macrophylla* Wall. ex G. Don - Introduced; M., SA., Sil. (Fleischmann 1995), P. & Freg. *Catharanthus roseus* (L.) G. Don - Introduced; widespread - Sil. (new data; Gerlach pers obs. 1991).
- Family ASCLEPIADACEAE *Tylophora coriacea* Murais - Masc., Sil. (OUSE 1990; Friedmann 1994; Carlstrom et al. 1996). *Sarcostema viminale* (L.) Aiton f. - Afr.; widespread - Sil. (Summerhayes 1932; Robertson 1989; Friedmann 1994; Fleishmann 1995). *Asclepias curassavica* L. - Introduced; M., Sil. (Summerhayes 1932; Friedmann 1994) & LD. *Gomphocarpus physocarpus* E. Mey. - Introduced; M. & Sil. (Friedmann 1994). *G. fruticosus* (L.) Aiton f. - Introduced; M., Sil. (Summerhayes 1932; Robertson 1989; Friedmann 1994) & Freg.
- Family SOLANACEAE *Solanum americanum* Mill. - Introduced; widespread - Sil. (Summerhayes 1932 as *S. nodiflorum*; Robertson 1989 as *S. nigrum*). *Physalis angulata* L. - Introduced; Long. Sil. (Summerhayes 1932; Friedmann 1994), LD., & Freg. *Datura metel* L. - Introduced; widespread - Sil. (Friedmann 1994).
- Family CONVOLVULACEAE *Ipomoea pes-caprae* (L.) R. Br. - Pantrop.; widespread - Sil. (Summerhayes 1932; Robertson 1989). *I. macrantha* Roem. & Schult. - Indo-Pacific; widespread - Sil. (Robertson 1989). *I. venosa* (Desr.) Roem. & Schult. - Masc.?; M., Anon., Sil. (Summerhayes 1932; Friedmann 1994, Matyot 1996b), Cou., Coue. & A. *I. mauritiana* Jacq. - Pantrop., M., SA., Sil. (Friedmann 1994) & N. *I. aquatica* Forssk. - Introduced; M., Sil. (Robertson 1989), N., Cur. & A. *Merremia peltata* (L.) Merr. - Indo-Pacific; M. & Sil. (Summerhayes 1932; OUSE 1990; Friedmann 1994; Fleishmann 1995).
- Family BORAGINACEAE *Tournefortia puberula* Baker - Mad.; M. & Sil. (Summerhayes 1932 & Robertson 1989 as *T. sarmentosa*; Friedmann 1994). *T. argentea* L.f. - Indo-Pacific; widespread - Sil. (Summerhayes 1932; Robertson 1989). *Heliotropum indicum* L. - Introduced; widespread - Sil. (Summerhayes 1932; Friedmann 1994).
- Family VERBENACEAE *Clerodendrum speciosissimum* McRae - Introduced; M. & Sil. (new data Gerlach pers obs. 1991). *Premna serratifolia* L. - Indo-Pacific; widespread - Sil. (Summerhayes 1932 as *P. corymbosa*; Robertson 1989; Fleishmann 1995). *Phyla nodiflora* (L.) Greene - Pantrop.; widespread - Sil. (Summerhayes 1932). *Stachytarpheta jamaicensis* (L.) Vahl - Introduced; widespread - Sil. (Summerhayes 1932; Fleishmann 1995). *S. urticifolia* (Sailsh.) Sims - Introduced; widespread - Sil. (Robertson 1989). *Lantana camara* L. - Introduced; widespread - Sil. (Summerhayes 1932; OUSE 1990; Fleishmann 1995). *Vitex trifolia* L. - Introduced; widespread - Sil. (Summerhayes 1932).
- Family AVICENNIACEAE *Avicennia marina* (Forssk.) Vierh. - Indian Ocean; widespread - Sil. (new data: Gerlach pers. obs. 1996).
- Family LABIATAE *Achyrospurum sechellarum* Baker - End.; M. & Sil. (Summerhayes 1932; Friedmann 1986a & 1994; Robertson 1989; OUSE 1990; Carlstrom et al. 1996; Matyot 1996b). *Plectranthus amboinicus* (Lour.) Spreng. - Asia; M., Sil. (Summerhayes 1932 as *Coleus subfruticosus*; Friedmann 1994), N., P., A. & Cou. *Leucas lavandulifolia* J. E. Sm. - Introduced; M., Sil. (Robertson 1989; Friedmann 1994), N. & Freg. *Pogostemon heyneanus* Benth. - Introduced; M. & Sil. (OUSE 1990; Friedmann 1994). *Ocimum gratissimum* L. - Introduced; M., Sil. (Summerhayes 1932; Robertson 1989) & N.
- Family PLANTAGINACEAE *Plantago major* L. - Introduced; Sil. (Robertson 1989)
- Family OLACEAE *Jasminum fluminense* Vellozo - Afr.; M. & Sil. (Friedmann 1986a & 1994)

- Family SCROPHULARIACEAE *Scoparia dulcis* L. - Introduced; M., Sil. (Summerhayes 1932; Robertson 1989; Friedmann 1994), P. & Freg. *Striga uscicatula* (L.) O. Kuntze - Introduced; widespread - Sil. (Summerhayes 1932; Robertson 1989).
- Family ACANTHACEAE *Asystasia* sp. B. - ?, widespread - Sil. (Fleishmann 1995 as *A. gangetica*). *Pseuderanthemum tunicatum* (Afz.) Mitre Redh. - Afr.; M. & Sil. (Summerhayes 1932 as *P. malabathricum*; Friedmann 1986a & 1994; OUSE 1990; Carlstrom et al. 1996; Matyot 1996b). *Justicia genundulosa* Burm.f. - Indo-Pacific; M., Sil. (new data: Gerlach pers. obs. 1991), P. Cur. & LD. *Justicia gardineri* Turr. - End.; Sil. (Summerhayes 1932). *Thunbergia alata* Boj. ex Sims - Introduced; M. & Sil. (Summerhayes 1932 as *T. erecta*; Friedmann 1994).
- Family BIGNONIACEAE *Colea seychellarum* Seem. - End.; M. & Sil. (Summerhayes 1932 as *C. pedunculata*; Robertson 1989, Friedmann 1994; Fleishmann 1995). *Tabebeia pallida* (Lindl.) Niers - Introduced; widespread - Sil. (Friedmann 1986a; Robertson 1989; Fleishmann 1995).
- Family CAMPANULACEAE *Hippobroma longiflora* (L.) G. Don - Introduced; M., Sil. (new data: Gerlach pers. obs. 1994), P. & Cur.
- Family GOODENACEAE *Scaevola sericea* Vahl - Indo-Pacific; widespread - Sil. (new data: Gerlach pers. obs. 1991).
- Family RUBIACEAE *Psathura sechellorum* Baker - End.; M. & Sil. (Robertson 1989; Friedmann 1994) *Psychotria pervillei* Baker - Ald.; M., Sil. (Summerhayes 1932; Robertson 1989; Friedmann 1990; Fleishmann 1995) & P. *P. silhouettiae* E. Friedmann - End.; Sil. (Friedmann 1990 & 1994; Carlstrom et al. 1996; Matyot 1996b). *Amaracarpus pubescens* Bl. - Asm.; M. & Sil. (Summerhayes 1932; Friedmann 1986a & 1994; Robertson 1989; OUSE 1990; Carlstrom et al. 1996). *Morinda citrifolia* L. - Indo-Pacific; widespread - Sil. (Robertson 1989; Fleishmann 1995; Matyot 1996b). *Craterispermum microdon* Baker - End.; M., Sil. (Summerhayes 1932; Robertson 1989; Friedmann 1994) & P. *Pentodon pentandrus* (Schumach. & Thonn.) Vatke - Afr.; widespread - Sil. (Baker 1877 & Robertson 1989 as *Oldenlandia hornei*). *Glionnetia sericea* (Baker) Tirv. - End. gen.; M. & Sil. (Summerhayes 1932; Robertson 1989; OUSE 1990; Friedmann 1994). *Rothamnia annae* (Wright) Keay - End.; M., Sil. (Summerhayes 1932), P., A. & Fel. *Ixora pudica* Baker - End.; M. & Sil. (Robertson 1989; Friedmann 1994). *Tarrena sechellensis* (Baker) Summerh. - Afr.; M., Sil. (Summerhayes 1932; Robertson 1989; OUSE 1990; Friedmann 1994; Fleishmann 1995; Carlstrom et al. 1996; Matyot 1996b), P., Cur. & Fel. *Parageuipa wrightii* (Baker) F. Friedmann - End.; M., Sil. (Summerhayes 1932 & Robertson 1989; as *Rundia lancifolia*; Friedmann 1994; Fleishmann 1995), P., Cur. & Fel. *Vangueria madagascariensis* J.F. Gmel. - Introduced; M., Sil. (Robertson 1989) & N. *Canthium bibracteatum* (Baker) Hiem - Afr.; widespread - Sil. (Summerhayes 1932; Robertson 1989; OUSE 1990; Fleishmann 1995). *C. carinatum* (Bak.) Summerh. - End.; M., Sil. (Summerhayes 1932; Friedmann 1994) & P. *C. sechellense* Summerh. - End.; M. & Sil. (Summerhayes 1932; Robertson 1989; Friedmann 1994). *Coffea* sp. - Introduced, M. & Sil. (new data: Gerlach pers. obs. 1991). *Guettarda speciosa* L. - Indo-Pacific; widespread - Sil. (Robertson 1989). *Timonius sechellensis* Summerh. - End.; M., Sil. (Summerhayes 1932; Robertson 1989; Friedmann 1994; Fleishmann 1995) & P.
- Family COMPOSITAE *Vernonia cinerea* (L.) Less. - Introduced; widespread - Sil. (new data: Gerlach pers. obs. 1994). *Elephantopus mollis* H.B.K. - Introduced; widespread - Sil. (Summerhayes 1932 as *E. scaber*; Robertson 1989). *Gynura sechellensis* (Baker) Hemsl. - End.; M. & Sil. (Summerhayes 1932; Robertson 1989; Friedmann 1994; Fleishmann 1995). *Emilia sonchifolia* (L.) Wright - Introduced; M., Sil. (Summerhayes 1932), N. & Freg. *Ageratum conyzoides* L. - Introduced; M., Sil. (Summerhayes 1932) & Freg. *Tridax procumbens* L. - Introduced; widespread - Sil. (Robertson 1989). *Bidens pilosa* L. - Introduced; widespread - Sil. (Summerhayes 1932). *Parthenium hysterophorus* L. - Introduced; M. & Sil. (Robertson 1989). *Synedrella nodiflora* (L.) Gaertn. - Introduced; widespread - Sil. (Friedmann 1994). *Sigesbeckia orientalis* L. - Introduced; M. & Sil. (Summerhayes 1932; Friedmann 1994). *Pterocypselia indica* (L.) Shih - Introduced; M. & Sil. (Summerhayes 1932 as *Lactuca mauritiana*).

Family ORCHIDACEAE *Acampe praeemosa* (Roxb.) Blatter & MacCann - Ald.; Sil. (Friedmann 1986a as *A. rigida*). *Agrostophyllum occidentale* Schltr. - Ind.; M. & Sil. (Summerhayes 1932, Robertson 1989). *Angraecum eburneum* Bory - Mad.; M., Sil. (Summerhayes 1932 as *A. brongniartianum*) & P. *A. zeylanicum* Lindl. - Asia; M. & Sil. (Friedmann 1986a as *A. mactense*; Carlstrom et al. 1996). *Bulbophyllum intertextum* Lindl. - Indian Ocean; M. & Sil. (Summerhayes 1932 as *B. seychellarum*; Robertson 1989). *Cynorkis fastigiata* Thouars - Mad.; M., Sil. (Summerhayes 1932; Robertson 1989), P. & Cur. *C. seychellarum* Aver. - End.; M., Sil. (Aeryanov & Kudriavtzeva 1987), P. & Fel. *Disperis tripetaloides* (Thouars) Lindl. - Indian Ocean; M., Sil. (Summerhayes 1932) & P. *Eulopia pulchra* (Thouars) Lindl. - Indian Ocean; M., Sil. (Friedmann 1986a) & P. *Graphorkis scripta* (Thouars) Kuntze - Indian Ocean, Sil. (Summerhayes 1932 as *Eulopia* sp.). *Hederorkis seychellensis* Bossen - Ald.; M. & Sil. (Summerhayes 1932 as *Bulbophyllum scandens*; Friedmann 1986a). *Malaxis seychellarum* (Kraenzl.) Summert. - End.; M. & Sil. (Summerhayes 1932, Robertson 1989; Fleishmann 1995). *Oeonella aphrodite* Schltr. - Masc.; M., Sil. (Friedmann 1986a as *O. polystachys*; Robertson 1989) & P. *Phaius tetragonus* (Thouars) Reichb.f. - Masc.; M. & Sil. (Friedmann 1986a; OUSE 1990). *Platylepis goodyeroides* A.Rich. - Mad.; M. & Sil. (Summerhayes 1932 as *P. occulta*). *P. seychellarum* S.Moore - End.; M. & Sil. (Summerhayes 1932). *Polystachya concreta* (Jacq.) Gatay & Sweet - Indian Ocean; M. & Sil. (Summerhayes 1932 as *P. mauritiana*; Robertson 1989). *Vanilla phalaenopsis* Reichb.f. - End.; M., Sil. (Robertson 1989), P. & Fel. *V. planifolia* Andrews - Introduced; widespread - Sil. (Fleishmann 1995).

Family ZINGIBERACEAE *Elettaria cardamomum* Maton - Introduced; M. & Sil. (Fleishmann 1995).

Family MUSACEAE *Musa* sp. - Introduced; widespread - Sil. (Matot 1996b).

Family HYPOXIDACEAE *Curculigo seychellensis* Boj. - End.; M., Sil. (Robertson 1989), P. & Freg. *Hypoxidia rhizophylla* (Baker) F.Friedmann - End.; M., Sil. (Robertson 1989; Friedmann 1988, OUSE 1990, Fleishmann 1995), P., Cur. & LD.

Family AGAVACEAE *Agave sisalana* (Perr. ex Engelm.) Drummond & Prain - Introduced; widespread - Sil. (new data: Gerlach pers. obs. 1994).

Family BROMELIACEAE *Ananas comosus* (L.) Merr. - Introduced; widespread - Sil. (Fleishmann 1995).

Family TACCACEAE *Tacca leontopetaloides* (L.) O.Kuntze - Introduced; M., SA., Sil. (new data Gerlach pers. obs. 1994) & P.

Family LILIACEAE *Dracaena reflexa* La. - Mad.; widespread - Sil. (Friedmann 1986a, OUSE 1990, Fleishmann 1995; Matot 1996b).

Family COMMELINACEAE *Commelinia benghalensis* L. - Introduced; widespread - Sil. (Summerhayes 1932). *C. diffusa* Burb.f. - Introduced; Sil. (Summerhayes 1932 as *C. nudiflora*) & N.

Family FLAGELLARIACEAE *Flagellaria indica* L. - Asia; M., Sil. (Summerhayes 1932; OUSE 1990, Fleishmann 1995), P., Cur. & Fel.

Family PALMAE *Cocos nucifera* L. - Indo-Pacific; widespread (Robertson 1989; Fleishmann 1995; Matot 1996b). *Deckenia nobilis* Wendl. - End., widespread - Sil. (Summerhayes 1932; OUSE 1990; Fleishmann 1995). *Lodoicea maldivica* (Gmel.) Pers. - End. gen.; Sil. (OUSE 1990), P., Cur., R. & SP. *Nepturoserpma vanheurteana* (Wendl. ex van-Houtt.) Balf. - End. gen.; M., SA., Sil. (Summerhayes 1932; OUSE 1990; Fleishmann 1995), P. & Cur. *Phoenixphorium borsigianum* (K.Koch) Stuntz - End. gen.; widespread - Sil. (Scott 1913 as *Stevensonia granifolia*; Summerhayes 1932, OUSE 1990; Fleishmann 1995, Matot 1996b). *Roscheria melanochaetes* (Wendl.) Wendl. ex Balf. - End. gen.; M., Sil. (Summerhayes 1932; OUSE 1990; Fleishmann 1995, Matot 1996b) & P. *Verschaffeltia splendida* Wendl. - End. gen.; M., Sil. (Friedmann 1986a; Robertson 1989; OUSE 1990, Fleishmann 1995) & P.

Family PANDANACEAE *Pandanus balfourii* Mart. - End.; widespread - Sil. (Summerhayes 1932) P. *hornei* Balf.f. - End.; M., Sil. (Baker 1877; OUSE 1990; Fleishmann 1995), P. & Cur. *P. multispicatus* Balf.f. - End.; M., Sil. (Robertson 1989), P., Cur. & Freg. *P. seychellarum* Balf.f. - End.; M., Sil. (Robertson 1989; OUSE 1990; Fleishmann 1995), P. & LD.

- Family TYPHACEAE *Typha javanica* Schmitz ex Zoll. - Asia; widespread - Sil. (Summerhayes 1932).
- Family ARACEAE *Catodium* sp. - introduced, M., Sil. (new data: Gerlach pers. obs 1994) & Freg. *Colocasia esculenta* (L.) Schott - introduced; widespread - Sil. (new data: Gerlach pers. obs 1994). *Philodendron* sp. - introduced; widespread - Sil. (new data: Gerlach pers. obs 1994). *Protararium secellularum* - End.; M., Sil. (Summerhayes 1932; OUSE 1990; Fleishmann 1995; Carlstrom et al. 1996) & P.
- Family TRIURIDACEAE *Seychellaria thomassetii* Hemsley - End.; M., Sil. (OUSE 1990; Carlstrom et al. 1996) & P.
- Family CYPERACEAE *Cyperus articulatus* L. - Pantrop.; M., Sil. (Robertson 1989), N., P. & LD. *Eleocharis dulcis* (Burm.f.) Trin. - Indo-Pacific; M., Sil. (Summerhayes 1932 as *E. plantaginoides*; Robertson 1989) & Cur. *Fimbristylis complanata* (Retz.) Link - introduced?; widespread - Sil. (Summerhayes 1932; Robertson 1989). *Fimbristylis cymosa* R.Br. - Pantrop.; widespread - Sil. (Summerhayes 1932 as *F. spathacea*). *F. dichotoma* (L.) Vahl - introduced?; M., Long, Sil. (Robertson 1989), P. & Freg. *Kyllinga colorata* (L.) Drace - introduced?, M. & Sil. (Summerhayes 1932 as *K. brevifolia*; Robertson 1989). *K. polypylla* Willd. ex Kunth - Indian Ocean; widespread - Sil. (Robertson 1989). *K. tenuifolia* Steud. - introduced?; M., Sil. (Averyanov & Kudriavtzeva 1987) & Fel. *Lophoscoenus hornei* (C.B.C.L.) Stapf - End.; M., Sil. (Robertson 1989; Fleishmann 1995), P. & Cur. *Mapania floribundum* - End.; M., Sil. (Summerhayes 1932 as *Thraustostachys angustifolium*) & P. *Mariscus dubius* (Rottb.) Fischer - Pantrop.; widespread - Sil. (Summerhayes 1932 as *M. dregeanus*). *M. paniceus* (Rottb.) Vahl - Asia, Masc., M., Sil. (Summerhayes 1932), P., Fel & LD. *M. pennatus* (Lam.) Domin. - Palaeotrop.; M., Sil. (Summerhayes 1932), P., Co., Cur. *Pycnosorus polystachyos* (Rottb.) P.Beauv. - Indian Ocean; widespread - Sil. (Summerhayes 1932 as *P. odoratus*). *Seleria sieberi* Nees ex Kunth - Mad.; M., Sil. (Summerhayes 1932 as *S. angusta*) & P.
- Family GRAMINAE *Axonopus compressus* (L.) P.Beauv. - introduced?; M., Sil. (Summerhayes 1932), N. & Freg. *Bracharia umbellata* (Trin.) W.D.Claydon - Mad.; widespread - Sil. (Fleishmann 1995). *Coix lacryma-jobi* L. - introduced; M., Sil. (new data: Gerlach, pers. obs. 1990) & Freg. *Cymbopogon pruinosus* (Nees ex Steud.) Chiov. - introduced?; Sil. (Robertson 1989). *Cyrtococcum oxyphyllum* Stapf - Indo-Pacific; M., Sil. (Summerhayes 1932) & P. *Dactyloctenium ctenoides* (Steud.) Bosser - Pantrop.; widespread - Sil. (Summerhayes 1932 as *D. aegyptium*). *Dichanthium aristatum* (Poir.) Hubb. - introduced?; Sil. (Robertson 1989). *Digitaria horizontalis* Willd. - introduced?; widespread - Sil. (Summerhayes 1932). *D. radicosa* (Presl) Miq. - Indo-Pacific; widespread - Sil. (Summerhayes 1932 as *D. pruriens*). *Echinochloa colonum* (L.) Link - introduced?; M., SA., Sil. (Robertson 1989) & N. *Elusine indica* (L.) Gaertn. - introduced?; widespread - Sil. (Summerhayes 1932). *Eragrostis tenella* (L.) P>Beauv. - introduced?; widespread - Sil. (Summerhayes 1932). *Garnotia sechellensis* Hubb. & Summerh. - End., M. & Sil. (Friedmann 1986; Robertson 1989). *Hyparrhenia rufa* (Nees) Stapf - introduced?; M., Sil. (Robertson 1989), P. & Cur. *Oplismenus compositus* (L.) P.Beauv. - Indo-Pacific; widespread - Sil. (Summerhayes 1932). *Panicum brevifolium* L. - Indo-Pacific; widespread - Sil. (Robertson 1989; Fleishmann 1995). *P. maximum* L. - introduced?; widespread - Sil. (Summerhayes 1932; Fleishmann 1995). *Paspalidium geminatum* (Forsk.) Stapf - Palaeotrop.; M., Sil. (Summerhayes 1932), N. & Freg. *P. scrobiculatum* L. - Palaeotrop.; M., Long, Sil. (Summerhayes 1932), N. & Freg. *Pennisetum polystachyon* (L.) Schult. - introduced?; widespread - Sil. (Summerhayes 1932). *Setaria barbata* (Lam.) Kunth - introduced?; M., SA., Sil. (Summerhayes 1932), N. & Freg. *Sorghum arundinaceum* (Desv.) Stapf - introduced; M., Sil. (Summerhayes 1932 as *S. verticilliflorum*) & P. *Sporobolus diander* (Retz.) P.Beauv. - introduced?; M. & Sil. (Robertson 1989). *Stenotaphrum dimidiatum* (L.) Brongn. - Indo-Pacific; widespread - Sil. (Summerhayes 1932).

ANIMALIA

NEMERTEA

ENOPLA

Family GEONEMERTIDAE *Geonemertes paelensis* Semper, 1863 - Indo-Pacific; M., Long & Sil. (OUSE 1990 all as *G. arbicola*).

ANNELIDA

OLIGOCHAETA

Family MEGASCOLECIDAE *Amyntas rodericensis* (Grube) - Indian Ocean; Sil. (Sims 1981)

HIRUDINEA

Family IDIOBDELLIDAE *Idiobdella seychellensis* Harding, 1913 - End. gen.; Sil. (Harding 1913; Richardson 1978; OUSE 1990). *I. daubani* Richardson, 1978 - End.; Sil. (Richardson 1978; OUSE 1990).

MOLLUSCA

Family STREPTAXIDAE *Edentulina dussumieri* (Dufa, 1840) End.; Sil. (Nevill 1868; Martens 1898; Sykes 1909; OUSE 1990; Gerlach & van Bruggen in prep.). *E. moreleti* (Adams, 1868) - End.; M., Sil. (Adams 1868; Sykes 1909; Gerlach & van Bruggen in prep.). *Gulella gardineri* (Sykes, 1909) - End.; M., Anon. & Sil. (Sykes 1909; OUSE 1990; Gerlach & van Bruggen in prep.). *G. silhouettanus* Verdcourt, 1996 - End.; Sil. (Verdcourt 1996; Gerlach & van Bruggen in prep.). *Streptaxis souleyetianus* (Petit, 1834) - End.; M., Sil. (Nevill 1868; Martens 1898; Sykes 1909; OUSE 1990; Gerlach & van Bruggen in prep.). *P. cur.* & LD. *Stereosele nevilli* (Adams, 1868) - End.; M., Sil. (Martens 1898; Sykes 1909; Gerlach 1987; OUSE 1990; Gerlach & van Bruggen in prep.) & *P. Streptosele acicula* Morelet - W. Indian Ocean; M. & Sil. (OUSE 1990; Gerlach & van Bruggen in prep.). *Imperturbatia* n. sp. - End. gen.; Sil. (Martens 1898; Sykes 1909 & OUSE 1990 as *I. constans*; Barnacle 1971 as *I. levieuxi*; Gerlach & van Bruggen in prep.). *I. perlegans* Martens, 1898 - End.; M. & Sil. (OUSE 1990; Gerlach & van Bruggen in prep.). *Augustula braueri* (Martens, 1898) - End. gen.; M. & Sil. (Martens 1898; Sykes 1909; Gerlach 1987; OUSE 1990; Gerlach & van Bruggen in prep.). *Acanthenea erinaceus* Martens, 1898 - End. gen.; M. & Sil. (Martens 1898; Sykes 1909; OUSE 1990; Gerlach & van Bruggen in prep.). *Priodiscus serratus* (Adams 1868) - End. gen.; Sil. (Adams 1868; Sykes 1909 as *P. martensi*; OUSE 1990; Gerlach 1996). *Priodiscus spinatus* Gerlach, 1996 - End.; Sil. (Gerlach 1996b; OUSE 1990 as *P. sp.*)

Family ACHATINIDAE *Achatina fulica* Bowditch - Introduced; most islands, Sil. (Nevill 1869; Gerlach 1987; OUSE 1990)

Family CAECILIIDAE *Caeciloides mauritiana* (Adams, 1868) - Masc.; M. & Sil. (OUSE 1990)

Family SUBULINIDAE *Subulina octona* Bruguère - Pantrop.; most islands - Sil. (Sykes 1909; Gerlach 1987; OUSE 1990). *Allopeas javanicum* (Reeve) - Pantrop.; most islands - Sil. (Gerlach 1987; OUSE 1990). *A. pumilum* (Pfeiffer) - Pantrop.; most islands - Sil. (Gerlach 1987; OUSE 1990). *A. gracile* (Hutton) - Pantrop.; most islands - Sil. (Nevill 1869 as *Subulina mauritiana*; Gerlach 1987; OUSE 1990)

Family HELICIDAE *Bradybaena similaris* (Ferussac) - Introduced; M., Sil. (Sykes 1909; Gerlach 1987), P. & LD.

Family ENIDAE *Pachnodus silhouettanus* Van Mol & Benoit, 1980 - End. gen.; Sil. (Nevill 1868 as *Buliminus fulvicanus*; Sykes 1909 as *P. ornatus*; Van Mol & Benoit 1980). *P. oxoniensis* Gerlach, 1995 - End.; Sil. (OUSE 1990 as *P. sp.*; Gerlach 1994a). *P. lionnetii* Van Mol &

- Benoit 1980 - End.; Sil. (Nevill 1868 as *Bulinus niger*; Van Mol & Benoit 1980; OUSE 1990).
- Family ZONITIDAE '*Kallicella*' *subtutritula* (Nevill, 1871) - End.; gen., M., Sil. (Nevill 1869 as *Helix* n.sp?; Gerlach in prep)
- Family HELICARIONIDAE *Pilula mahesiana* Martens, 1898 - End.; M. & Sil. (Martens & Weigmann 1898; OUSE 1990)
- Family ACAVIDAE *Styloconta undicata* (Chemnitz, 1795) - End.; gen.; M., St. Anne, Sil. (Nevill 1869; Martens & Weigmann 1898; Sykes 1909; Gerlach 1987; OUSE 1990), P., Cur., Fel. & LD
- Family EUCONULIDAE *Liardetia sculpta* (Möllendorf) - Introduced.; M., Sil. (OUSE 1990) & P.
- Family PUNCTIDAE *Punctum* n. sp. End.; M., Sil. (OUSE 1990 as 'Endodontid')
- Family PUPILLIDAE *Gastrocopcta triplacata* Morelet - Mad.; M., Anon., (Martens & Weigmann 1898 as *Pupa microscopica*, OUSE 1990), P., A. & Freg.
- Family SUCCINEIDAE *Quickia concisa* (Morelet) - Mad.; M., Sil. (Nevill 1869 as *Succinea striata*; Gerlach 1987; OUSE 1990), P., Fel.
- Family VAGINULIDAE *Vaginula seychellensis* Fischer, 1871 - End.; M., Sil. (Simroth 1913, OUSE 1990) & P. *V. voeltzkowi* Simroth 1913 - Mad.; M. & Sil. (Simroth 1913 as *V. braueri* & *V. parva*, OUSE 1990). *Semperula maculata* Templeton, 1888 - Asia; M. & Sil. (Simroth 1913 as *V. plana*).
- Family CYCLOPHORIDAE *Cyathopoma blanfordi* Adams, 1868 - End.; M., Sil. (Sykes 1909; OUSE 1990), P. & LD.
- Family POMATISIDAE *Tropidophora pulchra* (Gray, 1834) - End.; M., Sil. (Nevill 1869; Sykes 1909; OUSE 1990), P., LD & Freg.
- Family HELICIDAE *Helicina theobaldiana* Nevill, 1871. - End.; M., Anon., Sil. (Nevill 1869; OUSE 1990), P. & LD.
- Family NERITIDAE *Neritina gagates* Lamarck, 1822 - Mad.; M. & Sil. (new data: 1994, NPTS M1997.22). *Neritilia consimilis* (Martens, 1879) - Mad.; M. & Sil. (new data: 1994, NPTS M1997.23). *Septaria borbonica* (Bory St. Vincent, 1803) - Mad.; M. & Sil. (Gerlach & Canning 1996).
- Family ASSIMINEIDAE *Syndera nitida* (Pease, 1864) - Indo-Pacific; M. & Sil. (Gerlach 1994a).
- Family THIRIDAE *Paludomus ajanensis* Morelet, 1860 - End.; M. & Sil. (Nevill 1869; Sykes 1909 as *P. baccula*; Starmühlner 1983; OUSE 1990; Brown & Gerlach 1991). *Melanoides tuberculatus* (Müller, 1774) - Indo-Pacific; M., Sil. (Sykes 1909; OUSE 1990; Gerlach 1994a), P. & LD.
- Family POTAMIDIDAE *Terebralia palustris* (Linnaeus, 1767) - Indo-Pacific; M. & Sil. (OUSE 1990; Gerlach 1994a).

CRUSTACEA

DECAPODA

- Family COENOBITIDAE *Coenobita brevimanus* Dana, 1852 - Indo-Pacific; Sil. (Borradaile 1907 as *C. clypeatus*; new data 1994, Gerlach, NPTS D1997.1) & A.
- Family GECARCINIDAE *Cardisoma carnifex* (Herbst, 1784) - Indo-Pacific; M., Sil. (Gerlach 1994b, new data: 1994, Gerlach, NPTS D1997.2) & P. *Ocypode ceratophthalma* (Pallas) - Indo-Pacific; M., Sil. (new data: Gerlach pers. obs. 1990), P., A., Co. & Coc. *Uca annulipes* (Milne Edwards) - Indian Ocean; M., Sil. (Gerlach 1994b) & P.
- Family GRAPSIDAE *Geograpsus crinipes* (Dana, 1851) - Indian Ocean; Sil. (Borradaile 1907). *Grapsus tenuicrustatus* (Herbst, 1783) - Indo-Pacific; M., Sil. (new data 1994, Gerlach NPTS D1997.3) & A. *Sesarma intermedium* (De Haan) - Indian Ocean; Sil. (Borradaile 1907). *Sesarma impressum* Milne Edwards - Indian Ocean; M., Sil. (Borradaile 1907 as *S. longipes*; Gerlach 1994b) & P.

Family CARIDINIDAE *Curidina brevirostris* Stimpson, 1860 - Indo-Pacific; M., Sil. (Bouvier 1914) & P.

Family PALAEMONIDAE *Macrobrachium lar* (Fabricius) - Indo-Pacific; M., Sil. (Borradaile 1907) & P.

ISOPODA

Family ARMADILLIDAE *Cubaris murina* Brandt, 1833 - Masc.; M., Sil. (Budde-Lund 1913), P., Cur. & Mar. *Reductioniscus castulatus* Kesselyak, 1930 - End.; M., Sil. (Ferrara & Taiti 1983; OUSE 1990), P. & Cur. *Sphaerillo maculosus* Budde-Lund, 1904 - End.; M. & Sil. (Ferrara & Taiti 1983). *Venezillo parvus* (Budde-Lund 1885) - Masc., Ascension; M., Sil. (Budde-Lund 1913; Ferrara & Taiti 1983) & P.

Family IRMAOSIDAE *Irmaos sechellarum* Ferrara & Taiti, 1983 - End.; M. & Sil. (Ferrara & Taiti 1983). *Irmaos lobatus* Ferrara & Taiti, 1983 - End.; M. & Sil. (Ferrara & Taiti 1983; OUSE 1990 as *Aphiloscia annulicornis*).

Family PHILOSCIIDAE *Bilawerencia occidentalis* Ferrara & Taiti, 1983 - End.; Sil. (Ferrara & Taiti 1983), P. & Cur. *Mahechia bicornis* Budde-Lund, 1913 - End.; M. & Sil. (Budde-Lund 1913). *Pseudophiloscia lateralis* Budde-Lund, 1913 - End.; M., Sil. (Budde-Lund 1913), P. & Mar. *Setaphora pallidimaculata* Budde-Lund, 1913; End.; M., Sil. (Budde-Lund 1913) & P. *Seychelloscia benoiti* Ferrara & Taiti - End. gen.; M. & Sil. (Ferrara & Taiti 1983). *S. mueronata* Ferrara & Taiti, 1983 - End.; Sil. (Ferrara & Taiti 1983). *S. vanmoli* Ferrara & Taiti, 1983 - End.; M. & Sil. (Ferrara & Taiti 1983).

ARACHNIDA

ARANEAE

Suborder MYGALOMORPHIA

Family BARYCHELIDAE Simon, 1889 *Sason seychellatum* Simon, 1898 - End.; M., Sil. (Hirst 1911); new data: 1990, Gerlach, MZT AA0.283&AA0.313).

Family THERAPHOSIDAE *Chaetopelma gardineri* Hirst, 1911 - End.; M., Sil. (Hirst 1911), P. & Fel. Suborder ARANEOMORPHA

Family SCYTODIDAE Blackwall, 1864 'Scytodes' *pholcoides* Simon, 1898 - End.; M. & Sil. (new data: 1990, Gerlach, MZT AA0.057&AA0.323).

Family TELEPIDIDAE Fage, 1913 *Seychellia wiljoi* Saaristo, 1978 - End. genus; M., Sil. (Brignoli 1980) & LD.

Family OCYHYROCERATIDAE Fage, 1912 N. gen., n. sp. - Material: Sil., 1990, Gerlach (MZT AA 0.074)

Family PHOLCIDAE C. L. Koch, 1851 N.gen., n.sp. - Material: Sil. 1990, Gerlach (MZT AA0.280-282). 'Holoconemus' *ciliatus* Simon, 1898 - End.; M. & Sil. (new data: 2-8.7.1972, Benoit & van Mol, MRAC 143.373). *Smelingopus pallidus* (Blackwall, 1858) - Pantrop.; M., Long, S. (new data: 2-8.7.1972, Benoit & van Mol MRAC 143.373), P.

Family TETRABLEMMIDAE O. Pickard-Cambridge, 1873 *Mariblemma pandani* (Brignoli, 1978) - Monotypic end. genus; Sil. (Brignoli 1978). *Tetrablemma benoiti* (Brignoli, 1978) - End.; Sil. (new data: 1990, Gerlach, MZT AA0.075) & LD.

- Family OONOPIDAE Simon, 1890 *Lionneta sayi* (Benoit, 1979), n. comb. - Recorded from M. (type locality) & Sil. (Benoit 1979a). *L. seychellensis* Benoit, 1979 - End.; M., Sil. (Benoit 1979a; new data: 1990, Gerlach, MZT AA0.058), P. & Cur. *Lionneta silhouettei* Benoit, 1979 - Only the holotype of this species has been collected from Sil. (Benoit 1979a). *Lionneta* n. sp. 1. - Material: Sil., 1990, Gerlach (MZT AA0.060). *Lionneta* n. sp. 2. - Material: Sil., 1990, Gerlach (MZT AA0.302). *Lionneta* n. sp. 3. - Material: Sil., 1990, Gerlach (MZT AA0.061). *Lionneta* n. sp. 4. - Material: Sil., 1990, Gerlach (MZT AA0.059). *Silhouettella curieusei* Benoit, 1979 - End genus: Sil. (Benoit 1979a), Cur. & LD. *Stenoonops opisthognathus* Benoit, 1979 - End., Sil. (Benoit 1979a), P. & LD. *Gamasomorpha mornensis* Benoit, 1979 - End.; M. & Sil. (Benoit 1979a; new data: 1990, MZT AA0.064&0.065 & 20.12.1993, MZT AA0.309, all Gerlach). *'G.' seychellensis* Benoit, 1979 - End.; M., Sil. (new data: 1990, Gerlach, MZT AA0.067), P. & LD. *'G.' silhouettei* Benoit, 1979 - End., M., Sil. (Benoit 1979a; new data: 1990, Gerlach, MZT AA0.073) & P.
- Family PALPIMANIDAE Thorell, 1870 *Hybosida dauban* Platnick, 1979 - End. gen.; Sil. (Platnick 1979; new data: 1993, Gerlach, MZT AA0.293-0.294).
- Family ULOBORIDAE Thorell, 1869 *Zosis geniculatus* (Oliver, 1789) - Pantrop.; M., Sil. (Benoit 1978), P. & Cur. *Uloborus plumipes* Lucas, 1846 - Afr.; M., Sil., (Benoit 1978; new data: 1990, Gerlach, MZT AA0.319-321), P., Cur.
- Family THERIDIIDAE Sundevall, 1833 *Argyrodes rostratus* Blackwall, 1877 - End.; M., Sil (Roberts 1978; new data: 1990, Gerlach, MZT AA0.187), Cur., LD. *A. fissifrontella* Saaristo, 1978 - End.; M. & Sil. (new data: 1990, Gerlach, MZT AA0.197). *A. cognatus* (Blackwall, 1877 - End.; M., Sil. (Roberts 1978; new data: 1990, Gerlach, MZT AA0.194-196) & P. *A. recurvatus* Saaristo, 1978 - End.; M. & Sil. (Roberts 1978; new data: 1990, Gerlach, MZT AA0.198-199). *Moneta coercervus* (Roberts, 1978) n. comb. - End.; M. & Sil. (Simon 1898). *Coleosoma floridana* Banks, 1900 - Cos.; M., Sil. (Roberts 1978), P. & LD. *'Theridion' ibudum* Roberts, 1978 - End.; M., Sil. (Roberts 1978; new data: 1990, Gerlach, MZT AA0.217-220). *'T.' braueri* Simon, 1898 - End.; M. & Sil. (new data: 1990, Gerlach, MZT AA0.221). N. gen., n. sp. - Material: Sil., 1990, Gerlach (MZT AA0.223).
- Family THERIDIOSOMATIDAE *Zoma zoma* Saaristo, 1996 - Only the holotype of this monotypic genus has been recorded from Sil. (Saaristo 1996a). *Andasta siltte* Saaristo, 1996 - Only the holotype from Sil. (Saaristo 1996a).
- Family SYMPHYTOGNATHIDAE Hickman, 1931 *Patu silho* Saaristo, 1996 - Only the holotype and paratype from Sil. (Saaristo 1996b). *Anapistuta seychellensis* Saaristo, 1996 - Only the holotype from Sil. (Saaristo 1996b).
- Family MYSMENIDAE *Microdopoea elsaec* Saaristo, 1979 - End.; M., Sil. (Roberts 1978; new data: 1990, Gerlach, MZT AA0.273) & P.
- Family LINYPHIIDAE Blackwall, 1859 *Nesioneta benoiti* (van Helsdingen, 1978) - Palaeotrop.; M., Sil. (van Helsdingen 1978), P., Aride, Cur., Petit Sœur & LD.
- Family TETRAGNATHIDAE Menge, 1866 *Nephila inaurata* (Walckenaer, 1841) - W. Indian Ocean; M., Sil. (Benoit 1978; Hirst 1911), P., Cur., LD & Freg. *Nephilengys cruentata* (Fabricius, 1775) - Pantrop.; M., Sil., (Benoit 1978, Hirst 1911; Simon 1898; new data: Gerlach, MZT AA0.234-235), P., Cur. & Freg. *'Leucauge' argyrescens* Benoit, 1978 - End.; M., Sil. (new data: 1990, Gerlach, MZT AA 0.240) & P. *Mesida thorelli* (Blackwall, 1877), n. comb. - End.; M., Sil. (Benoit 1978; new data: 1990, Gerlach, MZT AA 0.236-237) & P. *Typhlosa mornensis* (Benoit, 1978), n. comb. - End.; M. & Sil. (new data: 1990, Gerlach, MZT AA0.238-239). *Tetragnatha foliifera* Simon, 1879 - End.; M. & Sil. (Simon 1893). *T. marginata* (Thorell, 1890) - Pantrop.; M. & Sil. (Hirst 1911 as *T. modesta*). *T. nigricularis* Simon, 1897 - End.; M., Sil. (Hirst 1911), P., Cur. & Fél.
- Family ARANEIDAE *Cyrtophora citricola* (Forskål, 1775) - Pantrop.; M., Sil. (Hirst 1911; new data: 1990, Gerlach, MZT AA0.252), P., Cur., LD. *Arachnura scorpionoides* Vison, 1863 - Afr.n species found only on Sil. (Grasshoff 1980; Hirst 1911). *Pollys horridus* Locket, 1980 - Comitos. 1 in specimens of *Arachnura scorpionoides* (Grasshoff 1980) - Sil. *Cyclosa kibonotensis* Tullgren, 1910 - Afr.n species recorded from Sil. (Grasshoff 1980). *C. insulana* (Costa, 1834) - Palaeotrop.; M. & Sil. (new data: 1990, Gerlach, MZT AA0.253). *Dreuxilia bifida* (Tullgren, 1910) - Afr.n; M. & Sil. (new data: 1990, Gerlach, MZT AA0.268). *Prasconia seriata* (Simon, 1895) - Afr.n; M., Sil. (Grasshoff 1980) & Cur. *Neoscona*

- triangula* (Keyserling, 1864) - M., Sil. (new data: 1990, Gerlach, MZT AA0.270) P. & LD.
N. morelii (Vinson, 1863) - SE Asia-Aust.-Polynesia; M., Sil. (Hirst 1911), Bird, Coctivy,
 Farquhar & St.Pierre
- Family OXYOPIDAE Thorell, 1870 *Oxyopes dumonti* (Vinson, 1863) - Afr.n; M., Sil. (Benoit 1978) &
 P.
- Family CLUBIONIDAE Wagner, 1887 *Clubiona mahensis* Simon, 1893 - End.; M., Sil. (Benoit 1978;
 Hirst 1911) & P. 'C.' *nigromaculosa* Blackwall, 1877 - End.; M., Anon., Sil. (Saaristo 1995),
 Aride & Coi.
- Family ZODARIIDAE Thorell, 1886 *Cryptothelae alluaudi* Simon, 1893 - End.; M., Sil. (Benoit 1978),
 P., LD & Frég.
- Family SELENOPIDAE Simon, 1897 *Selenops secretus* Hirst, 1911 - End.; M., Sil. (Benoit 1978), P. &
 Frég.
- Family HETEROPODIDAE Thorell, 1874 (Family SPARASSIDAE Simon, 1874) *Rithymna valida*
 (Blackwall, 1877) - End.; M., Sil. (Benoit 1978) P., LD, Fré, & Bird. *Thomasetta*
seychellana Hirst, 1911 - End.; M., Sil. (Benoit 1978) & P. *Rhacoconemis gutata*
 (Blackwall, 1877) - M., Sil. (Benoit 1978; Hirst 1911 as *R. elegans*), P. & Cur. *Heteropodu*
vanatoria (Linnaeus, 1758) - Pantrop.; M., Sil. (Observed 1990 - J. Gerlach), P. & Bird.
- Family THOMISIDAE Sundevall, 1833 '*Thomisus*' *stennigi* Pocock, 1900 - Mahé, Sil. (Benoit 1978
 'T. citrinellus'), P. & Cur.
- Family SALTICIDAE Blackwall, 1841 *Goleba pallens* (Blackwall, 1877) - Aldabra and Sil. (Wanless
 1980 & 1984) & Denis. *Sadies gibbosa* Wanless, 1984 - End. genus; Sil. & LD (Wanless
 1984). *Myrmarachne constrictus* (Blackwall, 1877) - End.; Long. , Sil. (Wanless 1984; new
 data: 1990, Gerlach, MZTAA 0.154), P. & Denis. *Buviola braueri* Simon, 1897 - End.
 genus; M., Sil. (Wanless 1984) & P. *B. luteosignata* Wanless, 1983 - Long & M. & Sil. (new
 data: 1990, Gerlach, MZT AA0.168). *B. spatulata* Wanless 1984 - Found only on Sil.
 (Wanless 1984). *B. vannomali* Wanless 1984 - Found on M. & Sil. (Wanless 1984). *Hisp*
atboclypea Wanless, 1984 - End.; M. & Sil. (Wanless 1984; new data: 1990, Gerlach, MZT
 AA0.165-167). *Hasarius rufociliatus* Simon, 1897 - End.; M., Sil. (Wanless 1984; new data:
 1990, Gerlach, MZT AA0.149), Cur., Fél. *Hyllus acutus* (Blackwall, 1877) - End.; M., Cur.,
 Sil. (Wanless 1984), P., Denis & P., Providence. *Carrhotus bellus* Wanless, 1984 - End.; M.,
 Sil. (Wanless 1984) & P. *Salpacia soricina* Simon, 1901 - End.; locality ? (Wanless 1984),
 Sil. (new data: 1990, Gerlach, MZT AA0.150). *Helophanus acutus* (Blackwall, 1877) -
 End.; M., Sil. (Wanless 1984), P. & Cur.

OPILIONES (New data determined by M. Rambla)

- Family PHALANGODIDAE *Ibalonius inscriptus* Loman, 1902 - End.; M., Sil. (Rambla 1984; OUSE
 1990). *I. binaculatus* Loman, 1902 - End.; Sil. (Rambla 1984). *I. flavopictus* Hirst, 1911 -
 End.; M., Sil. (OUSE 1990; new data: Mon Plaisir XII.93). *I. lomani* Hirst, 1911 - End.; Sil.
 (Rambla 1984). *Sitalcus incertus* Rambla, 1984 - End.; Sil. (Rambla 1984). *Miraceras*
pulchra Rambla, 1984 - End. gen.; M., Sil. (Rambla 1984). *Benoitinus elegans* Rambla,
 1984 - End. gen.; Sil. (Rambla 1984). LD. *Biantes parvulus* (Hirst, 1911) - End.; M., Sil.
 (Rambla 1984).

ACARI

- Family HOLOTHYRIDAE '*Holothyrus niger*' Thon, 1906 - End.; Sil. (Thon 1906). '*H.*
seychellensis' Thon, 1906 - End.; Sil. (Thon 1936). *Sternothyrus braueri* (Thon, 1936) -
 End. gen.; M. & Sil. (Thon 1906).
- Family ORIBATIDAE *Hoplophthiracarus Africus* Mahunka, 1984 - Afr.; Sil. (Mahunka 1984).
Liacarus pectoralis Warburton, 1912 - End.; M. & Sil. (Warburton 1912). *Neoleodes*
rugosus Warburton, 1912 - End.; M., Sil. (Warburton 1912) & P. *Notaspis 'clavipectinata'* -
?; Sil. (Warburton 1912). *N. impolita* Warburton, 1912 - End.; Sil. (Warburton 1912). *N.*
lamellicornis Warburton, 1912 - End.; Sil. (Warburton 1912). *N. reticulata* Warburton,
1912 - End.; Sil. (Warburton 1912). *Oribata mammillata* Warburton, 1912 - End.; Sil.
(Warburton 1912). *O. truncata* Warburton, 1912 - End.; Sil. (Warburton 1912).
Seychellozetes benoiti Mahunka, 1984 - End.; Sil. (Mahunka 1984)

AMBLYPYGI

Family TARANTULIDAE *Charinus seychellorum* Krapelin, 1898 - Af., M., Long, Sil. (Hirst 1913; Benoit 1979b), P. & Fel.

PEDIPALPI

Family SCHIZOMIDAE *Schizomus similis* Hirst, 1913 - End., M., Long & Sil. (OUSE 1990)

PSEUDOSCORPIONES

Family ATEMNIIDAE *Anatemnus seychellesensis* Beier, 1940 - End., Sil. (Mahnert 1978) & Fel.

Family FAELLIDAE *Faella affinis* Hirst, 1913 - End.; Sil. (Mahnert 1978; OUSE 1990), P. & LD.

Family GEOGARYPIDAE *Geogarypus ocellatus* Mahnert, 1978 - End., M., Sil. (Mahnert 1978; OUSE 1990), P. & Cur. *Oratemnus brevidigitatus* Beier, 1940 - End., M., Sil. (Mahnert 1978) & P.

SCORPIONES

Family SCORPIONIDAE *Lychas braueri* (Kraepelin, 1896) - End., M., Sil. (Hirst 1913; OUSE 1990) & P.

UNIRAMIA

SYMPHYLA

Sympyla sp. - (new data: Gerlach pers. obs. 1994).

MYRIAPODA

CHILOPODA

Family SCUTIGERIDAE *Bullonema* sp. - End.?, M., & Sil. (Demange 1981; OUSE 1990 as *Scutiger* sp.)

Family GEOPHILIDAE *Mecistocerphalus seychellarum* Demange, 1981 - End.; Sil. (Demange 1981). *M. punctifrons* Newp., 1842 - End.; M., Sil. (Demange 1981) & P.

Family SCOLOPENDRIDAE *Scolopendra subspinipes* Leach - Pantrop., M., Sil. (Demange 1981), P. & Freg. *Cryptops philippinus* Attems, 1900 - End.; M., Sil. (Demange 1981), P. & Cur.

Family LITHOBIDAE *Lithobius inflatitarsus* Eason, 1978 - End.; M. & Sil. (Demange 1981). *L. seychellarum* Brölemann, 1896 - End.; M. & Sil. (Demange 1981). *L. semperi* (Haase, 1887) - Asia; M. & Sil. (Demange 1981).

DIPLOPODA

Family CAMBALIDAE *Hypocambula anguina* (Attems, 1900) - End.; M., Sil. (Attems 1900; Mauries 1980) & P.

Family HIRUDISOMIDAE *Rhinotus crassiceps* (Attems, 1900) - End.; M. & Sil. (Attems 1900; Mauries 1980). *R. vanmoli* Mauries, 1980 - End.; Sil. (Mauries 1980)

Family PARADOXOSOMIDAE *Pratinus planatus* Pocock, 1895 - End.; M., Sil. (Mauries 1980) & P.

Family PYRGODESMIDAE *Propygodesmus* sp. - ?; M. & Sil. (Mauries 1980)

Family SIPHONOPHORIDAE *Pterozonium tropiphora* (Attems, 1900) - End.; M., Sil. (Mauries 1980), P. & Freg. *Siphonophorella silhouettensis* Mauries, 1980 - End.; Sil. (Mauries 1980).

Family SPHAEROTHERIDAE *Cyliosomella furciparum* (Brölemann, 1896) - End.; M., Sil. (Mauries 1980) & Mar.

Family SPIROBOLELLIDAE *Benoitolus flavicollis* Mauries, 1980 - End.; M. & Sil. (new data: Gerlach pers. obs. 1996).

Family SPIROSTREPTIDAE *Charactopygus atratus* (Karsch, 1881) - End.; M., Sil. (Mauries 1980) & LD. *Seychelleptus seychellarum* (Desjardins, 1834) - End. gen.; SA., V., Sil. (Mauries 1980), A., Cou., Couc., LD. & Freg.

Family TRICHOPOLYDESMIDAE *Cylindrodesmus kirsutus* (Pocock, 1888) - End.; M., Sil. (Mauries 1980) & P.

Family TRIGONIULIDIAE *Spiromanes seychellarum* Saussure & Zehntner, 1902 - End.; Sil. (Mauries 1980) & A. *Spirostrophus narens* (Pocock, 1893) - End.; M., Cerf, Sil. (Mauries

1980), P., Cur., LD. & Freg. *Spiromanes braueri* (Attems, 1900) - End., M. & Sil. (Mauries 1980).

HEXAPODA

THYSANURA

Family CAMPODEIDAE *Lepidocampa fimbriatipes* Carpenter, 1916 - End., M. & Sil. (Carpenter 1916).

Family IAPYgidiae *Iapyx silvestris* Carpenter, 1916 - End.; M. & Sil. (Carpenter 1916).

Family LEPISMIDAE *Lepidospora braueri* Escherich, 1904 - End.; M. & Sil. (Carpenter 1916).

Family MACHILIDAE *Corethromachilis brevpalpis* Carpenter, 1916 - End. gen.; M. & Sil. (Carpenter 1916). *C. gardineri* Carpenter, 1916 - End.; M. & Sil. (Carpenter 1916) & *P. C. gibba* Carpenter, 1916 - End.; M. & Sil. (Carpenter 1916).

COLLEMBOLA

Family ENTOMOBRYIDAE *Acanthurella braueri* Börner, 1906 - End.; M. & Sil. (Carpenter 1916).

Entomobrya seychellarum Carpenter, 1916 - End.; M. & Sil. (Carpenter 1916).

Heteromuricis longicornis Carpenter, 1916 - End.; M. & Sil. (Carpenter 1916).

Isotomurus obscurus Carpenter, 1916 - End.; M. & Sil. (Carpenter 1916). *Lepidocyrtus imperialis* Carpenter, 1916 - End.; M. & Sil. (Carpenter 1916).

Family PODURIDAE *Neanura sexoculata* Carpenter, 1916 - End.; M. & Sil. (Carpenter 1916).

ODONATA

Family AESCHNIDAE *Gynacantha stylata* Martin, 1896 - End.; Sil. (Campion 1913).

Family AGRIONIDAE *Allolestes macrachlani* Selys, 1869 - End.; M., Sil. (Campion 1913) & P. A. nigra Martin, 1896 - End.; Sil. (Campion 1913). *Ceriagrion glabrum* (Burm., 1839) - Afr.; Sil. (Campion 1913), P. & A. *Leptocnemis bilineata* (Selys, 1869) - End.; M. & Sil. (Campion 1913).

Family COENAGRIONIDAE *Agriocnemis pygmaea* (Selys, 1877) - Asia; M., Sil. (Campion 1913), P., A. & LD. *Seychellibasis alluaudi* (Martin, 1913) - Mad.; M. & Sil. (Campion 1913).

Family LIBELLULIDAE *Diplacodes trivialis* (Ramb., 1842) - Asia; M., Sil. (Campion 1913), P. & A. *Orthetrum stellatum* (Selys, 1877) - Afr.; M., Cerf, Sil. (Campion 1913), P., Cou., Coue, A., LD., Bird & Denis. *Trapezostigma limbata* (Desjardins, 1832); Indian Ocean; M., Sil. (Campion 1913), P. & A.

Family PLATYCNEMIIDAE *Leptocnemis cyanops* (Selys, 1869) - End.; M., Sil. (Campion 1913) & P.

ORTHOPTERA

Family ACRYDIIDAE *Ocytettix nymphula* Bolívar, 1912 - End.; M. & Sil. (Bolívar 1912). *O. pupulus* Bolívar, 1912 - End.; Sil. (Bolívar 1912). *Coptotriggia cristata* Bolívar, 1912 - End.; M. & Sil. (Bolívar 1912). *Euschmidia cruciformis* (Bolívar, 1895) - End.; M. & Sil. (Bolívar 1912; OUSE 1990). *Rhynchotettix gardineri* Bolívar, 1912 - End.; M. & Sil. (Bolívar 1912).

Family ATYDIIIDAE *Metiche bolivari* Chopard, 1968 - End.; Sil. (OUSE 1990).

Family GRYLLIDAE *Acheta bimaculata* (Geer, 1773) - Afr.-Asia; M., Sil. (Bolívar 1912), P. & Bird. *Euscyrtus bivittatus* Guerin, 1844 - End.; M., Anon. & Sil. (Bolívar 1912). *E. madagascariensis* Gorochov, 1994 - Mad.; M. & Sil. (Gorochov 1994). *Gryllapterus tomentosus* Bolívar, 1912 - End.; Sil. (Bolívar 1912). *Pentacentrus nigrifrons* Bolívar, 1912 - End.; M. & Sil. (Bolívar 1912). *Phaeogrillus fuscus* Bolívar, 1912 - End.; M. & Sil. (Bolívar 1912; OUSE 1990). *Phaloria insularis* (Bolívar, 1912) - End.; M. & Sil. (Bolívar 1912; OUSE 1990). *Scotia salticiformis* Bolívar, 1912 - End.; M. & Sil. (Bolívar 1912). *Seychellesia longicereata* Bolívar, 1912 - End.; M. & Sil. (Bolívar 1912). *S. nitidula* Bolívar, 1912 - End.; Sil. (Bolívar 1912; OUSE 1990). *S. patellifera* Bolívar, 1912 - End.; M. & Sil. (Bolívar 1912; OUSE 1990). *Trigonidium perpusillum* Bolívar, 1912 - End.; M. & Sil. (Bolívar 1912). *T. vittaticolle* Bolívar, 1912 - End.; M. & Sil. (Bolívar 1912).

Zarceus fallacinsus Bolívar, 1895 - End.; M., Long, Anon & Sil. (Bolívar 1912; OUSE 1990).

Family MOGOPLISTIDAE *Ornebius elegantulus* Bolívar, 1912 - End.; M., Long & Sil. (Bolívar 1912). *O. succineus* Bolívar, 1912 - End.; Anon. & Sil. (Bolívar 1912; OUSE 1990 as *Ornebius* sp.)

Family PHASGONURIDAE *Conocephalus iris* (Serville, 1839) - Afr.; M., Sil. (Bolívar 1912); P. & Denis. *Pelerinus rostratus* (Brunner, 1878) - End.; M. & Sil. (Bolívar 1912; OUSE 1990). *Phisis viscerda* Bolívar, 1912 - End.; M. & Sil. (Bolívar 1912). *Prosopogryllacris sechellensis* (Bolívar, 1895) - End.; M., Sil. (Bolívar 1912; OUSE 1990) & P. *Odontolakis cf. sexpunctata* - Mad.; M. & Sil. (OUSE 1990). *Ruspolia nitidulus* (Scopoli, 1786) - Old World; M., Sil. (Bolívar 1912), P. & Denis.

Family PHASMIDAE *Carausius alluaudi* (Bolívar, 1895) - End.; M., Sil. (Bolívar 1912; OUSE 1990), P. & LD. *C. gardineri* Bolívar, 1912 - End.; M. & Sil. (Bolívar 1912; OUSE 1990). *C. scotti* Ferrière, 1912 - End.; Sil. (Ferrière 1912; Matyot 1990). *C. seychellensis* (Bolívar, 1895) - End.; M., Sil. (Bolívar 1912; OUSE 1990) & P. *Graeffea seychellensis* Ferrière, 1912 - End.; M., Sil. (Ferrière 1912) & P. *Phyllium bioculatum* Gray, 1832 - Asia; M. & Sil. (Bolívar 1912).

DICTYOPTERA

Family BLATTIDAE *Blatella similis* Bolívar, 1924 - End.; M. & Sil. (Bolívar 1924). *Desmosia alluaudi* Bolívar, 1895 - End. gen.; M., Long & Sil. (Bolívar 1924). *Distichopis stylopyga* Bolívar, 1924 - End.; M. & Sil. (Bolívar 1924). *Hololeptoblatte pandunicola* Bolívar, 1924 - End.; Sil. (Bolívar 1924). *Lobopterella dimidiatipes* (Bouvier, 1890) - Asia; M., Long, Sil. (Bouvier 1924; Roth 1996) & A. *Margattea crassivenosa* Bolívar, 1924 - End.; Sil. (Bolívar 1924). *M. longicercata* Bolívar, 1924 - Masc.; M., Long, Anon., Sil. (Bolívar 1924) & Bird. *Miriamrothschildia badia* (Bolívar, 1924) - End. gen.; M. & Sil. (Bolívar 1924). *M. biplagiata* (Bolívar, 1924) - End.; M. & Sil. (Bolívar 1924). *M. gardineri* (Bolívar, 1924) - End.; M. & Sil. (Bolívar 1924). *M. labrynthica* (Bolívar, 1924) - End.; M. & Sil. (Roth 1996). *Panesthia angustipennis* (Illiger) - Asia; M., Sil. (Bolívar 1924 as *P. javanica*; Roth 1996) & P. *Periplaneta australasiae* (Fabricius, 1775) - Introduced; widespread - Sil. (Bolívar 1924). *Pycnoscelus surinamensis* - Pantrop.; M., Long, Sil. (Bolívar 1924), P., A. LD., Bird & Denis. *Sitiferia acuticerca* Bolívar, 1924 - End. gen.; M., Sil. (Bolívar 1924; Roth 1996) & Fel. *S. depressiceps* Bolívar, 1924 - End.; M., Anon. & Sil. (Bolívar 1924; Roth 1996). *Theganopteryx lunulata* Bolívar, 1924 - End.; M., Sil. (Bolívar 1924) & Fel. *T. minuta* Bolívar, 1924 - End.; M. & Sil. (Bolívar 1924). *T. reticulata* Bolívar, 1924 - End.; M., Sil. (Bolívar 1924), P. & Fel.

Family MANTIDAE *Polyspilota aeruginosa* (Goeze, 1778) - Afr.-Asia; M. & Sil. (Bolívar 1924).

ISOPTERA

Family PROTERMITIDAE *Calotermes latifollis* Holmgren, 1910 - End.; M. & Sil. (Holmgren 1910). *C. scotti* Holmgren, 1910 - End.; Sil. (Holmgren 1910).

DERMAPTERA

Family CARCINOPHORIDAE *Antisolabis scotti* (Burr, 1910) - End.; Sil. (Burr 1910; Brindle 1976, Floater 1994). *Euborellia annulipes* (Lucas) - Introduced; M., Sil. (Floater 1994), LD. & Freg.

Family LABIDURIDAE *Echinosoma boliviari* Rodzianko - Mad.; Sil. (Burr 1910). *Labidura riparia* (Pallas) - Introduced; M., Sil. (Floater 1994) & Freg.

Family LABIIDAE *Chaetolabia fyeri* (Burr, 1910) - End.; Sil. (Burr 1910; Brindle 1976). *Gonolabis electra* Burr - Introduced; M., Sil. (Floater 1994), P., Cur., A. & LD. *Labia curvicauda* (Motschulsky) - Cosmo.; M. & Sil. (Burr 1910). *Marava arachidis* (Yersin) - Cosmo.; Sil. (Brindle 1976). *M. griveaudi* Brindle - Mad.; Sil. (Burr 1910 & Floater 1994). *Spirolabia browni* (Hincks) - End.; M. & Sil. (Floater 1994).

Family SPONGIPHORIDAE *Chaetospania gardineri* (Burr, 1910) - End.; M. & Sil. (Burr 1910; Matyot 1995). *C. thoracica* (Dohrn) - Asia - M. & Sil. (Burr 1910).

HEMIPTERA

- Family ANTHOCORIDAE: *Lasiochilus alluandi* Reut., 1893 - End.; M., Sil. (Distant 1913) & LD.
L. scotti Distant, 1913 - End.; M. & Sil. (Distant 1913). *Oxtorodiasoides typicus* Distant, 1913 - End.; Sil. (Distant 1913). *O. signatus* Distant, 1913 - End.; Sil. (Distant 1913).
Paralasiocolpus piceus Distant, 1913 - End.; M. & Sil. (Distant 1913). *Sesellus parallelus* (Motsch., 1863) - End.; M. & Sil. (Distant 1913).
- Family ARADIDAE: *Neuroctenus eaffer* (Stål, 1855) - Af., M. & Sil. (Distant 1913). *Pictinus invalidus* (Bergroth, 1894) - End.; M., Sil. (Distant 1913), P. & LD.
- Family CAPSIDAE: *Collaria improvisa* Reut., 1893 - Afr.; M. & Sil. (Distant 1913). *Cylepus migratorius* Distant, 1913 - End.; M. & Sil. (Distant 1913). *Felisacus auritulus* Distant, 1913 - End.; Sil. (Distant 1913). *Fulvius pictus* Distant, 1913 - End.; M. & Sil. (Distant 1913). *F. niger* Distant, 1913 - End.; M. & Sil. (Distant 1913). *Lygus cinnamomeus* Distant, 1913 - End.; M. & Sil. (Distant 1913). *L. sanguineosignatus* Distant, 1913 - End.; Sil. (Distant 1913). *L. silhouettensis* Distant, 1913 - End.; Sil. (Distant 1913). *Megacaelum flagellatum* Distant, 1913 - End.; M. & Sil. (Distant 1913). *M. mimicum* Distant, 1913 - End.; M., Long, Sil. (Distant 1913), P., Bird & Denis. *Proboscadocoris pluto* Distant, 1913 - End.; M. & Sil. (Distant 1913). *Sthenarusoides montanus* Distant, 1913 - End.; M. & Sil. (Distant 1913).
- Family CERATOCOMBIDAE: *Ceratocombus insularis* Reut., 1893 - End.; M., Sil. (Distant 1913) & LD.
- Family CERCOPIDAE: *Ptyelus mahoi* Distant, 1909 - End.; M. & Sil. (Distant 1913).
- Family COCCIDAE: *Lepidosaphes duponti* Green, 1916 - End.; Sil. (Green 1916).
- Family COREIDAE: *Acanthomia horrida* (Germ., 1837) - Afr.; M., Long & Sil. (Distant 1913).
Corizus scotti Distant, 1913 - End.; Sil. (Distant 1913). *Leptocorisa apicalis* Westwood, 1842 - Afr.; M. & Sil. (Distant 1913). *Serinetha toricollis* Bergroth, 1893 - End.; M., Sil. (Distant 1913) & Fel. *Stenocephalus punctipes* Stål, 1873 - Mad., M., Long, Sil. (Distant 1913), P., Bird & Denis.
- Family FULGORIDAE: *Adolentana typica* Distant, 1916 - End.; M. & Sil. (Distant 1916).
Aquaelciuum brunnescens Distant, 1916 - End.; M. & Sil. (Distant 1916). *A. elegantulum* Distant, 1916 - End.; M., Sil. (Distant 1916) & Fel. *A. typicum* Distant, 1916 - End.; M. & Sil. (Distant 1916). *Armillistrium gardineri* Distant, 1916 - End.; M. & Sil. (Distant 1916).
Aselgeoides insularis Distant, 1916 - End.; M. & Sil. (Distant 1916). *Brixia stellata* Distant, 1916 - End.; M., Sil. (Distant 1916) & P. *Caneiroea maculipennis* Distant, 1916 - End.; M., Sil. (Distant 1916) & P. *Carmentalla biformis* Distant, 1916 - End.; M. & Sil. (Distant 1916). *Clusivius spectabilis* Distant, 1916 - End.; M. & Sil. (Distant 1916).
Consulalia robusta Distant, 1916 - End.; Sil. (Distant 1916). *Fescennia aurea* Distant, 1916 - End.; M. & Sil. (Distant 1916). *Flatoides protea* Distant, 1916 - End.; M. & Sil. (Distant 1916). *Iguvium albomaculatum* Distant, 1916 - End.; M. & Sil. (Distant 1916). *Iringa typica* Distant, 1909 - Ald.; M., Anon., Sil. (Distant 1916), P., Fel., Mar., Denis. *Ketumala rubromarginata* Distant, 1916 - End.; Sil. (Distant 1916). *Nesoprivesa fuscovaria* Distant, 1916 - Ald.; M., Anon. & Sil. (Distant 1916). *Nisia atrovenosa* (Leth., 1888) - Asia; M., Sil. (Distant 1916). P. & Fel. *N. fuscofasciata* Distant, 1916 - End.; M. & Sil. (Distant 1916). *N. thoracica* Distant, 1916 - End.; Sil. (Distant 1916). *Opiconsiva colorata* Distant, 1916 - End.; M. & Sil. (Distant 1916). *O. fuscovaria* Distant, 1916 - End.; M., Anon., Sil. (Distant 1916) & Mar. *O. insularis* Distant, 1916 - End.; M. & Sil. (Distant 1916). *Osaka hyalina* Distant, 1909 - Ald.; M. & Sil. (Distant 1916). *Parakosalya insularis* Distant, 1916 - End.; Sil. (Distant 1916). *Privesana infusca* (Distant, 1909) - End.; M., Sil. (Distant 1916) & P. *Privesa melanaria* Distant, 1916 - End.; Long & Sil. (Distant 1916). *Ugyops facialis* Distant, 1916 - Ald.; M. & Sil. (Distant 1916). *U. senescens* Distant, 1909 - Ann.; M., Sil. (Distant 1916) & P. *Volcanalla atroyarda* Distant, 1916 - End.; M. & Sil. (Distant 1916). *V. capitata* Distant, 1916 - End.; Sil. (Distant 1916). *V. designata* Distant, 1916 - End.; Sil. (Distant 1916). *V. fumosa* Distant, 1916 - End.; M. & Sil. (Distant 1916). *V. picturata* Distant, 1916 - End.; M. & Sil. (Distant 1916). *V. uniformis* Distant, 1916 - End.; M. & Sil. (Distant 1916). *V. varicolor* Distant, 1916 - End.; M. & Sil. (Distant 1916).

- Family HYDROMETRIDAE *Gerris cereiventris* Sign., 1862 - Masc.; M., Sil. (Distant 1913) & P. *G. dolosa* (Bergroth, 1893) - Am., M., Long, Sil. (Distant 1913) & LD. *Hydrometra ambulator* Stal, 1855 - Afr.; M. & Sil. (Distant 1913).
- Family JASSIDAE *Aeropona prasina* (Walker, 1858) - Asia; M., Sil. (Distant 1916) & P. *Baleutula chersonensis* Distant 1916 - End.; M., Anon. & Sil. (Distant 1913). *B. varicolor* Distant 1916 - End.; M. & Sil. (Distant 1916). *Bythoscopus indicus* (Lehm., 1892) - Asia; Sil. (Distant 1916). *Idiocerus scotti* Distant, 1916 - End., M., Sil. (Distant 1916). *Jassus indicus* (Walker, 1851) - Asia, M. & Sil. (Distant 1916). *Kolla funeralis* Distant 1916 - End.; M. & Sil. (Distant 1916). *Malestas illustris* Distant 1916 - End., M. & Sil. (Distant 1916). *Matsumurana facialis* Distant 1916 - End.; M. & Sil. (Distant 1916). *Nehela aterrima* Distant 1916 - End.; M., Sil. (Distant 1916) & Fel. *N. bimaculicollis* (Satl., 1855) - Afr.-Asia; M., Anon. & Sil. (Distant 1916). *N. elegantula* Distant 1916 - End., M., Sil. (Distant 1916) & P. *N. flavolineata* Distant 1916 - End., M. & Sil. (Distant 1916). *N. lineoligera* Distant 1916 - End.; Sil. (Distant 1916). *Paralimnus silhouettensis* Distant 1916 - End.; Sil. (Distant 1916). *Scapholemus seychellensis* Distant 1916 - End.; Sil. (Distant 1916). *S. tessellatus* Distant 1916 - End.; M. & Sil. (Distant 1916). *S. vagans* Distant 1916 - End.; M. & Sil. (Distant 1916).
- Family LYGAEIDAE *Aphanus consocians* Distant, 1913 - End.; M. & Sil. (Distant 1913). *Cligenes gardineri* Distant, 1913 - End., M., Sil. (Distant 1913), P. & Fel. *Dieuches annulatus* (Sign., 1890) - Mad.; M., Sil. (Distant 1913), Bird & Denis. *D. cardui* Distant, 1913 - End.; M., Sil. (Distant 1913) & P. *D. placidus* (Stal, 1865) - Masc.; M., Sil. (Distant 1913), P. & Denis. *Lachnophorus albdomaculatus* Distant, 1913 - Ald.; M., Sil. (Distant 1913) & Bird. *Ninus sechellensis* Bergroth, 1893 - End.; M. & Sil. (Distant 1913). *Nysius albipennis* Distant, 1913 - Ald.; M., Long & Sil. (Distant 1913). *Pameria sladeni* Distant, 1913 - End.; M. & Sil. (Distant 1913). *P. vincta* Say, 1831 - Cosmo.; M., Long & Sil. (Distant 1913). *Paromius seychellensis* (Walker, 1872) - Asia; M., Long & Sil. (Distant 1913).
- Family MARGARODIDAE *Icerya seychellarum* (Westwood, 1855) - Cosmo.; M., Sil. (Green 1907; OUSE 1990), P. & A.
- Family NABIDAE *Acanthobrachys elegantula* (Stal, 1865) - Masc.; M. & Sil. (Distant 1913).
- Family NEPIDAE *Ranatra grandocula* Bergroth, 1893 - Mad.; M. & Sil. (Distant 1913).
- Family NOTONECTIDAE *Anisops varius* Fieb., 1851 - Afr.-Asia; M., Sil. (Distant 1913) & P.
- Family PENTATOMIDAE *Amiranthea gardineri* Distant, 1909 - End.; M. & Sil. (Distant 1913). *Bathycaelia praetongiorstris* Bergroth, 1893 - Am.; M. & Sil. (Distant 1913). *Geotomus proximus* Sign., 1883 - Masc.; M., Sil. (Distant 1913), P., LD., Bird & Denis. *Nezara heegeri* (Fieb., 1861) - Afr.; M. & Sil. (Distant 1913). *N. spicata* Distant, 1913 - Afr.; M. & Sil. (Distant 1913). *Sepiuia seychellensis* Distant, 1909 - End.; M. & Sil. (Distant 1913).
- Family REDUVIIDAE *Calphurnioides elongatus* Distant, 1913 - End.; Sil. (Distant 1913). *Hemiccephalus* sp. - ?, M. & Sil. (Distant 1913). *Luteva malayana* Distant, 1903 - Asia; M., Long, Sil. (Distant 1913) & Fel. *Nagusta maura* Distant, 1913 - End.; M. & Sil. (Distant 1913). *Oncocephalus sordidus* Stal, 1855 - Afr.; M. & Sil. (Distant 1913). *Ploiariola scutata* Distant, 1913 - End.; M., Long & Sil. (Distant 1913). *Polytoxus modestus* Distant, 1913 - End.; Sil. (Distant 1913). *Quinssyana funeralis* Distant, 1913 - End.; Sil. (Distant 1913). *Q. varicolor* Distant, 1913 - End.; Sil. (Distant 1913). *Rochonia galeatus* Distant, 1913 - End., Sil. (Distant 1913). *Stenolaemus madagascariensis* (Westwood, 1844) - Mad.; Sil. (Distant 1913).
- Family TINGIDIIDAE *Dulinius nigrolineatus* Distant, 1913 - End.; Sil. (Distant 1913).
- Family VELIIDAE *Microvelia repentina* Distant, 1904 - End.; M. & Sil. (Distant 1913). *Picaultia pronotalis* Distant, 1913 - End., Sil. (Distant 1913). *Rhagovelia nigricans* (Burm., 1835) - Afr.-Asia; M., Sil. (Distant 1913) & P.
- ## PSOCOPTERA
- Family CAECILIIDAE *Caecilius crassicornis* Enderlein, 1931 - End.; M., Anon. & Sil. (Enderlein 1931). *C. inbecillus* McLachlan, 1866 - Masc.; M., Anon. & Sil. (Enderlein 1931). *C. interruptus* Enderlein, 1908 - End.; M. & Sil. (Enderlein 1931). *C. protritus* Enderlein, 1931 - End.; Sil. (Enderlein 1931). *C. seychellensis* Enderlein, 1931 - End., M. & Sil.

(Enderlein 1931). *C. van Enderlein*, 1931 - End.; Sil. (Enderlein 1931). *C. voor Ende-lein*, 1931 - End. M. & Sil. (Enderlein 1931). *Ectopsocus ferrugineiceps* Enderlein, 1907 - End.; M. & Sil. (1929). *Kolbea fenestrifistigma* Enderlein, 1931 - End.; M. & Sil. (Enderlein 19129). *Pseudocuculus brevicornis* Enderlein, 1929 - End.; Sil. (Enderlein 19129). *Peripsocus reichertii* Enderlein, 1903 - End.; M. & Sil. (Enderlein 1931). *Scottiella compta* Enderlein, 1931 - End.; Sil. (Enderlein 1931).

Family EMpheridae *Empheriella denervosa* Enderlein, 1912 - End.; Sil. (Enderlein 1931).

Family LEPIDOPSCOIDAE *Echmepteryx acutipennis* Enderlein, 1931 - End.; M. & Sil. (Enderlein 1931). *E. aesculanus* Enderlein, 1931 - End.; M. & Sil. (Enderlein 1931). *E. hieroglyphica* Enderlein, 1931 - End.; Sil. (Enderlein 1931). *E. maculimargo* Enderlein, 1931 - End.; M. & Sil. (Enderlein 1931). *Lepidopsocus nepticulides* Enderlein, 1903 - End.; M. Long & Sil. (Enderlein 1931). *L. ochreus* Enderlein, 1931 - End.; M. & Sil. (Enderlein 1931). *Loxopholia annulatibia* Enderlein, 1931 - End.; M. & Sil. (Enderlein 1931). *L. hebes* Enderlein, 1931 - End.; Sil. (Enderlein 1931). *L. pinnula* Enderlein, 1931 - End.; M. & Sil. (Enderlein 1931). *Ptenocorium alutaceum* Enderlein, 1931 - End.; Sil. (Enderlein 1931). *Thylacopsis madagascariensis* (Kolbe, 1885) - Mad.; Sil. (Enderlein 1931). *T. mahensis* Enderlein, 1931 - End.; M. & Sil. (Enderlein 1931). *T. monticola* Enderlein, 1931 - End.; Sil. (Enderlein 1931). *T. psyche* Enderlein, 1931 - End.; M. & Sil. (Enderlein 1931). *T. scotti* Enderlein, 1931 - End.; M. & Sil. (Enderlein 1931).

Family MYOPSOCIDAE *Rhaptoneura muscosa* Enderlein, 1931 - End.; M. & Sil. (Enderlein 1931). *Phlotodes lichenosa* Enderlein, 1931 - End.; M. & Sil. (Enderlein 1931).

Family PSOCIDAE *Anoplistoscelis specularifrons* Enderlein, 1912 - End.; M. & Sil. (Enderlein 1931). *Hemipsocus Africus* Enderlein, 1907 - Afr.; M. & Sil. (Enderlein 1931)

THYSANOPTERA

Family IDOLOTHIRIPIDAE *Diclothrips hystrix* Bagnall, 1921 - End.; M. & Sil. (Bagnall 1921). *D. rex* Bagnall, 1921 - End.; Sil. (Bagnall 1921). *D. seychellensis* Bagnall, 1921 - End.; M. & Sil. (Bagnall 1921).

Family PHLAEOTHRIPIDAE *Acallurothrips proturus* Bagnall, 1921 - End. gen.; Sil. (Bagnall 1921). *Caenurothrips validus* Bagnall, 1921 - End. gen.; Sil. (Bagnall 1921). *Cryptothrips difficilis* Bagnall, 1921 - End.; Sil. (Bagnall 1921). *Gynaikothrips scottii* Bagnall, 1921 - End.; M. & Sil. (Bagnall 1921). *Haplothrips silhouettensis* Bagnall, 1921 - End.; Sil. (Bagnall 1921). *Liothrips intrepidus* Bagnall, 1921 - End.; Sil. (Bagnall 1921). *L. nigricornis* Bagnall, 1921 - End.; Sil. (Bagnall 1921).

Family THRIPIDAE *Thrips* sp. - Sil. (Bagnall 1921).

SIPHONAPTERA

Family CTENOCEPHALIDAE *Ctenocephalus felis* (Bouche, 1835) - Introduced; M. & Sil. (Scott 1914).

NEUROPTERA

Family CONIOPTERYGIDAE *Semidalis africana* Enderlein, 1906 - Afr.; M. & Sil. (Enderlein 1910).

Family HEMEROBIIIDAE *Micromus timidus* Hagen, 1853 - Afr.; M. & Sil. (Enderlein 1910).

Family MYRMELEONIDAE *Myrmeleon obscurus* Rambur, 1853 - Afr.; M., Sil. (Needham, 1914) & Bird.

LEPIDOPTERA

Family ALUCITIIDAE *Alucita seychellensis* (Fletcher, 1910) - End.; M. & Sil. (Fletcher 1910).

Family ARCTIIDAE *Argina cibraria* (Clerk, 1759) - Palaeotrop.; M. & Sil. (Fryer 1912). *Mahensis seychellarum* Fryer, 1912 - End.; Sil. (Fryer 1912). *Nyctemera seychellensis* (Hampson, 1908) - End.; M. & Sil. (Fryer 1912; Legrand 1965). *Philenora subfuscata* Fryer, 1912 - End.; Sil. (Fryer 1912). *Utetheisa elata* (Fabricius, 1798) - Indian Ocean; M. & Sil. (Fryer 1912). *U. pulchelloides* Hampson, 1901 - Indian Ocean; M., Sil. (Fryer 1912), LD. & Bird.

Family BLASTOBASIDAE *Blastobasis acarta* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911).

- Family COSMOPTERYGIDAE *Stagmatophora hieroglypta* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *S. larcha* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *S. tentoria* Meyrick, 1911 - Chagos; M. & Sil. (Meyrick 1911).
- Family CRAMBIDAE *Crambus auronivelus* Fryer, 1912 - End.; M. & Sil. (Fryer 1912). *C. seychellensis* Fletcher, 1910 - End.; M. & Sil. (Fletcher 1910). *Culladia admigratella* (Walker, 1863) - Palaeotrop.; M., SA., Sil. (Fryer 1912) & P. *Diptychophora muscella* Fryer, 1912 - End.; M. & Sil. (Fryer 1912).
- Family DANAIIDAE *Euploea mitra* Moore, 1857 - End.; M. & Sil. (Fryer 1912). *Danaus chrysippus* (Linnaeus, 1758) - Palaeotrop.; M., Sil. (Fryer 1912), P & LD.
- Family EPERMENIIDAE *Epermenia* sp. - ?; Sil. (Floater 1993).
- Family EPIPLEMIDAE *Dirades theclata* (Guenée, 1852) - Palaeotrop.; M., Long & Sil. (Fryer 1912).
- Family GALLERIIDAE *Lamoria anella* (Denis & Schiffermüller, 1775) - Cosmo.; M. & Sil. (Legrand 1965).
- Family GELECHIIDAE *Brachmia ericopa* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *Chaliniastis chromatica* Meyrick, 1911 - End.; Sil. (Meyrick 1911). *Lecithocera effera* Meyrick, 1918 - Introduced, M. & Sil. (Meyrick 1911). *Onebala cubiculata* Meyrick, 1911 - End.; Sil. (Meyrick 1911). *Thiotricha fridaella* Legrand, 1958 - End.; M. & Sil. (Meyrick 1911). *T. tenuis* (Walsingham, 1891) - Afr.; M., Cerf & Sil. (Meyrick 1911).
- Family GEOMETRIDAE *Chloroclystis nigella* (Joannis, 1906) - Afr.; M. & Sil. (new data: Gerlach pers. obs. 1996).
- Comostolopsis sladeni* Prout, 1915 - End.; M. & Sil. (Fryer 1912 as *Comostola laesaria*). *Gymnoscelis tenera* Warren, 1901 - Palaeotrop.; M., Sil. (Fryer 1912) & Fel. *Ozola inexcisata* Fryer, 1912 - End.; Sil. (Fryer 1912). *Scopula minorata* (Boisduval, 1833) - Afr.; M., Sil. (Fryer 1912; Legrand 1965), P., Freg. & Bird. *Thalassodes antithetica* Herbulot, 1964 - End.; M. & Sil. (Legrand 1965).
- Family GLYPHIPTERYGIDAE *Glyptipteryx dichalina* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *G. medica* Meyrick, 1911 - End.; M. & Sil. (new data: Gerlach pers. obs. 1996).
- Family HELIODINIDAE *Callicore animula* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *Epicroesa* sp. - End.; Sil. (Floater, 1995) & A.
- Family HESPERIIDAE *Borbo gemella* (Boisduval, 1834) - Afr.; M., Sil. (Fryer 1912, Legrand 1965) & P. *Eagris sabdinus* (Gray, 1832) - Afr.; M. & Sil. (Fryer 1912).
- Family HYBLAEIDAE *Hyblaea puera* (Cramer, 1777) - Pantrop.; M., Sil. (Legrand 1965) & P.
- Family LITHOCOLLETIDAE *Acrocercops mariae* Legrand, 1965 - End.; M. & Sil. (Legrand 1965). *A. pentaplaca* Meyrick, 1911 - Am.; M. & Sil. (Meyrick 1911). *Cuphodes luxuriosa* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *C. tridora* Meyrick, 1911 - End.; Sil. (Meyrick 1911).
- Family LYCAENIDAE *Lamprospilus boeticus* (Linnaeus, 1767) - Cosmo.; M. & Sil. (Legrand 1965). *Zizeeria knysna* (Trimen, 1862) - Afr.; M., Sil. (Fryer 1912), P., Bird & Denis. *Zitula hylax* (Fabricius, 1775) - Afr.; M. & sil. (Legrand 1965).
- Family LYMANTRIIDAE *Porthesia pectinata* Fryer, 1912 - End.; Sil. (Fryer 1912).
- Family LYONETIIDAE *Decadarchis methodica* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *D. molynta* Meyrick, 1911 - Am.; M., Anon., Sil. (Meyrick 1911), P. & Bird. *Ereunetes calyptra* Meyrick, 1911 - End.; Sil. (Meyrick 1911). *E. scaligera* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *Lyonetiella probabilis* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *Opogona cyanodesma* (Meyrick, 1911) - End.; Sil. (Meyrick 1911). *O. daubanella* Legrand, 1958 - End.; M. & Sil. (Legrand 1965). *O. ensifera* (Meyrick, 1911) - End.; Sil. (Meyrick 1911). *O. fricta* (Meyrick, 1911) - End.; M. & Sil. (Meyrick 1911). *O. heliogramma* (Meyrick, 1911) - End.; Sil. (Meyrick 1911). *O. hermatias* (Meyrick, 1911) - End.; M., Anon., Sil. (Meyrick 1911) & Fel. *O. ichnora* (Meyrick, 1911) - End.; M. & Sil. (Meyrick 1911). *O. irenica* (Meyrick, 1911) - End.; M. & Sil. (Meyrick 1911). *O. lactifluella* (Meyrick, 1911) - End.; Sil. (Meyrick 1911). *O. nephallia* (Meyrick, 1911) - End.; M. & Sil. (Meyrick 1911). *O. phaeocalca* (Meyrick, 1908) - Afr.; M. & Sil. (Meyrick 1911). *O. rhothiaula* (Meyrick, 1911) - End.; Sil. (Meyrick 1911). *O. sacchari* (Bojer, 1851) - Introduced; M., Sil. (Meyrick 1911) & A. *O. selacta* (Meyrick, 1911) - End.; M. & Sil. (Meyrick 1911). *O. sultana* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *O. tarsota* (Meyrick, 1911) - End.; M. & Sil. (Meyrick 1911). *Oinophila crobylora* Meyrick, 1911 -

End.; Sil. (Meyrick 1911). *O. glomerata* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *O. rorida* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *Orthocatha rhodothicta* (Meyrick, 1911) - End.; M. & Sil. (Meyrick 1911).

Family METACRANTHIDAE *Metachanda autocentra* Meyrick, 1911 - End.; Sil. (Meyrick 1911) & Fel. *M. classica* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *M. columnata* Meyrick, 1911 - End.; Sil. (Meyrick 1911). *M. cryptiricha* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *M. fortunata* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *M. fumata* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911) & Fel. *M. glacialis* Meyrick, 1911 - End.; Sil. (Meyrick 1911). *M. hydralis* Meyrick, 1911 - End.; Sil. (Meyrick 1911). *M. miltospila* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *M. noctivaga* Meyrick, 1911 - End.; Sil. (Meyrick 1911). *M. prodelta* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911) & Fel. *M. thaleropis* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *M. trixantha* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *Chanytis botanodes* Meyrick, 1911 - End.; Sil. (Meyrick 1911). *C. syrtopa* Meyrick, 1911 - End.; Sil. (Meyrick 1911).

Family NOCTUIDAE *Achaea mercatoria* (Fabricius, 1775) - Palaeotrop.; M. & Sil. (Legrand 1965). *Anticarsia irrorata* (Fabricius, 1781) - Palaeotrop.; M., SA., Sil. (Fryer 1912; Legrand 1965), P. & Freg. *Arrade erebusalis* Walker, 1863 - Asia; Sil. (Fryer 1912). *A. massalis* Swinhoe, 1885 - Asia; Sil. (Fryer 1912). *Bocana* sp. - ?; Sil. (Floater 1993). *Callopistria matildae* (Guenee, 1863) - Afr.; M., R., Sil. (Fryer 1912) & Freg. *C. yerburii* (Butler, 1884) - Palaeotrop.; Sil. (Fryer 1912). *Cosmophila flava* (Fabricius, 1775) - Palaeotrop.; M. & Sil. (Fryer 1912). *Dragana pamsalis* Walker, 1858 - Palaeotrop.; M., Sil. (Fryer 1912), P. & Fel. *Dysgonia torrida* (Guenee, 1852) - Palaeotrop.; M. & Sil. (Legrand 1965). *Heliothis armigera* (Hubner, 1808) - Palaeotrop.; M. & Sil. (new data: Gerlach pers. obs. 1996). *Hypena conscalaris* Walker, 1865 - Palaeotrop.; M., Cerf. Sil. (Fryer 1912), P. & Freg. *H. masuriensis* Guenee, 1854 - Palaeotrop.; M., Sil. (Fryer 1912), P. & Freg. *H. strigata* (Fabricius, 1798) - Palaeotrop.; M. & Sil. (Legrand 1965). *H. variabilis* Walker, 1865 - Palaeotrop.; M. & Sil. (Fryer 1912). *Leucania continentalis* Berio, 1962 Afr.; M., Sil. (Legrand 1965) & P. *Mocis repanda* (Fabricius, 1794) - Pantrop.; M., Sil. (Fryer 1912) & P. *Nanaguna breviuscula* Walker, 1863 - Asia; M. & Sil. (new data: Gerlach pers. obs. 1996). *Oruza rupestris* Fryer, 1912 - End.; M. & Sil. (Fryer 1912). *Parsadena beauvaltonensis* Legrand, 1965 - End.; M. & Sil. (Legrand 1965). *Chrysodeixis chalybeus* (Esper, 1789) - Palaeotrop.; M., Sil. (Fryer 1912; Legrand 1965; Floater 1993). Mar. & Bird. *P. limbirena* Guenee, 1852 - Palaeotrop.; M. & Sil. (new data: Gerlach pers. obs. 1996). *Polydesma umbricola* Boisduval, 1833 - Palaeotrop.; M. & Sil. (Legrand 1965). *Rivula dimorpha* Fryer, 1912 - End.; M. & Sil. (Fryer 1912). *Simplicia extinctalis* (Zeller, 1852) - Afr.; M. & Sil. (Fryer 1912). *Stictoptera antemarginata* (Saalmuller, 1891) - Mad.; M., Sil. (Legrand 1965) & Fel. *Trigonodes hyppasia* (Cramer, 1779) - Afr.; M., SA., Cerf. Sil. (Fryer 1912), P., Fel. & Freg.

Family NYMPHALIDAE *Hypolimnas misippus* (Linnaeus, 1764) - Indo-Pacific; M., SA., Sil. (Legrand 1965), N., & P. *Phalanta phalanta* (Joannis, 1893) - End.; M., Sil. (Fryer 1912) & P.

Family PHYCITIDAE *Etiella zinckenella* (Treitschke, 1832) - Pantrop.; M. & Sil. (Legrand 1965).

Family PTEROPHORIDAE *Crombruggchia wahlbergi* (Zeller, 1852) - Paleotrop.; M. & Sil. (new data: Gerlach pers. obs. 1996). *Exelastis pumilio* (Zeller, 1873) - Pantropical; M. & Sil. (Legrand 1965). *Platypilia 'citropleura'* - ?; Sil. (Floater 1993). *P. claripicta* Fletcher, 1910 - End.; M. & Sil. (Fletcher, 1910). *P. dimorpha* Fletcher, 1910 - End.; M. & Sil. (Fletcher 1910). *P. pusilliadactyla* (Walker, 1864) - Pantropical; M. & Sil. (Legrand 1965)

Family PLUTELLIDAE *Argyresthia lustralis* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911).

Family PHYCITIDAE *Etiella zinckenella* (Treitschke, 1832) - Pantrop.; M. & Sil. (Legrand 1965). *Phycita pectinicornella* Fryer, 1912 - End.; M. & Sil. (Fryer 1912). *P. transobliquella* Legrand, 1965 - End.; M. & Sil. (Legrand 1965)

Family PYRALIDAE *Herpetogramma licarsisalis* Walker - Palaeotrop.; Sil. (Floater 1993). *Hypsopygia mauritialis* (Boisduval, 1833) - Palaeotrop.; M., Sil. (Fryer 1912) & Bird.

Family PYRAUSTIDAE *Antiercta ornatalis* (Duponchel, 1832) - Pantrop.; M., Sil. (Fryer 1912, Legrand 1965), P., Fel. & Denis. *Bradina aureolalis* Joannis, 1899 - End.; M., Sil. (Fryer 1912; Floater undated) & P. *Diaphana duponti* (Joannis, 1916) - Palaeotrop.; M.,

Long, Sil. (Legrand 1965), Mar., Fel. & Denis. *D. indica* (Saunders, 1851) - Palaeotrop.; M., Sil. (Legrand 1965), P., Mar., Freg. & Bird. *D. sinuata* (Fabricius, 1781) - Palaeotrop.; M. & Sil. (Fryer 1912; Legrand 1965). *Eurrhyparodes tricoloralis* (Zeller, 1852) - Palaeotrop.; M., Sil. (Fryer 1912), P. & Denis. *Hedylepta indicata* (Fabricius, 1775) - Pantrop.; M., SA., Sil. (Fryer 1912), Bird & Denis. *Marasmius poyensis* (Boisduval, 1833) - Palaeotrop.; M. & Sil. (Fryer 1912). *M. trapezalis* Guenée, 1854 - Palaeotrop.; M., Cerf, Sil. (Fryer 1912) & Freg. *M. trebitzalis* (Walker, 1859) - Palaeotrop.; M., Cerf, Sil. (Fryer 1912) & Bird. *Nacoleia niphaleatis* (Walker, 1859) - Palaeotrop.; M., Sil. (Fryer 1912) & Freg. *Noorda amethystina* (Swinhoe, 1894) - Palaeotrop.; M. & Sil. (Legrand 1965). *Omphisa anastomosalis* (Guenée, 1854) - Asia; M. & Sil. (Fryer 1912). *Palpita unionalis* (Hubner, 1796) - Palaeotrop.; M. & Sil. (Legrand 1965). *Pionea ablactis* (Walker, 1859) - Palaeotrop.; M. & Sil. (Legrand 1965). *Psara frenetialis* Legrand, 1965 - End.; M. & Sil. (Legrand 1965). *P. phaeopteraalis* (Guenée, 1854) - Pantrop.; M., Sil. (Fryer 1912) & P. *Pyrausta mahensis* Fletcher, 1910 - End.; M. & Sil. (Fryer 1912). *Sufetula minimalis* Fletcher, 1910 - Am.; M., Sil. (Fryer 1912) & Fel. *Stemorrhages sericea* (Drury, 1770) - Afr.; M., Sil. (Fryer 1912; Legrand 1965) & P. *Synclera univocalis* (Walker, 1859) - Asia; M., SA., Sil. (Fryer 1912; Legrand 1965), Fel. & Denis. *Syngania abruptalis* (Walker, 1859) - Palaeotrop.; M. & Sil. (Legrand 1965). *Stemorrhages sericea* (Drury, 1770) - Afr.; M., Sil. (Fryer 1912; Legrand 1965) & P. *Udea martialis* (Guenée, 1854) - Palaeotrop.; M., Sil. (Fryer 1912) & P.

Family SATYRIDAE *Melanitis leda* (Drury) - Palaeotrop.; M., Sil. (Fryer 1912; Legrand 1965) & N.

Family SPHINGIDAE *Acherontia atropos* (Linnaeus, 1758) - Palaeotrop.; M. & Sil. (new data; Gerlach pers. obs. 1990). *Cephonodes hylas* (Linnaeus, 1771) - Afr.; M. & Sil. (Legrand 1965). *Herse convolvuli* (Linnaeus, 1758) - Palaeotrop.; M. & Sil. (Fryer 1912). *Hippotion eson* (Cramer, 1779) - Afr.; M. & Sil. (Fryer 1912; Floater 1993). *Nephele leighi* Joicey & Talbot, 1921 - End.; M. & Sil. (Fryer 1912). *Temnora fumosa* (Walker, 1856) - Mad.; M. & Sil. (Fryer 1912).

Family THYRIDIDAE *Rhodoneura apicale* Fryer, 1912 - End.; Sil. (Fryer 1912). *R. tibiale* Fryer, 1912 - End.; Sil. (Fryer 1912) & Mar.

Family TINEIDAE *Mastigostoma gypsatma* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *Oinophila crobylora* Meyrick, 1911 - End.; Sil. (Meyrick 1911). *Progonarma pagetodes* Meyrick, 1911 - Indian Ocean; M. & Sil. (Meyrick 1911). *Scardia lochaea* Meyrick, 1911 - End.; Sil. (Meyrick 1911). *Sporadartha sicaria* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *Tinea coronata* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *T. milichopa* Meyrick, 1911 - End.; Sil. (Meyrick 1911). *T. pachyspila* Meyrick, 1905 - introduced, M. & Sil. (Meyrick 1911). *T. saueropis* Meyrick, 1911 - End.; M. & Sil. (Legrand 1965). *T. trochoea* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911).

Family TORTRICIDAE *Adoxophyes ergatica* Meyrick, 1911 - End.; Sil. (Meyrick 1911). *Argyroplece conchopleura* Meyrick, 1911 - End.; Sil. (Meyrick 1911). *A. hygrantis* Meyrick, 1911 - End.; Sil. (Meyrick 1911). *A. leucaspis* Meyrick, 1902 - introduced? Sil. (Meyrick 1911) & Fel. *Bactra legitima* Meyrick, 1911 - End.; M. & Sil. (Meyrick 1911). *Herpyllis rusticula* Meyrick, 1911 - End.; Sil. (Meyrick 1911). *Eucosma temenitis* Meyrick, 1911 - End.; Sil. (Meyrick 1911). *Platypeplus aproboala* (Meyrick, 1886) - Indo-Pacific; M. & Sil. (Meyrick 1911).

Family XYLORYCTIDAE *Paraclada tricapna* Meyrick, 1911 - End.; Sil. (Meyrick 1911). *Anacharis digitata* Meyrick, 1911 - End.; Sil. (Meyrick 1911).

TRICHOPTERA

Family ECNOMIDAE *Ecnomus insularis* Ulmer, 1910 - End.; M. & Sil. (Ulmer 1910).

DIPTERA

Family AGROMYZIDAE *Agromyza candidipennis* Lamb, 1912 - End.; M. & Sil. (Lamb 1914). *A. funebris* Lamb, 1912 - End.; M. & Sil. (Lamb 1914). *A. similis* Lamb, 1912 - End.; M. & Sil. (Lamb 1914). *Leucopis griseola* (Fallen, 1823) - Afr.; M. & Sil. (Lamb 1914).

Family BORBORIDAE *Limosina curvinervis* Stenhammar, 1853 - End.; M., Anon. & Sil. (Collin 1912). *L. punctipennis* (Wiedemann, 1830) - Pantrop.; M., Anon. & Sil. (Collin 1912).

- Family CECIDOMYIIDAE *Clinodiplosis insularum* Kieffer, 1911 - End; M. & Sil. (Kieffer 1911). *C. scotti* Kieffer, 1911 - End; Sil. (Kieffer 1911). *Lepidodiplosis filipes* Kieffer, 1911 - End; Sil. (Kieffer 1911).
- Family CERATOPOGONIIDAE *Atrichopogen lampronotus* (Kieffer, 1911) - End; M. & Sil. (Kieffer 1911) & Fel. *Betzia rufipes* (Kieffer, 1911) - End; M. & Sil. (Kieffer 1911). *Ceratopogon fallacellus* Kieffer, 1911 - End; M. & Sil. (Kieffer 1911). *C. lasinnotus* Kieffer, 1911 - End; M. & Sil. (Kieffer 1911), Fel. & Bird. *Serromyia festiva* Kieffer, 1911 - End; Sil. (Kieffer 1911).
- Family CHIRONOMIDAE *Trichoeladius quadrifasciatus* Kieffer, 1911 - End; M. & Sil. (Kieffer 1911).
- Family CHLOROPIDAE *Gaurax seychellensis* Lamb, 1912 - End; M. & Sil. (Lamb 1914). *Microscincus aeneofrons* Lamb, 1912 - End; M. & Sil. (Lamb 1914). *Notanotax trisulcata* Lamb, 1912 - End; M. & Sil. (Lamb 1914). *Oscinis colorata* Lamb, 1912 - End; M. & Sil. (Lamb 1914). *O. complicata* Lamb, 1912 - End; M. & Sil. (Lamb 1914) & P.
- Family CULICIDAE *Aedes albopictus* (Skuse, 1895) - Indo-Pacific; widespread - Sil (Theobald 1912; new data: pers. obs. 1990-6). *Culex scottii* Theobald, 1912 - End; M. & Sil. (Theobald 1912). *Pseudoscalbia nepenthes* Theobald, 1912 - End; M. & Sil. (Theobald 1912; new data: pers. obs. 1990). *Reedomyia seychelleensis* Theobald, 1912 - Ald.; M. & Sil. (Theobald 1912) & Denis.
- Family DOLICHOPODIDAE *Amblypsilopus pallidicornis* (Grimshaw, 1901) - Pacific; M., Sil. (Lamb 1922) & P. *Chrysotus seychellensis* Lamb, 1922 - End; M., Anon. & Sil. (Lamb 1922). *Mascaromyia amplicaudata* (Lamb, 1922) - End; Sil. (Lamb 1922). *M. grandicandata* (Lamb, 1922) - End; M., Sil. (Lamb 1922) & P. *M. indistincta* (Lamb, 1922) - End; M. & Sil. (Lamb 1922). *Paracleius solitarius* Lamb, 1922 - End; M. & Sil. (Lamb 1922). *Pipunculus semiopacus* Lamb, 1922 - End; M. & Sil. (Lamb 1922). *P. sybaticoides* Lamb, 1922 - End; M. & Sil. (Lamb 1922). *Psilopus bilobatus* Lamb, 1922 - End; M. & Sil. (Lamb 1922), Fel. & Denis. *P. lasiophthalmus* Lamb, 1922 - End; Long & Sil. (Lamb 1922). *P. magnicaudatus* Lamb, 1922 - End; M. & Sil. (Lamb 1922). *Urodolichus caudatus* Lamb, 1922 - End; M. & Sil. (Lamb 1922).
- Family DROSOPHILIDAE *Drosophila aberrans* Lamb, 1914 - End; M. & Sil. (Lamb 1914). *D. flintima* Lamb, 1914 - S.Afr.; M. & Sil. (Lamb 1914). *D. nasuta* Lamb, 1914 - Afr., Mad.; M., Sil. (Lamb 1914) & Fel. *D. similis* Lamb, 1914 - End; M., Sil. (Lamb 1914) & Fel. *D. simulans* Sturtevant - Afr.; M., Sil. (Lamb 1914) & Fel. *D. spinipes* Lamb, 1914 - Afr.; M., Sil. (Lamb 1914) & P. *D. triangulifer* Lamb, 1914 - Afr., M. & Sil. (Lamb 1914). *Leucophenga grossipalpis* (Lamb, 1914) - End; M., Long, Sil. (Lamb 1914), P. & Fel. *L. sericea* (Lamb, 1914) - End; M. & Sil. (Lamb 1914). *Zaprionus vittiger* Coquillett, 1902 - Afr.; M. & Sil. (Lamb 1914).
- Family EMPIDIDAE *Syndes nitida* Loew. - Afr., Asia; Sil. (Collin 1922). *Parahybos iridipennis* Kertesz - SE. Asia, Sil. (Collin 1922). *Tachydromia lacteolata* Collin, 1922 - End; Sil. (Collin 1922).
- Family EPHYDRIIDAE *Allotrichoma argentipraetexta* Lamb, 1912 - End; M., Anon. & Sil. (Collin 1922).
- Family HETERONEURIDAE *Heteromerengia nigritrons* Lamb, 1914 - End; M. & Sil. (Lamb 1914). *H. plumicornis* Lamb, 1914 - End; Anon. & Sil. (Lamb 1914).
- Family LONCHAHIDAE *Lonchaea plumata* Lamb, 1912 - End; M., Long, Anon. & Sil. (Lamb 1914). *L. vibrissifer* Lamb, 1912 - End; M. & Sil. (Lamb 1914).
- Family MICROPEZIDAE *Nerelus althaeae* Giglio-Tos, 1895 - End; M. & Sil. (Lamb 1914).
- Family MILICHIDAE *Desmometopa inanaratum* Lamb, 1914 - End; M. & Sil. (Lamb 1914).
- Family MUSCIDAE *Dichaetomyia fasciculifera* (Stein, 1910) - End; M., Sil. (Stein 1910, Floater 1995) & Fel. *Liinophora fasciolata* Stein, 1910 - End; M., Long & Sil. (Stein 1910). *Musca domestica* (Linnaeus, 1758) - Cosmo; M., Sil. (Stein 1910) & Denis. *Mydaea compressipalpis* Stein, 1910 - End; M., Long & Sil. (Stein 1910). *M. mediana* Stein, 1910 - End; M., Long, Sil. (Stein 1910) & P.
- Family MYCETOPHILIDAE *Ceratosciara corniculata* Enderlein, 1911 - End; M. & Sil. (Enderlein 1912). *Sciara biformata* Enderlein, 1912 - End; M. & Sil. (Enderlein 1912). *S. divergens* Enderlein, 1912 - End; M. & Sil. (Enderlein 1912). *S. mahensis* Kieffer, 1912 - End; M.,

- Anon & Sil. (Enderlein 1912). *S. nigriceps* Enderlein, 1912 - End.; M. & Sil. (Enderlein 1912). *S. rimiscutellata* Enderlein, 1912 - End.; M. & Sil. (Enderlein 1912).
- Family ORTALIDAE *Plagiostenopterina cyanosoma* Hendel, 1912 - Ald.; M. & Sil. (Hendel in Lamb 1914). *P. ruficeps* Hendel, 1912 - Ald.; Long & Sil. (Hendel in Lamb 1914). *Chrysomya aurea* Hendel, 1912 - Chagos; M., Long & Sil. (Hendel in Lamb 1914).
- Family PHORIDAE *Aphiochaeta consueta* Collin, 1912 - End.; M. & Sil. (Collin 1912). *A. egena* Collin, 1912 - End.; M. & Sil. (Collin 1912). *A. innocens* Collin, 1912 - End.; M., Anon. & Sil. (Collin 1912). *A. limbata* Brues, 1905 - Asia; M. & Sil. (Collin 1912). *A. planipes* Collin, 1912 - End.; M. & Sil. (Collin 1912). *A. soluta* Collin, 1912 - End.; M. & Sil. (Collin 1912). *Chonocephalus similis* Brues, 1905 - Asia; M. & Sil. (Collin 1912).
- Family PSYCHODIDAE *Brunettia indica* Eaton, 1913 - Asia; M. & Sil. (Eaton 1913).
- Family SAPROMYZIDAE *Homoneura atra* Lamb, 1912 - End.; Sil. (Lamb 1914). *H. pulchrifrons* Lamb, 1912 - End.; M., Sil. (Lamb 1914) & P. *H. varifrons* Lamb, 1912 - End.; M., Anon. & Sil. (Lamb 1914). *Pachycerina obscuripennis* Lamb, 1912 - End.; Sil. (Lamb 1914). *P. seychellensis* Lamb, 1912 - End.; M., Long & Sil. (Lamb 1914). *Sapromyza funebribicornis* Lamb, 1912 - End.; M., Long, Anon. & Sil. (Lamb 1914). *S. nudiuscula* Lamb, 1912 - End.; M. & Sil. (Lamb 1914). *S. striata* Lamb, 1912 - End.; M., Sil. (Lamb 1914), P. & Fel.
- Family SEPSIDAE *Sepsis rufa* Macq., 1850 - Asia; M., Anon. & Sil. (Lamb 1914).
- Family STRATIOMYIIDAE *Cephalochrysa hovas* (Big., 1859) - Mad.; M. & Sil. (Kertesz 1912). *Lophoteles plumula* Loew, 1858 - End.; M. & Sil. (Kertesz 1912). *Sargus seychellensis* Kertesz, 1912 - End.; M., Sil. (Kertesz 1912) & Mar.
- Family SYRPHIDAE *Eristalodes seychellaram* Bezzii, 1923 - End.; M. & Sil. (Lamb 1922). *Melanostoma annulipes* Macquart, 1850 - Afr.; M. & Sil. (Lamb 1922). *Volucella obesa* Fabricius - Cosmo.; M., Sil. (Lamb 1922) & P. *Xanthogramma aegyptium* Wiedemann - Afr.; M., Long & Sil. (Lamb 1922).
- Family TABANIDAE *Bouvierella inornata* Austen, 1917 - End.; M. & Sil. (Austen 1920).
- Family TACHINIDAE *Actia spoliata* Bezzii, 1923 - End.; M., Sil. (Bezzii 1923) & Mar. *Exorista nemorilloides* Bezzii, 1923 - End.; Sil. (Bezzii 1923). *Lucilia cyanomarginata* Macquart, 1850 - Asia; M., Sil. (Bezzii 1923) & Denis. *Rhinto scotti* Stein, 1910 - Ald.; M. & Sil. (Stein 1910). *Sarcophaga spilargyra* Bezzii, 1923 - End.; M. & Sil. (Bezzii 1923).
- Family TIPULIDAE *Dicranomyia tipulipes* Karsch, 1886 - Afr.; M. & Sil. (Edwards 1912). *Limnobia rhizosema* Speiser, 1909 - Afr.; M. & Sil. (Edwards 1912). *Mesocyparapha albicapitella* Edwards, 1912 - End.; M. & Sil. (Edwards 1912). *M. maculosa* Edwards, 1912 - End.; M. & Sil. (Edwards 1912). *Ormosia perpusilla* Edwards, 1912 - End.; M. & Sil. (Edwards 1912). *Stylogomyia annulipes* Enderlein, 1912 - Mad.; M., Sil. (Edwards 1912) & Denis. *Thrypticomyia seychellensis* Edwards, 1912 - End.; M. & Sil. (Edwards 1912).
- Family TRYPETIDAE *Acidia seychellensis* Lamb, 1914 - End.; Sil. (Lamb 1914). *Oxyna sororcula* Wiedland, 1830 - Afr.; M. & Sil. (Lamb 1914). *Rhabdochaeta spinosa* Lamb, 1914 - End.; M. & Sil. (Lamb 1914).
- ## HYMENOPTERA
- Family ANDRENIDAE *Halictus mahensis* Cameron, 1907 - End.; M., Long, Anon., Sil. (Cockerell 1912); P. & Denis. *Sphecodes scotti* Cockerell, 1912 - End.; M. & Sil. (Cockerell 1912).
- Family APIDAE *Apis unicolor* Latreille, 1804 - Afr.; M., Long & Sil. (Cockerell 1912).
- Family BELYTIDAE *Belyta exsul* Kieffer, 1912 - End.; M., Sil. (Kieffer 1912) & P. *Leptorrhaptus heteropus* Kieffer, 1912 - End.; M., Sil. (Kieffer 1912) & P. *L. insulanus* Kieffer, 1912 - End.; M. & Sil. (Kieffer 1912). *Pantoclis insulanus* Kieffer, 1912 - End.; Sil. (Kieffer 1912). *P. scotti* Kieffer, 1912 - End.; Sil. (Kieffer 1912). *P. seychellensis* Kieffer, 1912 - End.; M. & Sil. (Kieffer 1912). *Xenotoma insularis* Kieffer, 1912 - End.; M. & Sil. (Kieffer 1912).
- Family BETHYLIDAE *Parasierola rostrata* Kieffer, 1912 - End.; M. & Sil. (Kieffer 1912). *Pristocera crucifera* Kieffer, 1912 - End.; M., Sil. (Kieffer 1912) & P. *Scleroderma seychellensis* Kieffer, 1912 - End.; Sil. (Kieffer 1912).
- Family CERAPHRONIDAE *Conostigmus seychellensis* Kieffer, 1912 - End.; Sil. (Kieffer 1912).
- Family CHALCIDAE *Achrysocharis cardigaster* Masi, 1917 - End.; M. & Sil. (Masi 1917). *Allomphale aemula* Masi, 1917 - End.; M. & Sil. (Masi 1917). *Allotriozoon seychellense*

Masi, 1917 - End.; M. & Sil. (Masi 1917) *Anacryptus insidiosus* Masi, 1917 - Indian Ocean; M., Anon. & Sil. (Masi 1917) *Aximopsis elegans* Masi, 1917 - End.; Sil. (Masi 1917) & P. *Chalcis lepida* Masi, 1917 - End.; M., Anon., Sil. (Masi 1917) & Denis. *C. sodalis* Masi, 1917 - End.; M. & Sil. (Masi 1917). *Cratulophus niger* Masi, 1917 - End.; M., Sil. (Masi 1917) & Fel. *Decatoma kestraneura* Masi, 1917 - End.; Sil. (Masi 1917). *Dinarmolaelaps protus* Masi, 1917 - End.; M. & Sil. (Masi 1917). *Dipara rufescens* Masi, 1917 - End.; M., Sil. (Masi 1917) & Fel. *Elasmus bellus* Masi, 1917 - End.; Sil. (Masi 1917). *Elasmus* sp. - End.; M. & Sil. (Masi 1917). *Eucomys infelix* Masi, 1917 - Europe. M. & Sil. (Masi 1917). *Eupelmoides obscuratus* Masi, 1917 - End.; M. & Sil. (Masi 1917). *Euplectrus bicolor* (Swederus, 1795) - Europe; M., S.I. (Masi 1917) & P. *Eurytoma* sp. Masi, 1917 - End.?; Sil. (Masi 1917). *Eurytomidia dubia* Masi, 1917 - End.; Sil. (Masi 1917). *Gonatocerus silhouetteae* Masi, 1917 - End.; Sil. (Masi 1917). *Habrolepis aeruginosa* Masi, 1917 - End.; Sil. (Masi 1917). *Leodamus onustus* Masi, 1917 - End.; Sil. (Masi 1917). *Metacalosoter frequens* Masi, 1917 - End.; M., Sil. (Masi 1917) & P. *Micromelus affinis* Masi, 1917 - End.; Sil. (Masi 1917). *Neosciatheras laticeps* Masi, 1917 - End.; Sil. (Masi 1917). *Parageniaspis macrocerus* Masi, 1917 - End.; M. & Sil. (Masi 1917). *Paranastatus egregius* Masi, 1917 - End.; M. & Sil. (Masi 1917). *P. violaceus* Masi, 1917 - End.; Sil. (Masi 1917). *Podagrion terebrator* Masi, 1917 - End.; M. & Sil. (Masi 1917). *Polynema seychellense* Masi, 1917 - End.; Sil. (Masi 1917). *Pseudanastatus crassicornis* Masi, 1917 - End.; M. & Sil. (Masi 1917). *Sphegigastrella flavipes* Masi, 1917 - End.; M., Sil. (Masi 1917) & P. *S. longigastra* Masi, 1917 - End.; M. & Sil. (Masi 1917). *Stenelachistus impressus* Masi, 1917 - End.; M. & Sil. (Masi 1917). *Stilbula lissoma* Masi, 1917 - End.; M. & Sil. (Masi 1917). *Sympheus aphycoides* Masi, 1917 - End.; M. & Sil. (Masi 1917). *Sympiesomorpha ornata* Masi, 1917 - End.; Sil. (Masi 1917). *Syntomosphyrum trichops* Masi, 1917 - End.; M. & Sil. (Masi 1917). *S. modesta* Masi, 1917 - End.; Sil. (Masi 1917). *S. putchella* Masi, 1917 - End.; Sil. (Masi 1917). *Tetrastrichus dolichocerus* Masi, 1917 - End.; M. & Sil. (Masi 1917). *T. hagenowii* (Ratzeburg, 1852) - End.; M. & Sil. (Masi 1917). *T. inunctus* (Nees, 1834) - End.; M. & Sil. (Masi 1917). *T. longiventris* Masi, 1917 - End.; Sil. (Masi 1917). *T. metalliferus* Masi, 1917 - End.; M. & Sil. (Masi 1917). *T. nigriceps* Masi, 1917 - End.; Sil. (Masi 1917). *T. theloneurus* Masi, 1917 - End.; M. & Sil. (Masi 1917). *Zeteticontus xanthopusus* Masi, 1917 - End.; Sil. (Masi 1917).

Family CYNIPIDAE *Ectolyta atraticeps* Kieffer, 1912 - End.; Sil. (Kieffer 1912). *Eucoila seychellensis* Kieffer, 1912 - End.; M. & Sil. (Kieffer 1912). *Gronotoma seychellensis* Kieffer, 1912 - End.; Sil. (Kieffer 1912).

Family DRYINIDAE *Labeo saxonetus* Kieffer, 1912 - End.; M. & Sil. (Kieffer 1912).

Family EUMENIDAE *Eumenes alluaudi* Perez 1895 - End.; M., Sil. (Meade Waldo 1912), P. & Denis. *Odynerus seychellensis* Dall Torre 1904 - Masc.; M., Sil. (Meade Waldo 1912) & P.

Family FORMICIDAE *Brachymyrmex cordemoyi* Forel, 1895 - Introduced; M., Isl., Sil. (Forel 1912) P., CS., Col. & GS. *Camponotus grandidieri* Forel, 1886 - Afr.; M., Sil. (Forel 1912), P., CS., Col., A., Alb., PS. & Freg. *C. hova* Forel, 1891 - Mad.; M., Sil. (Forel 1912 as *C. maculatus*) & P. *C. thomasseti* Forel, 1912 - End.; M. & Sil. (Forel 1912). *Cardiocondyla emeryi* Forel, 1881 - Cosmo.; M., Arion., Sil. (Forel 1912), GS. & PS. *Cremutogaster rasohcerinae* Forel, 1891 - Mad.; M. & Sil. (Forel 1912). *Monomorium fossulatum* Emery, 1894 - Asia, Aust.; Sil. (Forel 1912) & Mar. *Paratrechina mixta* (Forel, 1897) - End.; M., Sil. (Forel 1912) & P. *Pheidole punctulata* Mayr, 1866 - Afr.; M., Long, Ro., Sil. (Forel 1912), A., Mar., GS., LD. & Bird. *Plagiolepis alluaudi* Emery, 1894 - Old World; M., Sil. (Forel 1912) & Fel. *P. madecassa* Forel, 1892 - Mad.; M., Anon., Sil. (Forel 1912), P. & A. *Solenopsis seychellensis* Forel, 1909 - Mad.; M. & Sil. (Forel 1912). *Strumigenys scotti* Forel, 1912 - Afr.; Sil. (Forel 1912). *Tapinoma melanocephalum* (Fabricius, 1793) - Introduced; M., Sil. (Forel 1912), P., Cou., coue., A., GS. & PS. *Technomyrmex albipes* (Smith, 1861) - introduced; widespread - Sil. (Forel 1912; OUSE 1990). *T. foreli* Emery, 1893 - Afr.; M., Long & Sil. (Forel 1912). *Terataner scotti* (Forel, 1912) - End.; Sil. (Forel 1912) & P. *Tetramorium lanuginosum* Mayr, 1870 - Panorp.; M., Sil. (Forel 1912 as *Triglyphothrix stiatidens*); A. & Fel. *Tetraponera rufonigra* (Jerdon,

1851) - Introduced?; Sil. (Forel 1912). *Vollenhovia laevithorax* Emery, 1894 - Asia; Sil. (Forel 1912) & P. *V. piroscae* Forel, 1912 - Asia; Sil. (Forel 1912).

Family ICHNEUMONIDAE *Cremastus punctus* Morley, 1912 - End.; Sil. (Morley 1912). *Dicotus equatorius* Morley, 1912 - End.; M. & Sil. (Morley 1912). *Diocles vulgaris* Morley, 1912 - Asia; M., Sil. (Morley 1912) & P. *Echthromorpha rufa* Cameron, 1907 - End.; M. & Sil. (Morley 1912). *Hemiteles cingulatorius* Morley, 1912 - End.; Sil. (Morley 1912) & P. *Taryta minuta* Morley, 1912 - End.; M. & Sil. (Morley 1912). *Thersilochus evanescens* Morley, 1912 - End.; Sil. (Morley 1912).

Family MEGACHILIDAE *Megachile seychellensis* Cameron 1907 - Ald.; M., Long, Sil. (Cockerell 1912) & P.

Family PLATYGASTERIDAE *Amblyaspis flavosignatus* Kieffer, 1912 - End.; Sil. (Kieffer 1912). *Platygaster seychellensis* Kieffer, 1912 - End.; Sil. (Kieffer 1912).

Family POMPILIDAE *Mygnimia nenia* Saussier - Mad.; Sil. (Turner 1911).

Family SCELIONIDAE *Baeus curvatus* Kieffer, 1912 - End.; Sil. (Kieffer 1912). *Diapria saxatilis* Kieffer, 1912 - End.; M., Sil. (Kieffer 1912) & P. *D. scotti* Kieffer, 1912 - End.; M. & Sil. (Kieffer 1912). *D. seychellensis* Kieffer, 1912 - End.; M. & Sil. (Kieffer 1912). *Enneascelis exaratus* Kieffer, 1912 - End.; Sil. (Kieffer 1912). *Hadronotus saxatilis* Kieffer, 1912 - End.; M. & Sil. (Kieffer 1912). *Lamproteleia heterocera* Kieffer, 1912 - End.; Sil. (Kieffer 1912). *L. pulchripennis* Kieffer, 1912 - End.; Sil. (Kieffer 1912). *Loxotropa exsul* Kieffer, 1912 - End.; M. & Sil. (Kieffer 1912). *L. semirufa* Kieffer, 1912 - End.; Sil. (Kieffer 1912). *Microteleia versicolor* Kieffer, 1912 - End.; M. & Sil. (Kieffer 1912). *Neuroteleia heterocera* Kieffer, 1912 - End.; Sil. (Kieffer 1912). *Oriscello seychellensis* Kieffer, 1912 - End.; M. & Sil. (Kieffer 1912). *Paranteris flaviclavata* Kieffer, 1912 - End. gen.; M. & Sil. (Kieffer 1912). *P. nigriclava* Kieffer, 1912 - End.; M., Sil. (Kieffer 1912) & Fel. *P. striatigena* Kieffer, 1912 - End.; Sil. (Kieffer 1912). *Paratrimerus atriceps* Kieffer, 1912 - End.; M. & Sil. (Kieffer 1912). *Psiloteleia atra* Kieffer, 1912 - End.; M. & Sil. (Kieffer 1912). *Rhopalopia vulgaris* Kieffer, 1912 - End.; M. & Sil. (Kieffer 1912). *Schizopria flaviclavata* Kieffer, 1912 - End.; Sil. (Kieffer 1912). *Tetenomus seychellensis* Kieffer, 1912 - End.; M. & Sil. (Kieffer 1912).

Family SPHEGIDAE *Crabro oceanicus* Turner, 1911 - End.; M. & Sil. (Turner 1911). *C. scotti* Turner, 1911 - End.; M. & Sil. (Turner 1911). *Notogonia reticulata* Saussier - Mad.; M. & Sil. (Turner 1911). *N. seychellensis* Cameron, 1907 - End.; M. & Sil. (Turner 1911). *Pison isolatum* Turner, 1911 - End.; M. & Sil. (Turner 1911). *Sceliphron hemipterum* (Fabricius) - Afr.; M., Sil. (Turner 1911) & P. *Tachysphex micromegas* Saussier, ... - Mad.; M. & Sil. (Turner 1911)

Family VESPIDAE *Polistes olivaceus* (De Geer, 1773) - Indo-Pacific; M., Moy., Sil. (Meade-Waldo 1912), P., A. & LD.

COLEOPTERA

Family ANOBIIDAE *Caenocara subplana* Scott, 1924 - End.; M., Sil. (Scott 1924) & P. *Dorcatoma insulana* Scott, 1924 - End.; M. & Sil. (Scott 1924). *Mesothes tenuibrachium* Scott, 1924 - End.; Sil. (Scott 1924). *Mesocoelopsis silhouetiae* Scott, 1924 - End.; Sil. (Scott 1924). *Metadorcatoma peculiaris* Scott, 1924 - End.; Sil. (Scott 1924). *Metatheca rugulosa* Scott, 1924 - End.; M. & Sil. (Scott 1924). *Mirosternus excispalpis* Scott, 1924 - End.; M., Sil. (Scott 1924) & P. *Nesothecea cognata* Scott, 1924 - End.; M. & Sil. (Scott 1924). *N. communis* Scott, 1924 - End.; M., Sil. (Scott 1924) & P. *N. germana* Scott, 1924 - End.; M. & Sil. (Scott 1924). *N. lateoblonga* Scott, 1924 - End.; M., Sil. (Scott 1924) & P. *N. maxima* Scott, 1924 - End.; M. & Sil. (Scott 1924). *N. simillima* Scott, 1924 - End.; M. & Sil. (Scott 1924). *N. typica* Scott, 1924 - End.; M. & Sil. (Scott 1924).

Family ANTHRIBIDAE *Achoragus tener* Jordan, 1914 - End. gen.; M. & Sil. (Jordan 1914). *Araecerus fasciculatus* (Degeer, 1775) - Pantrop.; M., Long, Sil. (Jordan 1914) & P. *Choragus bolus* Jordan, 1914 - End.; Sil. (Jordan 1914). *Cleranthribus colydiopsis* Jordan, 1914 - End. gen.; M. & Sil. (Jordan 1914). *Corynnacia scotti* Jordan, 1914 - End. gen.; Sil. (Jordan 1914). *Dysnos aethiops* Jordan, 1914 - End.; M. & Sil. (Jordan 1914). *Epitaphius lichenaeus* Jordan, 1914 - End.; M. & Sil. (Jordan 1914). *Hormiscops laetus* Jordan, 1914 -

- End.; Sil. (Jordan 1914) & P. *H. sorbrinus* Jordan, 1914 - End.; M. & Sil. (Jordan 1913). *H. tibialis* Jordan, 1914 - End. gen.; M., Sil. (Jordan 1914) & P. *Scirtetinus eumelas* Jordan, 1914 - End. gen.; M., Sil. (Jordan 1914); P. *Sintorops allaeus* Jordan, 1914 - End. gen.; M. & Sil. (Jordan 1914).
- Family BOSTRYCHIDAE** *Xylothorax flavipes* Illiger - Indo-Pacific; M. & Sil. (Scott 1921).
Xylopuscus capucinus Fabricius - Pantropical; M. & Sil. (Scott 1921).
- Family BRENTHIDAE** *Euphasalis unitina* Kolbe, 1910 - End.; M. & Sil. (Scott 1924).
- Family BUPRESTIDAE** *tridotaenia mahena* Fairmaire, 1891 - End.; M. & Sil. (Mayot 1996a)
- Family CARABIDAE** *Tetragonoderus bilunatus* Klug, 1832 - Mad.; M., Sil. (Scott 1912), P. & Bird.
- Family CERAMBYCIDAE** *Cerestium flavipes* Fabricius - Masc.; M. & Sil. (Aurvillus 1922)
Coptops humerosa Fairmaire - End.; M. & Sil. (Aurvillus 1922). *Mahenes semifasciata* Aurvillus, 1922 - End. gen.; M., Long & Sil. (Aurvillus 1922). *Microndemia albosiennata* Aurvillus, 1922 - End.; M. & Sil. (Aurvillus 1922). *M. glauca* Aurvillus, 1922 - End.; Sil. (Aurvillus 1922). *Obrium nitidicolle* Aurvillus, 1922 - End.; M. & Sil. (Aurvillus 1922). *Olenecampus bilobus* Fabricius - Masc.; M. & Sil. (Aurvillus 1922). *Pterolophia instabilis* Aurvillus, 1922 - End.; M., Long, Anon. & Sil. (Aurvillus 1922). *Sybra geminata* Klug - Afr.; M., SA. & Sil. (Aurvillus 1922).
- Family CHRYSOMELIDAE** *Bikasha fortipunctata* Maulik, 1929 - End.; M., Sil. (Maulik 1929) & P. *B. tenuipunctata* Maulik, 1929 - Ald.; M. & Sil. (Maulik 1929). *Chaetocnema krishna* Maulik, 1929 - End.; M., Sil. (Maulik 1929) & P. *C. mahensis* Maulik, 1929 - End.; M. & Sil. (Maulik 1929). *Diacantha unifasciata* (Olivier) - Mad.; M. & Sil. (Maulik 1929). *Eka nigra* Maulik, 1929 - End. gen.; Sil. (Maulik 1929). *Pratima costata* Maulik, 1929 - End. gen.; Sil. (Maulik 1929). *P. variabilis* Maulik, 1929 - End.; M. & Sil. (Maulik 1929). *Rhypharida scotti* Maulik, 1929 - End.; M. & Sil. (Maulik 1929).
- Family CIIDAE** *Cis biacutus* Reitter, 1908 - Mad.; M., Sil. (Scott 1926) & P. *C. cacuminatum* Scott, 1926 - End.; M. & Sil. (Scott 1926). *C. parallelus* Scott, 1926 - Mad.; M. & Sil. (Scott 1926). *C. retithorax* Scott, 1926 - End.; M., Long, Sil. (Scott 1926) & Fel. *C. silvicola* Scott, 1926 - End.; M. & Sil. (Scott 1926). *C. sublaceratus* Scott, 1926 - End.; Sil. (Scott 1926). P. & LD. *C. subsquamosus* Scott, 1926 - End.; M. & Sil. (Scott 1926). *Dimerapterocis apterus* Scott, 1926 - End. gen.; Sil. (Scott 1926). *Enneurhron cucullatum* Mellie, 1848 - Afr.; M., Sil. (Scott 1926) & Fel. *E. pulchellum* Scott, 1926 - End.; M., Sil. (Scott 1926) & P. *Paratrachaphus seychellarum* Scott, 1926 - End. gen.; M. & Sil. (Scott 1926). *Tropicis brevicarinatus* Scott, 1926 - End.; M. & Sil. (Scott 1926). *T. flexicarinatus* Scott, 1926 - End.; M. & Sil. (Scott 1926). *Xylographus seychellensis* Scott, 1926 - End.; M. & Sil. (Scott 1926).
- Family CISTELIDAE** *Mycteroomimus insularis* Champion, 1917 - End.; M. & Sil. (Champion 1914).
- Family CLERIDAE** *Anthriboclerus scotti* Schenckling, 1921 - End.; M. & Sil. (Schenckling 1921). *Pallidus laterisignatus* Schenckling, 1921 - End.; M. & Sil. (Schenckling 1921). *Steoclytus dimidiatus* Schenckling, 1921 - End.; Sil. (Schenckling 1921).
- Family COCCINELLIDAE** *Nephus seychellensis* Sicard, 1913 - End.; M. & Sil. (Sicard 1913). *Phylctenotolis scotti* Sicard, 1913 - End. gen.; M. & Sil. (Sicard 1913). *Pallus arrowi* Sicard, 1913 - End.; Sil. (Sicard 1913). *P. plutonus* Mulsant - Mad.; M., Sil. (Sicard 1913) & Mar. *Rhodolia chermesina* Mulsant - Mad.; M., Long, Sil. (Sicard 1913) & Denis. *R. dionysia* (Sicard, 1909) - Mad.; M., Long, Sil. (Sicard 1913) & Denis. *Scymnus constrictus* Mulsant - Indian Ocean; M., Sil. (Sicard 1913), Fel. & Bird. *S. cryptagonoides* Sicard, 1913 - End.; Sil. (Sicard 1913). *S. grineriae* (Sicard, 1909) - Mad.; M., Long, Anon., Sil. (Sicard 1913) & Bird. *S. intercisis* (Sicard, 1909) - End.; M., Anon. & Sil. (Sicard 1913). *S. lundatus* (Sicard, 1912) - Masc., Sil. (Sicard 1913). *S. oblongosignatus* (Muls.) - Indian Ocean; M., Long, Anon. & Sil. (Sicard 1913). *Sticholotis madagassus* Weise, 1909 - Mad.; M. & Sil. (Floater 1991). *Xamerillus guhani* Sicard, 1912 - End. gen.; M. & Sil. (Sicard 1913).
- Family COLYDIIDAE** *Axiocerylon cuvicolle* Grouvelle, 1918 - End.; M. & Sil. (Grouvelle 1918). *Cerylon curvulum* Grouvelle, 1918 - End.; M. & Sil. (Grouvelle 1918). *C. gardineri* Grouvelle, 1918 - End.; M. & Sil. (Grouvelle 1918). *C. longuis* Grouvelle, 1918 - End.; Sil. (Grouvelle 1918) & P. *C. perparvulum* Grouvelle, 1918 - End.; M., Sil. (Grouvelle 1918) &

P. *Cicones scotti* Grouvelle, 1918 - End.; Sil. (Grouvelle 1918). *Ditoma cavigollis* Grouvelle, 1918 - End.; Sil. (Grouvelle 1918). *Lascotonus scotti* Grouvelle, 1918 - End.; Sil. (Grouvelle 1918). *Mychocerus affluenti* Grouvelle, 1894 - End.; M., Sil. (Grouvelle 1918), P. & LD. *Neorichus gardineri* Grouvelle, 1918 - End.; M. & Sil. (Grouvelle 1918). *Pycnomyces confertus* (Reitter, 1878) - Afr.; M., Sil. (Grouvelle 1918) & P. *Sarothrius eximius* Grouvelle, 1918 - End.; Sil. (Grouvelle 1918). *Thyroderus scuticollis* Grouvelle, 1918 - End.; M. & Sil. (Grouvelle 1918). *Xuthia sicana* Pascoe, 1863 - Afr.; M., Sil. (Grouvelle 1918) & Fel.

Family CORYLOPHIDAE *Daubanaria seychellarum* Scott, 1917 - End. gen.; M., Sil. (Scott 1917) & P. *Lewisium seychelleanum* Scott, 1917 - End.; M., Long, Sil. (Scott 1917), P. & Fel. *Meioderus quinssyanus* Scott, 1917 - End.; Sil. (Scott 1917). *Orthoperus minutissimus* Matthews, 1899 - Introduced?; Sil. (Scott 1917). *Sacium grossinianum* Scott, 1917 - End.; Sil. (Scott 1917). *S. picaultianum* Scott, 1917 - End.; Sil. (Scott 1917). *S. rochonianum* Scott, 1917 - End.; Sil. (Scott 1917). *S. rosstanianum* Scott, 1917 - End.; M. & Sil. (Scott 1917). *Sericoderus seychellensis* Scott, 1917 - End.; M. & Sil. (Scott 1917).

Family CRYPTOPHAGIDAE *Hapalips scotti* Grouvelle, 1914 - End.; M. & Sil. (Grouvelle 1914).

Family CUCUJIDAE *Laemophloeus propior* Grouvelle, 1914 - End.; M. & Sil. (Grouvelle 1914). *Inopeplus mimetus* Grouvelle, 1914 - End.; M. & Sil. (Grouvelle 1914). *Monanus concinnulus* (Walker, 1858) - Cosmo.; M. & Sil. (Grouvelle 1914). *M. ornatus* Grouvelle, 1914 - End.; Sil. (Grouvelle 1914). *Oryzaephilus surinamensis* (Linnaeus, 1758) - Cosmo.; M. & Sil. (Grouvelle 1914). *Prostomina convexiuscula* Grouvelle, 1914 - End.; M. & Sil. (Grouvelle 1914). *Psammoecus laetus* Grouvelle, 1914 - End.; Sil. (Grouvelle 1914). *P. nitescens* Grouvelle, 1914 - End.; M. & Sil. (Grouvelle 1914). *P. simoni* Grouvelle, 1892 - Indian Ocean; M. & Sil. (Grouvelle 1914). *Silvanus scuticollis* Walker, 1859 - Cosmo.; Sil. (Grouvelle 1914). *S. hebetatus* Grouvelle, 1912 - Afr.; Sil. (Grouvelle 1914).

Family CURCULIONIDAE *Acalles seychellensis* Champion, 1914 - End.; M. & Sil. (Champion 1914). *Baridomorpha triplaris* Champion, 1914 - End. gen.; M. & Sil. (Champion 1914). *Calandra stigmaticollis* (Gyll.) - Indo-Pacific; M., Anon. & Sil. (Champion 1914). *Chororrhinodes tenuiculus* Champion, 1914 - End.; Sil. (Champion 1914). *Cossomus suturalis* Boheman - Afr.; Sil. (Champion 1914). *Cratopus griseovestitus* Linell, 1897 - End.; M., Long, Anon., Sil. (Champion 1914) & P. *C. muticus* Champion, 1914 - End.; M. & Sil. (Floater 1991 as 'curculionid beetle'). *C. segregatus* Champion, 1914 - End.; Sil. (Champion 1914) & P. *Cryptorrhynchidius graniger* Champion, 1914 - End. gen.; M., Sil. (Champion 1914) & P. *Cycloterinus ampliatus* Kolbe, 1910 - End.; Sil. (Kolbe 1910; Champion 1914). *C. humeroalatus* Kolbe, 1910 - End.; M. & Sil. (Champion 1914). *C. microphthalmus* Champion, 1914 - End.; Sil. (Champion 1914). *C. seychellarum* Kolbe, 1910 - End.; M. & Sil. (Champion 1914). *C. sphaeropterus* Champion, 1914 - End.; Sil. (Champion 1914). *Endaeopsis anthonomoides* Champion, 1914 - End. gen.; Sil. (Champion 1914). *E. curvinanus* Champion, 1914 - End.; M. & Sil. (Champion 1914). *E. delicatus* Champion, 1914 - End.; Sil. (Champion 1914). *Eucycloteres terreus* Champion, 1914 - End. gen.; M., Sil. (Champion 1914) & P. *Eugnoristus braueri* Kolbe, 1910 - End.; M. & Sil. (Champion 1914). *Euops viridinctus* Champion, 1914 - End.; Sil. (Champion 1914). *Himatium breviusculum* Champion, 1914 - End.; Sil. (Champion 1914). *H. rugipenne* Champion, 1914 - End.; M., Sil. (Champion 1914) & P. *Lasiotrupis clavigera* Champion, 1914 - End. gen.; M. & Sil. (Champion 1914). *Lepydinus nepenthicola* Champion, 1914 - End. gen.; M. & Sil. (Champion 1914). *Microtrupis longipennis* Chapman, 1914 - End. gen.; M. & Sil. (Champion 1914). *M. piligera* Champion, 1914 - End.; Sil. (Champion 1914). *M. puncticeps* Champion, 1914 - End.; Sil. (Champion 1914). *Orthotomus filiformis* Champion, 1914 - End.; Sil. (Champion 1914). *Phloeophagesoma conicicolle* Champion, 1914 - End.; Sil. (Champion 1914). *Phoenicobates alatus* Champion, 1914 - End. gen.; M. & Sil. (Champion 1914). *P. alboscotus* Champion, 1914 - End.; M. & Sil. (Champion 1914). *P. curvipes* Champion, 1914 - End.; M. & Sil. (Champion 1914). *P. cylindricus* Champion, 1914 - End.; M. & Sil. (Champion 1914). *P. duplovestitus* Champion, 1914 - End.; M. & Sil. (Champion 1914). *P. flexirostris* Champion, 1914 - End.; Sil. (Champion 1914). *P. foveoliventris* Champion, 1914 - End.; M. & Sil. (Champion 1914). *P. gibbirostris* Champion, 1914 - End.; M. & Sil. (Champion

1914) *P. hispidulus* Champion, 1914 - End.; M. & Sil. (Champion 1914). *P. nigrolimbatus* Champion, 1914 - End.; M., Sil. (Champion 1914) & P. *P. pandanicola* Champion, 1914 - End.; M., Sil. (Champion 1914) & P. *P. peropaeus* Champion, 1914 - End.; M. & Sil. (Champion 1914). *P. simplex* Champion, 1914 - End.; M. & Sil. (Champion 1914). *P. stevensonae* Champion, 1914 - End.; M. & Sil. (Champion 1914). *P. stricticollis* Champion, 1914 - End.; M., Sil. (Champion 1914) & P. *P. tenuis* Champion, 1914 - End.; M., Sil. (Champion 1914) & P. *P. vittatus* Champion, 1914 - End.; M. & Sil. (Champion 1914). *Phoenicobatopsis echinatus* Champion, 1914 - End. gen.; M. & Sil. (Champion 1914). *Polytus mellerborgi* (Boehmer) - Indo-Pacific; M., Sil. (Champion 1914) & P. *Proeaces compressicollis* Champion, 1914 - End.; Sil. (Champion 1914). *Rhetogenes sexristatus* Champion, 1914 - End. gen.; Long & Sil. (Champion 1914). *R. spurcus* Champion, 1914 - End.; Sil. (Champion 1914). *Rhombosoma acuminatum* Champion, 1914 - End. gen.; Sil. (Champion 1914). *Rhynchaenus spissus* Champion, 1914 - End.; M. & Sil. (Champion 1914). *Rhyncolosoma dubium* (Gahan, 1900) - Indian Ocean; M., Sil. (Champion 1914) & Fel. *Sphodrias magduloides* Champion, 1914 - End. gen.; Sil. (Champion 1914). *Stenopentarthrum pandanae* Champion, 1914 - End. gen.; M. & Sil. (Champion 1914). *Stenouimus orientalis* Champion, 1914 - End.; M. & Sil. (Champion 1914). *Stenotripius biformis* Champion, 1914 - End.; Sil. (Champion 1914). *S. caliginosa* Champion, 1914 - End.; M. & Sil. (Champion 1914). *S. conicephala* Champion, 1914 - End.; M. & Sil. (Champion 1914). *S. convexiuscula* Champion, 1914 - End.; Sil. (Champion 1914). *S. dumetorum* Chapman, 1914 - End.; M., Sil. (Champion 1914) & P. *S. filum* Champion, 1914 - End.; Sil. (Champion 1914). *S. nemoralis* Champion, 1914 - End.; Sil. (Champion 1914). *S. parallela* Champion, 1914 - End.; M., Sil. (Champion 1914) & P. *S. polita* Champion, 1914 - End.; M. & Sil. (Champion 1914). *S. sericata* Champion, 1914 - End.; Sil. (Champion 1914). *S. silvicola* Champion, 1914 - End.; M. & Sil. (Champion 1914). *Trapezirrhynchus silhouettensis* Champion, 1914 - End. gen.; Sil. (Champion 1914). *Tetragonorrhampus tuberculirostris* Champion, 1914 - End. gen.; M., Sil. (Champion 1914), P., Fel. & Mar.

Family DERMISTIDAE *Attagenus undulatus* (Motschulsky, 1858) - Pan trop.; M. & Sil. (Scott 1924). *Orphinus brevicornis* (Sharp, 1885) - Pan trop.; M. & Sil. (Scott 1924). *Paratrogoderma mahense* Scott, 1924 - End.; M. & Sil. (Scott 1924).

Family DYTISCIDAE *Copelatus gardineri* Scott, 1912 - End.; M., Sil. (Scott 1912) & P. *C. pandanorum* Scott, 1912 - End.; M., Sil. (Scott 1912) & P.

Family ELATERIDAE *Alaus scotti* Fleutiaux, 1923 - End.; M. & Sil. (Fleutiaux 1923). *Cardiphorus lutescens* Candexe, 1896 - Comoros; M., Long, Anon., Sil. (Fleutiaux 1923), P. & Denis. *Conoderus dimidiaticollis* Fleutiaux, 1923 - End.; M. & Sil. (Fleutiaux 1923). *C. gracilipes* Fleutiaux, 1923 - End.; M. & Sil. (Fleutiaux 1923). *Dactylosimus dorsalis* Fleutiaux, 1923 - End.; M. & Sil. (Fleutiaux 1923). *Gonadurus tarsalis* Fleutiaux, 1923 - End.; Sil. (Fleutiaux 1923). *Melanoxanthus frivulus* Candeze, 1900 - Asia; M., Sil. (Fleutiaux 1923) & P. *M. insularis* Fleutiaux, 1923 - End.; Sil. (Fleutiaux 1923). *Porthmidius solitarius* Fleutiaux, 1923 - End.; Sil. (Fleutiaux 1923).

Family ENDOMYCHIDAE *Anagaricophilus pulchellus* Arrow, 1922 - End.; M. & Sil. (Arrow 1922). *Cirtomychus coccinelloides* Kolbe, 1910 - End.; M., Sil. (Arrow 1922) & P. *C. minor* Arrow, 1922 - End., M., Sil. (Arrow 1922) & P.

Family EROTYLIDAE *Euxestus globosus* Arrow, 1922 - End.; Sil. (Arrow 1922).

Family HELODIDAE *Cyphon insularius* Champion, 1924 - End.; M. & Sil. (Champion 1924). *Ptilodactyla scabrosa* Champion, 1924 - End.; M. & Sil. (Champion 1924). *Scirtes seychelleensis* Champion, 1924 - End.; M. & Sil. (Champion 1924).

Family HISTERIDAE *Acrius daubani* Scott, 1913 - End.; M. & Sil. (Scott 1913). *A. davidsoni* Scott, 1913 - End.; Sil. (Scott 1913). *Bacanius ambiguus* Schmidt, 1893 - End.; Long, Sil. (Scott 1913), P., Fel. & LD. *Platysoma tenuimargo* Schmidt, 1893 - End.; M., Sil. (Scott 1913) & LD. *Paramalus attuadai* Schmidt, 1893 - End.; Sil. (Scott 1913) & LD. *P. calciger* Scott, 1913 - End.; M., Sil. (Scott 1913).

Family HYDROPHILIDAE *Bourdonnaisia silhouettae* Scott, 1913 - End. gen.; Sil. (Scott 1913). *Cercyon fruticola* Scott, 1913 - End.; M., Sil. (Scott 1913) & P. *C. laticollis* Regimbart, 1903 - Mad.; Long, Sil. (Scott 1913) & P. *C. uniformis* Sharp, 1890 - Introduced?; M. &

Sil. (Scott 1913) *Dactylosternum insulare* (Castelnau, 1840) - Cosmo.; M., Sil. (Scott 1913) & P. *Philydrus abnormalis* Sharp, 1890 - Palaeotrop.; Sil. (Scott 1913). *Paromicrus atomus* Scott, 1913 - End.; M., Sil. (Scott 1913), P. & Fel. *P. carinatus* Scott, 1913 - End.; M., Sil. (Scott 1913) & P. *P. thomasseti* Scott, 1913 - End.; M., Sil. (Scott 1913) & P.

Family LATHIRIDIIDAE *Ericmus minutus* (Linnaeus) - Cosmo.; Sil. (Scott 1921). *Metopthalmus albofasciatus* Reitter, 1891 - Cosmo.; Sil. (Scott 1921). *Nesolathrus typicus* Scott, 1921 - End. gen.; M., Sil. (Scott 1921) & P. *Ostomopsis solitaria* Scott, 1921 - End. gen.; Sil. (Scott 1921).

Family LUCANIDAE *Figulus seychellensis* Scott, 1912 - End.; M. & Sil. (Scott 1912). *F. striatus* (Oliver, 1789) - Mad.; M., Sil. (Scott 1912) & P.

Family LYMEXYLONIDAE *Melittoma insulare* Fairmaire, 1893 - Mad.; M., Sil. (Scott 1924) & P.

Family MELASIDAE *Fornax sternalis* Bonvouloir, 1872 - Asia; Sil. (Fleuriaux 1923).

Family MELYRIDAE *Xamerpus cilioides* Champion, 1924 - Asia; Sil. (Champion 1924).

Family MÖRDELLIDAE *Glipa tricholor* Wiedl - Asia; Sil. (Champion 1917). *Mordella coleae* Champion, 1917 - End.; M. & Sil. (Champion 1917). *M. disparilis* Champion, 1917 - End.; M. & Sil. (Champion 1917). *Mordellistena argutula* Champion, 1917 - End.; M., Ro., Anon., Sil. (Champion 1917) & Fel. *M. dirempta* Champion, 1917 - End.; M., Sil. (Champion 1917) & P. *M. degressa* Champion, 1917 - End.; M. & Sil. (Champion 1917). *M. parvillii* Champion, 1917 - End.; M. & Sil. (Champion 1917). *M. septemcarinata* Champion, 1917 - End.; M., Sil. (Champion 1917) & P.

Family MYCETOPHAGIDAE *Propalticus sechellarum* Scott, 1921 - End.; M. & Sil. (Scott 1921).

Family NITIDULIDAE *Brachypeplus aequalis* (Walker, 1858) - Asia; M., Sil. (Grouvelle 1913), P. & Mar. *B. notatus* Murray, 1864 - Asia; M., Sil. (Grouvelle 1913), P., Mar. & LD. *Carpophilus angustatus* Murray, 1864 - Mad.; Sil. (Grouvelle 1913). *C. dimidiatus* (Fabricius, 1792) - Afr., M., Sil. (Grouvelle 1913) & P. *C. fusciceps* Grouvelle, 1913 - End.; Sil. (Grouvelle 1913). *C. hemipterus* (Linnaeus, 1767) - Cosmo.; M. & Sil. (Grouvelle 1913). *C. humeralis* (Fabricius, 1798) - Palaeotrop.; M., Sil. (Grouvelle 1913), P. & Fel. *C. scotti* Grouvelle, 1913 - End.; Sil. (Grouvelle 1913). *Cillaeus megacephalus* Castelnau, 1835 - Mad.; Long & Sil. (Grouvelle 1913). *C. micros* Grouvelle, 1913 - End.; Sil. (Grouvelle 1913). *C. opaculus* Grouvelle, 1913 - End.; M. & Sil. (Grouvelle 1913). *Cybocephalus brevis* Grouvelle, 1913 - Am.; M. & Sil. (Grouvelle 1913). *C. minutus* Grouvelle, 1913 - End.; M., Anon., Sil. & P. *C. tantillus* Grouvelle, 1913 - End.; M., Sil. (Grouvelle 1913) & P. *Haptoncus luteolus* (Erichson) - Pantrop.; M., Sil. (Grouvelle 1913). P. & Mar. *H. minutus* (Reitter, 1873) - Palaeotrop.; M. & Sil. (Grouvelle 1913). *H. oocularis* (Fairmaire, 1849) - Pantrop.; M., Sil. (Grouvelle 1913), P. & LD. *Pria nitidior* Grouvelle, 1913 - End.; Sil. (Grouvelle 1913). *Stelidota explanata* Grouvelle, 1913 - End.; M. & Sil. (Grouvelle 1913).

Family NOTIOPHYGIDAE *Aphanocephalus acuminatus* Grouvelle, 1918 - End.; M. & Sil. (Grouvelle 1918). *A. insularis* Grouvelle, 1918 - End.; M., Sil. (Grouvelle 1918) & P.

Family OEDEMBRIDAE *Ananca scabripennis* Champion, 1917 - Indian Ocean; M., Sil. (Champion 1917) & P. *Oxacis grisescens* (Fairmaire, 1897) - Masc?; M., Sil. (Champion 1917), P., Fel. & Bird.

Family OSTOMIDAE *Lophocateres pusillus* (Klug, 1832) - Cosmo.; Sil. (Grouvelle 1918).

Family PEDILIDAE *Eurygenius convexicollis* Champion, 1917 - End.; Sil. (Champion 1917).

Family PLATYPODIDAE *Platypus lepidus* Chapius, 1866 - Asia; Sil. (Sampson 1914) & P.

Family PHALACRIDAE *Nesiotes similis* Scott, 1921 - End. gen.; M., Anon. & Sil. (Scott 1921). *N. tropicus* Scott, 1921 - End.; M., Long, Ro., Sil. (Scott 1921) & P. *Parischius seychellensis* Scott, 1921 - End.; M., Sil. (Scott 1921) & P. *Phalacratorus exiguus* Scott, 1921 - End.; M., Sil. (Scott 1921). *Stilboides angulicaput* Scott, 1921 - End.; Sil. (Scott 1921).

Family PSELAPHIDAE *Batriscodes caudatus* Raffray, 1913 - End.; Sil. (Raffray 1913) & P. *Batraxis egregia* Raffray, 1913 - End.; Sil. (Raffray 1913) & P. *Hughia carinata* Raffray, 1913 - End.; Sil. (Raffray 1913). *Thesiastes cordicollis* Raffray, 1882 - Afr.; M., Long, Sil. (Raffray 1913) & P. *Sunorfoloides bicolor* Raffray, 1913 - End.; Sil. (Raffray 1913). *S. picea* Raffray, 1913 - End.; Sil. (Raffray 1913). *S. punctipennis* Raffray, 1913 - End.; M. & Sil. (Raffray 1913). *Triomicrus seychellensis* Raffray, 1913 - End.; Sil. (Raffray 1913).

- Family PTILIIDAE (=TRICHOPTERYGIDAE) *Acrotrichis ovatula* Motschulsky, 1808 - End., M. & Sil. (Britten 1926). *Ptiliodes pruinosa* Britten, 1926 - End.; Sil. (Britten 1926). *Ptiliolum rufotestaceum* (Matthews, 1894) - Caribbean; Sil. (Britten 1926). *Plinella impressicollis* Britten, 1926 - End.; M. & Sil. (Britten 1926). *Throscidium brunneum* Britten, 1926 - End.; M. & Sil. (Britten 1926).
- Family PTINIDAE *Ptinus monticola* Scott, 1924 - End.; M. & Sil. (Scott 1924). *P. sechellarium* Scott, 1924 - End.; M. & Sil. (Scott 1924). *Sulcophytus gothicus* (Scott, 1924) - End.; M. & Sil. (Scott 1924).
- Family RHIPICERIDAE *Callirhipis philiberti* Fairmaire, 1891 - End.; M., Long. Sil. (Scott 1926), P & LD.
- Family SCARABAEIDAE *Aphodius nigritus* Fabricius, 1801 - Afr.; M., Long. Sil. (Scott 1912), Fel. & LD. *Adoretus versutus* Harold, 1869 - Indian Ocean; M., Sil. (Scott 1912) & P. *Nesohoplia senectonis* Scott, 1912 - End., gen.; M. & Sil. (Scott 1912). *Oryctes monoceros* (Olivier, 1789) - Afr.; M., Sil. (Scott 1912), P., Freg. & Denis. *Oxymus palmarum* Scott, 1912 - End.; M. & Sil. (Scott 1912). *Saprosites laticeps* (Fairmaire, 1871) - Indian Ocean; M. & Sil. (Scott 1912).
- Family SCOLYTIDAE *Coccotrypes declivis* Sampson, 1914 - Mad.; M. & Sil. (Sampson 1914). *C. furvus* (Sampson, 1914) Sampson, 1914 - End.; M. Sil. (Sampson 1913). *C. sp.* - ?; Sil. (Sampson 1914). *Cryphalus pallidus* Eichhoff, 1871 - Afr.; M. & Sil. (Sampson 1914). *C. trypanus* Sampson, 1913 - End.; M., Sil. (Sampson 1914) & Mar. *Eccoptopterus spinosus* (Olivier) - Palearctrop.; M. & Sil. (Sampson 1914 as *E. sexspinatus*). *Hypothenemus birmannus* Eichhoff, 1879 - Asia; M. & Sil. (Sampson 1914). *Hypothenemus eruditus* Westwood, 1836 - Cosmo.; M., Long. Sil. (Sampson 1914) & P. *Xyleborinus andrewesi* (Blandford, 1896) - Asia; Sil. (Sampson 1914). *X. crassulusculus* (Motschulsky) Blandford, 1896 - Asia; M. & Sil. (Sampson 1914 as *X. semigranulosus*). *Xyleborus ferrugineus* (Fabricius) - Pantrop.; M., Long. Sil. (Sampson 1914 as *X. confusus*) & P. *X. piceus* (Motschulsky) Schauf., 1891 - Indo-Pacific; M., Sil. (Sampson 1914 as *X. madagascariensis*). *X. perforans* (Wollaston, 1857) - Asia; M., Anon., Sil. (Sampson 1914). P. & LD. *X. volvulus* (F.) - Introduced; M., Sil. (Sampson 1914 as *X. torquatus*) & LD.
- Family SCYDMAENIDAE *Euconnus senex* Scott, 1921 - End.; M. & Sil. (Scott 1921). *Neseuthia cordithorax* Scott, 1921 - End., gen.; Sil. (Scott 1921). *N. minor* Scott, 1921 - End.; M. & Sil. (Scott 1921). *N. polita* Scott, 1921 - End.; Sil. (Scott 1921). *N. typica* Scott, 1921 - End.; M. & Sil. (Scott 1921). *Nesotoxidium typicum* Scott, 1921 - End., gen.; M. & Sil. (Scott 1921). *Scaphosoma achardianum* Scott, 1921 - End.; M. & Sil. (Scott 1921). *S. pictum* Motschulsky, 1863 - Asia; M. & Sil. (Scott 1921). *S. silhouetiae* Scott, 1921 - End.; Sil. (Scott 1921). *Scydmaenus armatus* Scott, 1921 - Indian Ocean; M., Long. Sil. (Scott 1921) & Fel. *S. insularum* Scott, 1921 - End.; M., Sil. (Scott 1921) & P. *S. seychellensis* Scott, 1921 - End.; M. & Sil. (Scott 1921). *Toxidium seychellense* Scott, 1921 - End.; M. & Sil. (Scott 1921).
- Family SPHINDIDAE *Aspidiphorus tareynii* - ?; M. & Sil. (Scott 1924). *A. perexiguis* Scott, 1924 - End.; M., Sil. (Scott 1924) & P.
- Family STAPHYLINIDAE *Alanygnathus piceus* Motschulsky - Asia; M., Sil. (Bernhauer 1921) & LD. *Anebolura minutissima* Bernhauer, 1921 - End., gen.; M., Sil. (Bernhauer 1921) & Fel. *Astenus melanarius* Kust. - End.; Sil. (Bernhauer 1921). *A. scotti* Bernhauer, 1921 - End.; M. & Sil. (Bernhauer 1921). *Atheta coriaria* Motsch. - End.; M., Sil. (Bernhauer 1921) & Mar. *A. ditulipennis* Motsch. - Afr.-Asia; M., Sil. (Bernhauer 1921), P. & Mar. *A. insularis* Bernhauer, 1921 - End.; Sil. (Bernhauer 1921). *A. laeticollis* Faauvel - End.; M., Sil. (Bernhauer 1921) & P. *Calaminus pennifer* Faauvel - End.; M., Sil. (Bernhauer 1921). *Coenonica puncticollis* Kraatz - Pantrop.; Sil. (Bernhauer 1921). *Conosoma alluaudi* (Faauvel) - End.; M., Sil. (Bernhauer 1921), P. & LD. *C. heterocerus* (Faauvel) - Asia; M., Sil. (Bernhauer 1921) & LD. *C. rufiventris* (Faauvel) - End.; M., Sil. (Bernhauer 1921), P. & LD. *Coproporus atomus* Kraatz - Asia - M., Sil. (Bernhauer 1921) & P. *C. minimus* (Motschulsky) - Asia; M., Sil. (Bernhauer 1921) & P. *C. tachyporooides* Kraatz - Afr.; Sil. (Bernhauer 1921). *Diochus punctipennis* Motsch. - Asia; M. & Sil. (Bernhauer 1921). *Edaphus Africus* Epp. - Afr.; M. & Sil. (Bernhauer 1921). *E. sechellarum* Bernhauer, 1921 - End.; M. & Sil. (Bernhauer 1921). *E. spectabilis* Bernhauer, 1921 - End.; Sil. (Bernhauer

1921) & P. *Eteusis kraatzii* Fauvel, 1878 - Asia; Sil. (Bernhauer 1921). *Espesia scotti* Bernhauer, 1921 - End.; Sil. (Bernhauer 1921). *Gyrophaena plicata* Fauvel - Mad.; M., Sil. (Bernhauer 1921) & P. *Leptacinus magniceps* Bernhauer, 1921 - End.; Sil. (Bernhauer 1921). *Leptusa longicollis* Bernhauer, 1921 - End.; M., Sil. (Bernhauer 1921) & P. *Lispinus impresicollis* Motsch - Afr.-Asia; M., Long & Sil. (Bernhauer 1921). *L. obscurellus* Fauvel, 1904 - Mad.; M., Long & Sil. (Bernhauer 1921). *L. politulus* Fauvel, 1898 - End.; Sil. (Bernhauer 1921) & LD. *L. specularis* Bernhauer, 1904 - Asia; M., Sil. (Bernhauer 1921), & P. *Placusa insularis* Bernhauer, 1921 - End.; Sil. (Bernhauer 1921). *Medon cephalotes* Bernhauer, 1921 - End.; M., Sil. (Bernhauer 1921) & P. *M. debilicornis* Wollaston - End.; M., Long, Sil. (Bernhauer 1921) & P. *M. duplicatus* Fauvel - Mad.; Sil. (Bernhauer 1921). *M. nigripennis* Bernhauer, 1921 - End.; M., Sil. (Bernhauer 1921). *M. testaceomarginatus* Bernhauer, 1921 - End.; M., Sil. (Bernhauer 1921) & P. *M. trapeziformis* Bernhauer, 1921 - End.; M., Sil. (Bernhauer 1921) & P. *M. varlipennis* Bernhauer, 1921 - End.; M., Sil. (Bernhauer 1921). *Osorius seychellarum* Kolbe - End.; M., Sil. (Bernhauer 1921). *Paracyclops asperata* Bernhauer, 1921 - End. gen.; M., Sil. (Bernhauer 1921) & P. *P. maheana* Bernhauer, 1921 - End.; M., Sil. (Bernhauer 1921), & Mar. *P. tenuipunctata* Bernhauer, 1921 - End.; M., Sil. (Bernhauer 1921). *Philonthus bisignatus* Boheman - Afr.; M., Sil. (Bernhauer 1921). *P. fimbriolatus* Er. - Afr.; M., Sil. (Bernhauer 1921). *Phloconomus singularis* Kraatz, 1859 - End.; Sil. (Bernhauer 1921). *Stenus silvicolus* Bernhauer, 1921 - End.; M., Sil. (Bernhauer 1921). *Thoracophorus alluaudi* Fauvel, 1878 - End.; M., Sil. (Bernhauer 1921) & LD.

Family TENEBRIONIDAE *Alphitobius crenatus* Klug, 1833 - Indian Ocean; M., Long, Sil. (Gebien 1921), P., Bird & Denis. *Amarygmus seychellensis* Gebien, 1921 - End.; M., Sil. (Gebien 1921). *Bradymerus hispidus* Gebien, 1921 - End.; M., Sil. (Gebien 1921). *B. seychellensis* Gebien, 1921 - End.; M., Sil. (Gebien 1921) & Pel. *Camarothelops braueri* Kolbe, 1910 - End. gen.; M., Sil. (Gebien 1921). *Cherostus speculifrons* Gebien, 1921 - End.; Long & Sil. (Gebien 1921). *Cryphaeus capreolus* Fairmaire, 1869 - Comoros; M., Sil. (Gebien 1921) & P. *Entemosoma punctatum* Gebien, 1921 - End.; M., Sil. (Gebien 1921). *Eutochia pulla* Er. - Afr.; M., Sil. (Gebien 1921) & P. *Gnathelops chatanayi* Gebien, 1921 - End. gen.; Sil. (Gebien 1921) & P. *Gonocephalum micantipenne* Fairmaire, 1893 - Afr.; M., Cerf, Long, Sil. (Gebien, 1921), P., Bird & Denis. *G. simplex* Fabricius - Indian Ocean; M., Sil. (Gebien 1921), P., Freg., Bird & Denis. *Heterophyllus atomus* Gebien, 1921 - End.; Sil. (Gebien 1921). *Platydemia inaequidens* (Fairmaire, 1880) - Mad.; M., Sil. (Gebien 1921). *Pseudhadrus braueri* Kolbe, 1910 - End. gen.; Sil. (Kolbe 1910; Gebien 1921). *P. striatus* Kolbe, 1910 - End.; M., Sil. (Kolbe 1910; Gebien 1921). *Tagalus cavifrons* (Fairmaire, 1893) - End.; M., Sil. (Gebien 1921). *Tribolium castaneum* Herbst. - Introduced; M., Sil. (Gebien 1921). *Uloma crenatostriata* Fairmaire, 1868 - End.; M., Sil. (Gebien 1921).

Family XYLOPHILIDAE *Xylophilus clavicornis* Champion, 1917 - End.; M., Sil. (Champion 1917) & P. *X. seychellarum* Champion, 1917 - End.; M., Sil. (Champion 1917). *X. torticornis* Champion, 1917 - End.; M., Sil. (Champion 1917) & P.

CHORDATA

PISCES

Family RIVULIDAE *Pachyplanchax playfairii* Günther - End.; M., Sil. (Gerlach 1993) & P.

Family CICLIDAE *Oreochromis mossambicus* (Peters, 1852) - Introduced; M., Sil. (Gerlach 1994a; Gerlach & Canning 1996), P. & LD.

Family GOBIIDAE *Periophthalmus sobrinus* - Indian Ocean; M., Sil. (Gerlach 1994a; Gerlach & Canning 1996), P. & LD. *Bathygobius laddi* - Indian Ocean; M., Sil. (Gerlach & Canning 1996).

Family BLENNIIDAE *Ophiocara porocephala* - Indo-Pacific; M., Sil. (Gerlach 1994a; Gerlach & Canning 1996), P. & LD.

AMPHIBIA

Family CAECILIAIDAE *Grandisoma alternans* Stejneger, 1906 - End. gen.; M., Sil. (Boulenger 1909 & 1911; Nussbaum 1984; OUSE 1990; Hedges et al. 1993), P., LD & Freg. *G. brevis* (Boulenger, 1911) - End.; M. & Sil. (OUSE 1990). *G. larvata* Ahl, - End.; M., Sil. (Nussbaum 1984; Hedges et al. 1993), P. & LD. *G. seychellensis* (Boulenger, 1911) - End.; M., Sil. (Boulenger 1909 as *Cryptopsophis multisquamatus* & 1911; Nussbaum 1984; Hedges et al. 1993) & P. *Hypogeophis rostratus* Cuvier, 1829 - End. gen., M., Sil. (Boulenger 1909 & 1911; Nussbaum 1984; Hedges et al. 1993), P., LD & Freg. *Praslinia cooperi* Boulenger, 1909 - End. gen.; M., Sil. (Hedges et al. 1993) & P.

Family HYPEROLIIDAE *Tachycnemis seychellensis* (Dumeril & Bibron, 1836) - End. gen.; M., Sil. (Boulenger 1911; Nussbaum & Wu 1995), P. & LD.

Family RANIIDAE *Ptychadena mascareniensis* (Dumeril & Bibron, 1836) - Afr., Mascarenes; M., Sil. (Boulenger 1911; Nussbaum 1984; OUSE 1990), P., LD. & Freg.

Family SOOGLOSSIDAE *Nesomantis thomasseti* Boulenger, 1909 End. gen.; M., Sil. (Boulenger 1911; Nussbaum 1984; OUSE 1990 as *Tachycnemis seychellensis*). *Sooglossus gardineri* (Boulenger, 1911) End. gen.; M., Sil. (Boulenger 1911; Nussbaum 1984; OUSE 1990). *S. seychellensis* Boettger, 1896 - End.; M., Sil. (Boulenger 1911; Nussbaum 1984; OUSE 1990)

REPTILIA

CROCODILIA

Family CROCODILIDAE *Crocodylus porosus* Cuvier - Indo-Pacific; formerly widespread, extinct - Sil. (Oger 1771).

CHELOMIA

Family TESTUDINIDAE *Dipsoschelys* spp. - End.; formerly widespread - Sil. (Oger 1771 in Bour 1984).

Family PELOMEDUSIDAE *Pelusios* spp. - End.; formerly widespread - Sil. (Honegger 1966)

Family CHELONIIDAE *Chelonia mydas* (Linnaeus, 1766) - Pantrop.; widespread - Sil. (Frazier 1984). *Eretmochelys imbricata* (Linnaeus, 1766) - Pantrop.; widespread - Sil. (Frazier 1984; Mortimer 1986).

Family CHAMAELONIDAE *Chamaeleo tigris* Kuhl, 1820 - End.; M., Sil. (Boulenger 1911; Gardner 1986; OUSE 1990) & P.

Family COLUBRIDAE *Baedon geometricus* (Schlegel, 1837) - End.; M., Sil. (Boettger 1896; Boulenger 1911), P. & Freg. *Lycognathophis seychellensis* (Schlegel, 1837) - End.; M., Sil. (Boulenger 1909; Nussbaum 1984; OUSE 1990), P., Coue., A. & Freg.

Family GEKKONIDAE *Alluronyx seychellensis* (Dumeril & Bibron, 1836) - End.; M., SA., Anon., Con., Ther., Sil. (Boulenger 1909; OUSE 1990; Gerlach & Canning 1996), P., CS., Co., Coe., A., Mar., Fel., GS., LD. & Freg. *Gehyra mutilata* (Wiegmann, 1835) - Introduced, M., SA., Cerf., Anon., Isl., Ther., Sil. (Gardner 1986; OUSE 1990), N., P., Cur., CS., OS., Fel., LD., Freg. & Denis *Phelsuma astriata* Tomier, 1901 - End.; M., SA., Cerf., Moy., Long, Cach., Anon., Isl., Con., Ther., Sil. (Boulenger 1909 as *P. madagascariense*; Gardner 1986; OUSE 1990), P., Cur., US., R., Co., Coe., A., Fel., Coco, GS., PS., Mar., LD. & F. *P. sundbergi* Rendahl, 1939 - End.; M., SA., Cerf., Ro., Moy., Long, Cach., Anon., Sou., Isl., Con., Ther., Sil. (Boulenger 1909 as *P. madagascariense*; Gardner 1986; OUSE 1990), N., P., Cur., CS., R., Fel., Coco, GS., PS., Mar., LD. & F. *Urocoyledon inexpectata* (Stein.) - End.; M., Sil. (Gardner 1986; OUSE 1990); P., Cur., Cou., A., Coco, GS., Fel., LD. & Freg.

Family SCINCIDAE *Janetaescincus braueri* (Boettger, 1896) - End. gen.; M., S. (Boulenger 1911; Gardner 1986; OUSE 1990) & Freg. *Mubuya seychellensis* (Dumeril & Bibron, 1836) - End.; M., SA., Long, Cerf., Ro., Moy., Cach., Anon., Pet., Isl., Con., Ther., Sil. (Boulenger 1909; Gardner 1986; OUSE 1990), N., P., Cur., CS., R., Co., Coe., A., Fel., Coco, GS., PS., Mar., LD., Freg., Bird., & Denis *Pamelascincus gardineri* (Boulenger, 1909) - End. gen., M., Cerf., Sil. (Boulenger 1911; Gardner 1986; OUSE 1990), P., Cur., R., Cou., A., PS., GS., LD. & Freg.

AVES

- Family FREGATTIDAE *Phaethon lepturus* Lacépède & Daudin, 1802 - Pantrop., M., Sil. (Newton 1867; Penny 1974; OUSE 1990), Co., Coe. & A.
- Family LARIIDAE *Gygis alba* Sparrm, 1786 - Indo-Pacific; M., Sil. (Gerlach 1993), P., Co., Coe., A., LD. & Freg.
- Family ARDEIDAE *Buitrotoides striatus* (Linnaeus, 1758) - Pantrop., M., Sil. (OUSE 1990), P., Co., Coe., A., LD., & Freg.
- Family FALCONIDAE *Falco araea* Oberholser, 1904 - End.; M., Cerf, Sil. (Newton 1867; Watson 1981; Greig-Smith 1989; OUSE 1990), P., Fel., Mar., & LD.
- Family RALLIDAE *Gallinula chloropus* (Linnaeus, 1758) - Cosmo.; M., Sil. (Gerlach 1993), P., Co., Coe., A., & LD.
- Family COLUMBIDAE *Columba livia* Gmelin, 1789 - Introduced; M., Sil. (Gerlach 1993) & P. *Streptopelia picturata* (Temminck) - Mad.; M., Sil. (Greig-Smith 1989; OUSE 1990), P., Co., Coe., A., Mar., Fel. & Freg. *Geopelia striata* (Linnaeus, 1758) - Introduced; M., Sil. (Greig-Smith 1989; OUSE 1990), P., A., Co., Coe., Mar., Fel., LD. & Freg. *Alectroenas pulcherrima* (Sonnerat, 1768) - End.; M., Sil. (Watson 1984; Greig-Smith 1989; OUSE 1990), P., A., Fel., Mar., LD. & Freg.
- Family PSITTACULIIDAE *Agapornis cana* (Gmelin) - Introduced, extinct; M. & Sil. (Penny 1974). *Psittacula eupatria* Linnaeus, 1758 - Asia, extinct; M., Sil. (Newton 1867; North 1892) & P.
- Family OTIIDAE *Tyto alba* (Scoparia, 1769) - Introduced; M., Sil. (Greig-Smith 1989; OUSE 1990), P., Co., Coe., A. & Freg.
- Family HYPSIPETIDAE *Hypsipetes crassirostris* Newton, 1867 - Com.; M., Sil. (Newton 1867; Watson 1984; Greig-Smith 1989; OUSE 1990), P., Mar., Fel. & LD.
- Family NECTARIDAE *Nectarinius dussumieri* (Hartlaub, 1860) - End.; M., Sil. (Greig-Smith 1989; OUSE 1990), P., Co., Coe., A., Mar., Fel., LD & Freg.
- Family PLOCIDAE *Foudia madagascariensis* (Linnaeus, 1758) - Mad.; M., Cerf, Sil. (Greig-Smith 1989; OUSE 1990), P., Co., Coe., A., Mar., Fel., LD. & Freg.
- Family STURNIDAE *Acridotheres tristis* (Linnaeus, 1766) - Introduced; widespread, M., Sil. (Greig-Smith 1989; OUSE 1990), P., Co., Coe., A., Mar., Fel., LD. & Freg.

MAMMALIA

- Family CERVIDAE *Cervus timorensis* - Introduced, extinct; Sil. (Racey & Nicoll 1984) & Freg.

CHIROPTERA

- Family EMBALLONURIDAE *Coleura seychellensis* Peters, 1896 - End.; M., Sil. (Wright 1868, Thomas 1915, Nicoll & Suttie 1982; Matyot 1996c), P. & LD.
- Family PTEROPIDAE *Pteropus seychellensis* Milne Edwards, 1887 - Com., Ald.; M., Sil. (Wright 1868; OUSE 1990), P. & LD.

RODENTIA

- Family MURIDAE *Rattus rattus* (Linnaeus, 1758) - Introduced, M, SA, Cerf, Long, Sil. (Scott 192, OUSE 1990), N., P., Cur., Fel., Mar., LD & Freg.

References

- Adams, H. 1868 - Description of some new species of shells collected by Geoffrey Nevill Esq., at Mauritius, the Isle of Bourbon and the Seychelles. *Proc. Zool. Soc. Lond.* (1868): 288-292.
- Agnall, R.S. 1921 - On Thysanoptera from the Seychelles Islands and Rodriguez. *Ann. Mag. Nat. Hist.*, 9, 7, 257-293.
- Arrow, G.J. 1922 - Coleoptera, Erotylidæ and Endomychidæ from the Seychelles, Chagos and Amirantes Islands. *Ann. Mag. Nat. Hist.*, 9, 10, 73-83.
- Attems, C.G. 1900 - Dr. Bruer's Myriopoden-Ausheute auf den Seychellen im Jahre 1895. *Zool. Jahrb. (Syst.)* 13: 133-171.

- Aurivillius, C. 1922 - Coleoptera (Cerambycidae) from the Seychelles Islands, Aldabra and Rodriguez. *Ann. Mag. Nat. Hist.*, 9 10, 421-443.
- Austen, E.E. 1920 - The Percy Sladen Trust Expedition to the Indian Ocean in 1905 and in 1907-1909, under Mr J. Stanley Gardiner, M.A. Diptera: Tabanidae. *Bull. ent. Res.* 11, 43-45.
- Bagnall, R.S. 1921 - Thysanoptera. *Ann. Mag. Nat. Hist.*, 9 7, 257-293.
- Benoit, P.L.G. 1978 - Contributions à l'étude de la faune terrestre des îles granitiques de l'archipel des Seychelles. *Rev. Zool. afr.* 92 (2), 405-420, 663-674, 675-679, 680-689, 690-699, 899-901, 940-946.
- 1979a - Contributions à l'étude de la faune terrestre des îles granitiques de l'archipel des Seychelles. Oonopidae (Araneae). *Rev. Zool. afr.* 93 (1), 185-222.
- 1979b - Amblypygi et Scorpiones. *Rev. Zool. afr.* 93, 458-460
- Bernhauer, M. 1922 - Coleoptera, Staphylinidae. *Trans. Linn. Soc. Lond.*, 2 18, 165-186.
- Bezzi, M. 1923 - Diptera, Bombyliidae and Myiodaria (Coenosiainae, Muscinae, Calliphorinae, Sarcophaginae, Dexiinae, Tachininae), from the Seychelles and neighbouring islands. *Parasitology* 15, 75-102.
- Boettger, O. 1896 - Neue Kriechtiere (*Scalotes, Arthrolepis*) von den Seychellen. *Zool. Anz.* 19, 349-351.
- Bolivar, I. 1912 - Orthoptera: Acridiidae, Phasgonuridae, Gryllidae. *Trans. Linn. Soc. Lond.*, 2 15, 263-292.
- 1924 - Orthoptera Dictyoptera (Blattidae and Mantidae), and a supplement to Gryllidae, of the Seychelles and adjacent islands. *Ann. Mag. Nat. Hist.*, 9 13, 313-359.
- Bolivar, I. & Ferriere, C. 1912 - Orthoptera, Phasmidae of the Seychelles. *Trans. Linn. Soc. Lond.*, 2 15, 293-300.
- Borradaile, I.A. 1907 - Land and freshwater Decapoda. *Trans. Linn. Soc. Lond. (Zool.)* 12, 63-68.
- Boulenger, G.A. 1909 - A list of the freshwater fishes, batrachians and reptiles obtained by Mr J. Stanley Gardiner's expedition to the Indian Ocean. *Trans. Linn. Soc. Lond.*, 2 12, 291-300.
- 1911 - List of Batrachians, and Reptiles obtained by Prof. Stanley Gardiner on his second expedition to the Seychelles and Aldabra. *Trans. Linn. Soc. Lond.*, 2 14, 375-378.
- Bour, R. 1984 - Taxonomy, history and geography of Seychelles land Tortoises and fresh-water Turtles. In: *Biogeography and Ecology of the Seychelles Islands*. Monographiae Biologicae Vol. 55. (Ed: Stoddart, DR) Dr. W. Junk, The Hague, 281-308.
- Bouvier, E.I. 1913 - Les Cardines des Seychelles. *Trans. Linn. Soc. Lond. (Zool.)* 15, 447-472.
- Brignoli, P.M. 1978 - Contributions à l'étude de la faune terrestre des îles granitiques de l'archipel des Seychelles. Araneae Tetrablemmidae. *Rev. Zool. afr.* 92(2), 431-435.
- 1980 - Contributions à l'étude de la faune terrestre des îles granitiques de l'archipel des Seychelles. Araneae Telemidae et Ochyroceratidae. *Rev. Zool. afr.* 94(2), 380-386.
- Brindle, A. 1976 - Dermapter of the Seychelles. *Rev. Zool. Bot. Afr.* 90; 2
- Brown, D.S. & Gerlach, J. 1991 - On *Paludomus* and *Cleopatra* (Thiaridae) in Africa and the Seychelles islands. *J. Moll. Stud.* 57, 471-479.
- Budde-Lund, G. 1913 - Terrestrial Isopoda, particularly considering in relation to the distribution of the southern Indo-Pacific species. *Trans. Linn. Soc. Lond.*, 2 15, 367-394.
- Britten, H. 1926 - Ptiliidae. *Trans. Linn. Soc. Lond.*, 2 19, 87-89.
- Burr, M. 1910 - Dermaptera. *Trans. Linn. Soc. Lond. (Zool.)* 14, 123-333.
- Cameron, P. 1907 - Hymenoptera. *Trans. Linn. Soc. Lond.*, 2 (Zool.) 12, 69-86.
- Campion, H. 1913 - Odonata. *Trans. Linn. Soc. Lond.*, 2 15, 435-446.

- Carlström, A., Dogley, D., Fleisher-Dogley, F., Nolin, R. & Vernier, N. 1996 - *Silhouette Plant Conservation Expedition - 26-30 Jan 1996 - Report*, Division of Environment, Seychelles, Unpublished.
- Carpenter, G.H. 1916 - The Apterygota of the Seychelles. *Proc. R. Ir. Acad., B* 33, 1-70.
- Champion, G.C. 1914 - Coleoptera, Curculionidae. *Trans. Linn. Soc. Lond.*, 2 16, 393-497.
- " 1917 - Coleoptera, Heteromera (excluding Tenebrionidae) from the Seychelles Islands and Aldabra. *Ann. Mag. Nat. Hist.*, 8 19, 161-187.
- " 1924 - Coleoptera from the Seychelles: Lampyridae, Hesodidae, Cantharidae, Melyridae, and supplement to Cleridae Islands and Aldabra. *Trans. R. ent. Soc., Lond.* (1924), 295-304.
- Christensen, C. 1912 - On the ferns of the Seychelles and the Aldabra group. *Trans. Linn. Soc. Lond. 2. (Bot.)* 7; 409-425.
- Cockerell, T.D.A. 1912 - Hymenoptera, Apoidea. *Trans. Linn. Soc. Lond.*, 2 15, 29-41.
- Collin, J.E. 1912 - Diptera, Borboridae & Phoridae from Seychelles. *Trans. Linn. Soc. Lond.*, 2 15, 101-118.
- " 1922 - Empididae from the Seychelles. *Entomologist's Monthly Magazine* 58, 184-189.
- Demange, J.-M. 1981 - Myriapoda - Chilopoda. *Rev. Zool. Afr.* 95: 623-652.
- Distant, W.L. 1909 - 'Sealark' Rhynchota. *Trans. Linn. Soc. Lond.*, 2 13, 29-48.
- " 1913 - Rhynchota. Part I: Suborder Heteroptera. *Trans. Linn. Soc. Lond.*, 2 16, 139-191.
- Eaton, A.E. 1913 - Diptera, Psychodidae & Ephemeroptera. *Trans. Linn. Soc. Lond.*, 2 15, 423-434.
- Edwards, F.W. 1912 - Diptera, Tipulidae. *Trans. Linn. Soc. Lond.*, 2 15, 195-214.
- Enderlein, G. 1910 - Embiidina und Neuroptera (Coniopterygidae und Hemerobiidae). Diptera, Mycetophilidae. *Trans. Linn. Soc. Lond.*, 2 14, 55-81.
- " 1912 - Diptera, Sciaridae. *Trans. Linn. Soc. Lond.*, 2 15, 181-194.
- " 1931 - Die Copeognathen-fauna der Seychellen. *Trans. Linn. Soc. Lond.*, 2 19, 207-240.
- Gebien, H. 1922 - Coleoptera, Heteromera: Tenebrionidae. *Trans. Linn. Soc. Lond.*, 2 18, 261-324.
- Grasshoff, 1980 - Contributions à l'étude de la faune terrestre des îles granitiques de l'archipel des Seychelles. Araneidae-Argiopidae, Araneidae-Araneinae (Araneae). *Rev. Zool. Afr.* 94(2), 387-409.
- Enderlein, G. 1913 - Diptera: Scatopsidae, Simuliidae. *Trans. Linn. Soc. Lond.*, 2 16, 373-375.
- Esben-Petersen, P. 1927 - Neuroptera: Chrysopidae of Seychelles and adjacent islands. *Ann. Mag. Nat. Hist.*, 9 19, 445-455.
- Ferrara, F. & Taiti, S. 1983 - Contributions à l'étude de la faune terrestre des îles granitiques de l'archipel des Seychelles (Mission P.L.G. Benoit - J.J. Van Mol 1972). Isopodi terrestri. *Annl. Mus. J. Afr. cent.*, 8 (Zool.) 240, 1-94.
- Fletcher, T.B. 1910 - Lepidoptera, exclusive of the Tortricidae and Tineidae, with some remarks on their distribution and means of dispersal amongst the islands of the Indian Ocean. *Trans. Linn. Soc. Lond.*, 2 13, 265-324 & The Orneodidae and Pterophoridae of the Seychelles Expedition. *Trans. Linn. Soc. Lond.*, 2 13, 397-404.
- Fleutiaux, E. 1923 - Coleoptera: Melasidae et Elateridae des Seychelles et des îles voisines. *Trans. R. ent. Soc., Lond.* (1923), 398-436.
- Floater, G.J. undated - *Studies on insect diversity in a tropical montane forest on Silhouette Island, Seychelles*. BA (Hons.) thesis, Univ. Oxford, Unpublished.
- " 1993 - Lepidoptera on endemic plants of the Seychelles. *Ent. Rec.* 105, 255-256.
- " 1994 - Effects of habitat destruction on endemic Dermaptera of the Seychelles. *Ent. Mo. Mag.* 134; 59-61.
- " 1995 - Seed predation and flower visiting by *Epicroesa* sp (Lepidoptera: Heliodinidae) on a rare Seychelles tree. *Phelsuma* 3, 31-40.

- Forel, A. 1907 - Fourmis des Seychelles, Amirantes, Farquhar et Chagos. *Trans. Linn. Soc. Lond.*, 2 (Zool.) 12, 91-94.
- " 1912 - Fourmis des Seychelles et des Aldabras, reçues de M. Hugh Scott. *Trans. Linn. Soc. Lond.*, 2 15, 159-167.
- Frazier, J. 1984 - Marine turtles in the Seychelles and adjacent territories. In: *Biogeography and Ecology of the Seychelles Islands*. Monographiae Biologicae Vol. 55. (Ed. Stoddart, DR) Dr W. Junk, The Hague, 417-468.
- Fridmann, F. 1986a - *Flowers and trees of Seychelles*. Editions Delroisse, Paris. 196pp.
- " 1987a (for 1986) - Revision des Arialaceae des Seychelles. *Adansonia* 3, 245-256.
- " 1987b - Étude de la structure du périanthe chez des *Pisonia* paléotropicaux et description de *P. sechellarum* sp. nov. (*Nyctagynaceae*). *Adansonia* 4; 383-392.
- " 1990 - Une espèce nouvelle de *Psychotria* (Rubiaceae) des Seychelles. *Adansonia* 1; 65-67.
- " 1994 - *Flore des Seychelles. Dicotylédones*. ORSTOM, Paris. 663pp.
- Fryer, J.C. 1912 - The Lepidoptera of Seychelles and Aldabra, exclusive of the Orneodidae and Pterophoridae and of the Tortricina and Tineina. *Trans. Linn. Soc. Lond.*, 2 15, 1-28.
- Gardner, A.S. 1986 - The biogeography of the lizards of the Seychelles Islands. *J. Biogeog.* 13, 237-253.
- Gerlach, J. 1987 - *The Land Snails of Seychelles - a field guide*. Gerlach, Weedon. 43 pages.
- " 1993 - The conservation of Silhouette island, Seychelles. II. Animals. *Phelsuma* 1, 30-38.
- " 1994a - The management and conservation of the La Passe marsh, Silhouette. *Phelsuma* 2, 16-22.
- " 1994b - Some new forms of plants from Seychelles. *Phelsuma* 2, 61-63.
- " 1995 - New species of *Pachnodus* (Gastropoda: Enidae) from Seychelles. *J. Conch., Lond.* 35, 167-177.
- " 1996a - The effects of habitat domination by invasive Melastomataceae. *Phelsuma* 4; 19-26.
- " 1996b - The taxonomy and affinities of the genus *Prioduscus* (Mollusca; Gastropoda; Streptaxidae). *J. Conch., Lond.* 35, 357-368.
- Gerlach, J. & Canning, K.L. 1996 - *Seychelles Terrapin Conservation Project*. NPTS, unpublished.
- Gorochov, A.V. 1994 - To the knowledge of the Gryloidea (Orthoptera) of the Seychelles. *Entomologicheskoe Obozrenie* 73(1), 95-102.
- Green, E.E. 1907 - Notes on the Coccoidea collected by the Percy Sladen Trust Expedition to the Indian Ocean; supplemented by a collection received from Mr. R. Dupont, Director of Agriculture, Seychelles. *Trans. Ent. Soc. Lond., Zool.* 12, 197-207.
- Greig-Smith, P.W. 1989 - The distribution of native and introduced landbirds on Silhouette Island, Seychelles. *Biol. Conserv.* 38, 35-54.
- Grouvelle, A. 1913 - Coleoptera: Nitidulidae, Heteroceridae. *Trans. Linn. Soc. Lond.*, 2 16, 93-116.
- " 1914 - Coleoptera: Cucujidae, Cryptophagidae. *Trans. Linn. Soc. Lond.*, 2 17, 141-159.
- " 1918 - Coleoptera: Oostomidae, Monotomidae, Colydiidae and Notiophygidae from the Seychelles and Aldabra Islands. *Trans. Ent. Soc. Lond.* (1918), 1-57.
- Harding, W.A. 1913 - On a new land-leech from the Seychelles. *Trans. Linn. Soc. Lond.*, 2 16, 39-44.
- Hedges, S.B., Nussbaum, R.A. & Maxson, L.R. 1993 - Caecilian phylogeny and biogeography inferred from mitochondrial DNA sequences of the 12S rRNA and 16S rRNA genes (Amphibia: Gymnophiona). *Herpetological Monographs* 7, 64-76.
- Heldring van, P.J. 1978 - Contributions à l'étude de la faune terrestre des îles granitiques de l'archipel des Seychelles. Linyphiidae (Araneae). *Rev. Zool. Afr.* 92(2); 889-898.
- Hirst, A.S. 1911 - The Araneae, Opiliones and Pseudoscorpiones. Percy Sladen Trust Expedition to the Indian Ocean in 1905 under the leadership of Mr. J. Stanley Gardiner. *Trans. Linn. Soc. London, Zool.* 14, 379-395.

- 2^o. 1913 - Second report on the Arachnida - the Scorpions, Pedipalpi, and supplementary notes on the Opiliones and Pseudoscorpions. *Trans. Linn. Soc. Lond.*, 2 16, 31-37.
- Honegger, R.E. 1966 - Beobachtungen an der Herpetofauna der Seychellen. *Salamandra* 2, 20-36.
- Jordan, K. 1914 - Coleoptera: Anthribidae. *Trans. Linn. Soc. Lond.*, 2 16, 247-267.
- Kertész, K. 1912 - Diptera, Stratiomyidae. *Trans. Linn. Soc. Lond.*, 2 15, 95-99.
- Kieffer, J.J. 1910 - Diagnoses de nouveaux genres et de nouvelles espèces de Scelionides (Hym.) des îles Seychelles. *Bull. Soc. ent. Fr.* (1910), 292-294.
- 2^o. 1911 - Hymenoptera; Cynipidae. Diptera; Cecidomyiidae, Chironomidae. *Trans. Linn. Soc. Lond.*, 2 14, 309-366.
- 2^o. 1912 - Hymenoptera, Proctotrupoidea. *Trans. Linn. Soc. Lond.*, 2 15, 45-80.
- Kolbe, H.J. 1910 - Die Coleopterfauna der Seychellen. *Mitt. Zool. Mus. Berl.* 5, 1-49.
- Kramer, K.U. 1992 - *Ferns collected in 1992 on the Islands of Mahe, Silhouette, Praslin, La Digue and Bird Island*. Unpublished
- Lamb, C.G. 1914 - Diptera: Heteroneuridae, Ortidae, Trypetidae, Sepsidae, Micropezidae, Drosophilidae, Geomyzidae, Milichiidae. *Trans. Linn. Soc. Lond.*, 2 16, 307-372.
- Legrand, H. 1965 - Lépidoptères des îles Seychelles et d'Aldabra. *Mem. Mus. natn. Hist. nat., Paris*, A 37, 1-210.
- Laidlaw, F.F. 1907 - The Odonata. *Trans. Linn. Soc. Lond.*, 2 (Zool.) 12, 87-89.
- Lehnert, P.T. 1996 - Revision of the Old World Holothyridae. *Invertebr. Taxon* 9, 767-826
- Mahnert, V. 1978 - Die Pseudoskorpone (Arachnida) Kenyas. Familien Withiidae und Cheliferidae. *Tropical Zoology* 1(1), 39-89.
- Mahunka, S. 1984 - Terrestrial fauna of the granitic islands of the Seychelles Archipelago (Indian Ocean): Acari, Oribatida. *Rev. Zool. afr.* 98(3), 670-676.
- Malcomber, S. 1994 - *Nepenthes peruviae*. Unpublished.
- Masi, L. 1917 - Chalcididae of the Seychelles Islands. *Novit. zool.* 24, 121-230.
- Matyot, P. 1990 - *Carausius scotti* rediscovered. *Phasmid Study Group Newsletter* 44, 6-7.
- 2^o. 1995 - The earwig "*Clactospania gardineri*" (Burr, 1910) rediscovered. *Phelsuma* 3, 58-62.
- 2^o. 1996a - The jewel beetles (Coleoptera: Buprestidae) of Seychelles. *Phelsuma* 4, 57-62.
- 2^o. 1996b - New sites for some native plants of Seychelles. *Phelsuma* 4, 63-66.
- 2^o. 1996c - The sheath-tailed bat *Coleura seychellensis* Peters, 1868 (Chiroptera: Emballonuridae), rediscovered on Silhouette island. *Phelsuma* 4, 67-68.
- Maulik, S. 1913 - Coleoptera, Chrysomelidae: Hispinae of the Seychelles. *Trans. Linn. Soc. Lond.*, 2 16, 237-242.
- 2^o. 1917 - Cassidinae. *Ann. Mag. Nat. Hist.*, 8 19, 144-147.
- 2^o. 1931 - Coleoptera, Chrysomelidae: Eumolpinae, Galerucinae and Halidiniae. *Trans. Linn. Soc. Lond.*, 2 19, 241-260.
- Mauries, J.-P. 1980 - Myriapoda - Diplopoda. *Rev. Zool. afr.* 94, 138-168
- Meade-Waldo, G. 1912 - Hymenoptera, Diptera. *Trans. Linn. Soc. Lond.*, 2 15, 43-44.
- Meyrick, E. 1911 - Tortricina and Tineina. *Trans. Linn. Soc. Lond.*, 2 14, 263-307.
- Morley, C. 1912 - Hymenoptera, Ichneumonidae. *Trans. Linn. Soc. Lond.*, 2 15, 169-179.
- Mortimer, J.A. 1986 - *Marine Turtles in the Republic of the Seychelles*. IUCN, Gland.
- Newton, E. 1867 - On the land birds of the Seychelles Archipelago. *Ibis* 3, 335-360.
- Nicoll, M. & Sutte, J. 1982 - The sheath-tailed bat in the Seychelles islands. *J. Zool.* 197, 421-426
- NPTS 1996 - *Silhouette Conservation Management Plan*. NPTS unpublished.
- Nussbaum, R.A. 1984 - Amphibians of the Seychelles. In: *Biogeography and Ecology of the Seychelles Islands*. Monographiae Biologicae Vol. 55. (Ed Stoddart, DR) Dr. W. Junk, The Hague, 379-416.

- Nussbaum, R.A & Sheng Hai Wu 1995 - Distribution, variation, and systematics of the Seychelles treefrog, *Tachycnemis seychellensis* (Amphibia: Anura: Hyperoliidae). *J. Zool. Lond.* 236, 383-406.
- Oger 1771 - Unpublished manuscript (Archives de France no. 44JJ86).
- Orban, S. 1995 - East Afr. bryophytes, XV. Calymperaceae species collected in Seychelles Islands in 1993. *Fragm. Flor. Geobot.* 40(1), 279-287.
- OUSE 1990 - Oxford University Silhouette Expedition - final report. Unpublished.
- Penny, M. 1974 - *The birds of Seychelles*. Collins, London. 160 pages.
- Pocs, T. 1995 - East Afr. bryophytes, XIV. Hepaticae from the Indian Ocean islands. *Fragm. Flor. Geobot.* 40(1), 251-277.
- Racey, P.A & Nicoll, M.E. 1984 - Mammals of the Seychelles. In: *Biogeography and Ecology of the Seychelles Islands*. Monographiae Biologicae Vol. 55. (Ed. Stoddart, DR) Dr. W. Junk, The Hague, 607-626.
- Raffray, A. 1913 - Coleoptera: Pselaphidae. *Trans. Linn. Soc. Lond.*, 2 16, 117-138.
- Rambla, M. 1984 - Opiliones. *Ann. Mus. R. Afr. Cent. Ser. 8* 242, 1-86.
- Roberts, M. 1978 - Contributions à l'étude de la faune terrestre des îles granitiques de l'archipel des Seychelles. Theridiidae, Mysmenidae and gen. Theridiosoma. *Rev. Zool. afr.* 92(4): 902-939.
- Robertson, S.A. 1989 - *Flowering Plants of Seychelles*. Royal Botanic Gardens, Kew. 327pp.
- Roth, L.M. 1996 - Cockroaches on the Seychelles Islands. *J. Afr. Zool.* 110, 97-128.
- Saaristo, M.I. 1995 - Clubionids of the granitic islands of Seychelles (Aranea, Clubionidae). *Phelsuma* 3; 53-57.
- 1996a - Theridiosomatid spiders of the granitic Seychelles (Aranida, Theridiosomatidae). *Phelsuma* 4; 48-52.
- 1996b - Symphytognathidae (Arachnida, Araneae), a new spider family for the granitic islands of Seychelles. *Phelsuma* 4; 53-56.
- Sampson, W. 1914 - Coleoptera, Platypodidae & Ipidae from the Seychelles. *Trans. Linn. Soc. Lond.*, 2 16, 379-391.
- Schenkling, S. 1922 - Coleoptera: Cleridae. *Trans. Linn. Soc. Lond.*, 2 18, 325-329.
- Scott, H. 1910 - Eight months' entomological collecting in the Seychelles, 1908-9. *Trans. Linn. Soc. Lond.*, 2 14, 21-39.
- 1912 - Coleoptera, Lamellicornia and Adephaga. *Trans. Linn. Soc. Lond.*, 2 15, 215-261.
- 1913 - Coleoptera: Hydrophilidae, Histeridae. *Trans. Linn. Soc. Lond.*, 2 16, 193-235.
- 1914 - Mallophaga, Aphaniptera, and Diptera Pupipara. *Trans. Linn. Soc. Lond.*, 2 17, 161-167.
- 1917 - Corylophidae. *Ann. Mag. Nat. Hist.*, 8 19, 1-33.
- 1921 - Coleoptera: Scydmaenidae, Seaphidiidae, Phalacridae, Cucujidae (supplement), Lathridiidae, Mycetophagidae (including "Propalticus"), Bostrichidae, Lyctidae. *Trans. Linn. Soc. Lond.*, 2 18, 195-260.
- 1924 - Coleoptera, Ciidae. *Trans. Linn. Soc. Lond.*, 2 19, 1-41.
- 1926 - Carabidae, Rhypiceridae. *Ann. Mag. Nat. Hist.*, 9 18, 50-76.
- 1932 - Notes on insects associated with ants and termites in the Seychelles Islands. *Ent. Monthly Mag.* 68, 169-172.
- Sicard 1912 - Coleoptera, Coccinellidae. *Trans. Linn. Soc. Lond.*, 2 15, 361-366.
- Simon, E. 1893 - Mission scientifique de M. Ch. Alluaud aux îles Seychelles (Mars, Avril, Mai 1898). Araignées. *Bull. Soc. Zool. France* 1893 (18), 204-211.
- 1898 - Etudes arachnologiques. 29e Mémoire. XLVI. Araignées recueillis en par M. le Dr. A. Bruner (de l'Université de Marburg) aux îles Seychelles. *Ann. Soc. Ent. France* 66; 370-385.
- Simroth, 1913. *Die Vaginidaen* p. 131-202.
- Stein, P. 1910 - Diptera, Anthomyiidae, mit den gattungen *Rhinia* und *Idella*. *Trans. Linn. Soc. Lond.*, 2, 14

- Starmühlner, F. 1983 - Results of the Hydrobiological Mission 1974 of the Zoological Institute of the University of Vienna. *Ann. Naturhist. Mus., Wien* **84/B**, 127-249.
- Summerhayes, V.S. 1931 - An enumeration of the angiosperms of the Seychelles archipelago. *Trans. Linn. Soc. Lond.*, **2 19**, 261-299.
- Swabey, C. 1970 - The endemic flora of the Seychelles Islands and its conservation. *Bio. Cons.* **2**, 171-177.
- Sykes, E.R. 1909 - The land and freshwater mollusca of the Seychelles Archipelago. *Trans. Linn. Soc. Lond., Zool.* **13**, 57-64.
- Theobald, F.V. 1912 - Diptera, Culicidae. *Trans. Linn. Soc. Lond.*, **2 15**, 81-94.
- Thomas, O. 1915 - Notes on bats of the genus *Coleura*. *Ann. Mag. Nat. Hist.* (8) **15**; 576-579.
- Thoni, K. 1996 - Die aussere Morphologie und die Systematik der Holothyriden. *Zool. Jahrb. (Syst.)* **23**; 677-724.
- Turner, R.E. 1911 - Fossilial Hymenoptera from the Seychelles and other islands in the Indian Ocean. *Trans. Linn. Soc. Lond.*, **2 14**, 367-374.
- Ulmer, G. 1910 - Trichoptera. *Trans. Linn. Soc. Lond.*, **2 14**, 41-54.
- Wanless, F.R. 1980 - A revision of the spider genera Asamonea and Pandisus (Araneae: Salticidae). *Bull. Br. Mus. nat. Hist. (Zool.)* **39**(4); 213-257.
- 1984 - Araneac - Salticidae. Contributions à l'étude de la faune terrestre des îles granitiques de l'archipel des Seychelles. *Mus. R. Afr. Cent., Tervuren, Belg. Ann. 8, Sci. Zool.* **241**; 1-84.
- Warburton, C. 1912 - The Acarina of the Seychelles. *Trans. Linn. Soc. Lond.*, **2 15**, 349-360.
- Watson, J. 1981 - *Population ecology, food and conservation of the Seychelles Kestrel (Falco araea) on Mahé*. Ph.D. Thesis, Aberdeen University.
- 1984 - Land birds: Endangered species of the granitic Seychelles. In: *Biogeography and Ecology of the Seychelles Islands*. Monographiae Biologicae Vol. 55. (Ed: Stoddart, DR) Dr. W. Junk, The Hague, 513-528.
- Wright, E.P. 1868 - Notes on the bats of the Seychelles group of islands. *Ann. Mag. Nat. Hist.* (4) **2**; 436-438.